H 69-

IMP. BUR.
19 JAN 1927
ENTOM.

S. R A.—Fed. Hort. Board 85 (Supplement) Issued October, 1926

United States Department of Agriculture

FEDERAL HORTICULTURAL BOARD

C. L. Marlatt, *Chairman*; R. A. Oakley, *Vice-Chairman*; George B. Sudworth, M. B. Waite, and W. D. Hunter; E. R. Sasscer, *Entomologist and Executive Officer*; R. C. Althouse, *Assistant to the Chairman*

SERVICE AND REGULATORY ANNOUNCEMENTS

Annual Letter of Information No. 38

Pests Collected from Imported Plants and Plant Products from January 1, 1924, to December 31, 1925, Inclusive

FOREWORD

It will be noted that this Letter of Information covers a period of two years. The delay in reporting on the interceptions made during the calendar year 1924 was occasioned by the fact that an effort was made to indicate those pests which are known to be established in the United States and the distribution involved. Much time was consumed in this work in cooperation with entomologists of the Bureau of Entomology, and it was finally decided that the results to be secured would not justify the time required. Many of the pests listed in this letter are new to the United States, and a number of those contained in this list which are established in this country have only a limited distribution.

The interceptions listed in this and other issues of the Letter of Information are based for the most part on the examination of representative samples of plants and fruits and vegetables imported in large shipments under regulation 3 of Quarantine 37 and Quarantine 56. The only plant importations, with the exception of those made by this department, to which it is possible to give thorough examination, are those entered under regulation 14 of Quarantine 37. This list, therefore, is merely indicative of the risk now accepted which can be only imperfectly controlled by the present method of inspection.

The entomological and pathological information contained in this issue of the Annual Letter of Information was compiled by Messrs. H. L. Sanford and A. J. Bruman, respectively, who were assisted by Miss Judith Hunt. The record herein given omits many interceptions of insects and plant diseases not considered injurious to the plant cultures of this country. Moreover, some of the interceptions which were made the latter part of the calendar year 1925 have not yet been identified, and hence could not be included.

List, by countries, of pests collected and reported from January 1, 1924 to December 31, 1925, inclusive

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
ABYSSINIA		
Diseases:		
Erysiphe graminis	Triticum aestivum (wheat)	District of Columbia.
Puccinia triticina	do	Do.
Sphacelotheca sorghi	Holcus sorghum (sorghum) (2)	Do.
Ustilago avenae	Avena abyssinica	Do.
Ustilago hordei	Hordeum vulgare (barley)	Do.
Ustilago nuda	Hordeum pallidum	Do.
Do	Hordeum vulgare (barley) (2)	Do.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
AFRICA		
Insects:		
Alloschizotaenis sp. (myriapod)	In soil around palm	Pennsylvania.
Anobium sp. (Anobiidae)	In receptacle of acacia beans	New York.
Apion sp. (Curculionidae)	Crotalaria sp. (seed and pod)	District of Columbia.
Araecerus fasciculatus (coffee-bean weevil).	Dioscorea sp. (yam)	New York.
Do	Funtumia elastica (seed)	District of Columbia.
Do	Theobroma cacao (cacao bean) (2)	California
Do	Theobroma cacao cacao bean)	Pennsylvania.
Aspidiotus camelliae (greedy scale)	Pyrus communis (pear)	New York.
Aspidiotus hederae (ivy scale)	Citrus limonia (lemon)	Florida.*
Bittium reticulatum (Mollusca)	In soil around palm	Pennsylvania
Cecidomyiid	Ornithogalum thyrsoides (chinkerichee).	New York.
Chionaspis citri (orange chionaspis)	Citrus sinensis (orange)	Do.
Chrysomphalus aonidum (Florida red scale).	do	Florida.*
Chrysomphalus aurantii (California red scale).	do	Louisiana.
Chrysomphalus dictyospermi var. (scale insect).	do	Pennsylvania.
Corcyra cephalonica (Pyralidae)	Cordeauxia edulis (seed)	District of Columbia.
Cryptolestes sp. (Cucujidae)	Theobroma cacao (cacao bean)	Pennsylvania.
Curculionid	do	Do.
Dermestes sp. (Dermestidae)	Theobroma cacao (cacao bean) (3)	California.*
Desmometopa m-nigrum (Agromyzidae).	Allium cepa (onion)	Pennsylvania.
Dialeurodes citri (citrus whitefly)	Jasminum sp. (jasmine)	New York.
Ditoma sp. (Colydiidae)	Dioscorea sp. (yam)	Do.
Ephestia sp. (Pyralidae)	Capsicum annuum (chili pepper)	California.*
Do	Theobroma cacao (cacao bean) (29)	Do.*
Eurytomid	Crotolaria sp. (seed-pod)	District of Columbia.
Helicella barbara (Mollusca)	In soil around palm	Pennsylvania.
Helicella intersecta (Mollusca)	do	Do.
Helix aperta (Mollusca)	do	Do.
Hylemyia sp. (Anthomyiidae)	Solanum tuberosum (potato)	Pennsylvania.
Laemophloeus sp. (Cucujidae)	Theobroma cacao (cacao bean)	Do.
Lepidosaphes beckii (purple scale)	Citrus sinensis (orange)	Florida.*
Lepidosaphes ficus (scale insect)	Ficus sp. (fig) (cutting)	District of Columbia.
Lepidosaphes gloverii (Glover's scale)	Citrus nobilis (tangerine)	New York.
Leptotrichus lentus (isopod)	In soil around palm	Pennsylvania.
Megastigmus sp. (Chalcididae)	Rosa sp. (rose) (seed)	District of Columbia
Monomorium destructor (ant)	Dioscorea sp. (yam)	New York.
Monomorium pharaonis (Pharaoh's ant).	Swietenia sp. (mahogany) (tree seed)	Massachusetts.
Mordellistena sp. (Mordellidae)	Daucus carota (carrot)	New York.
Mylabris sp. (Mylabridae)	Albizzia fastigiata (seed)	District of Columbia.
Do	Crotolaria sp. (seed-pod)	Do.
Do	Dolichos lablab (hyacinth-bean) (2)	Do.
Do	Erythrina tomentosa	Do.
Do	Shrub (seed)	Do.
Do	Vicia gracilis (vetch)	Do.
Oxycarenus hyalinipennis (Lygaeidae)	Gossypium sp. (cotton)	Do.
Pachymerus pallidus (Mylabridae)	Bauhinia acuminata (snowy bauhinia) (seed).	Do.
Parlatoria oleae (scale insect)	Malus sylvestris (apple) (budwood)	Do.
Parlatoria pergandii (chaff scale)	Citrus nobilis (tangerine)	New York.
Parlatoria ziziphus (scale insect)	do	Do.
Parlatoria sp. (scale insect)	Olea barouni (cuttings)	District of Columbia.
Pectinophora gossypiella (pink bollworm).	Gossypium sp. (cotton) (seed)	Do.
Phthorimaea operculella (potato-tuber moth).	Solanum tuberosum (potato)	New York.
Do	do	Pennsylvania.
Psammodius sp. (Scarabaeidae)	In soil around palm	Do.
Pseudococcus brevipes (pineapple mealybug).	Ananas sativus (pineapple)	New York.
Pseudococcus gahani (mealybug)	Watsonia sp. (bugle lily)	Do.
Pyralid (Phycitinae)	Swietenia sp. (mahogany) (bean)	South Carolina.
Rhizoglyphus hyacinthi (bulb mite)	Allium cepa (onion)	Pennsylvania.
Do	Solanum tuberosum (potato)	Do.
Rhizoglyphus sp. (mite)	Palm	Do.
Do	Solanum tuberosum (potato)	Do.
Scarabaeid	Palm	Do.
Do	In soil around palm	Do
Sciara sp. (Mycetophilidae)	Solanum tuberosum (potato) (3)	Do.
Scolytid	Myristica fragrans (nutmeg)	California.*
Solenopsis sp. (ant)	Theobroma cacao (cacao bean)	Do.*
Tenebrionid	In soil around palm	Pennsylvania
Xyleborus sp. (Scolytidae)	Dioscorea sp. (yam)	New York.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
AFRICA—continued		
Diseases:		
Actinomyces scabies	Solanum tuberosum (potato)	Florida.*
Phoma insidiosa	Holcus sorghum (sorghum) (4)	District of Columbia.
Puccinia liliacearum	Ornithogalum thyrsoides (chinkerichee).	New York.
Sphacelotheca sorghi	Holcus sorghum (sorghum)	District of Columbia.
Ustilago avenae	Avena sativa (oats)	Do.
ALASKA		
Insects:		
Agriolimax agrestis (Mollusca)	In soil around plants	Hawaii.*
ALGERIA		
Insects:		
Aspidiotini (scale insect)	Cyperus textilis (cutting)	District of Columbia.
Aspidiotus hederae (ivy scale)	Argania sideroxylon (fruit) (2)	Do.
Do	Diospyros sinensis (persimmon)	Do.
Do	Morus kagaya (mulberry) (cutting)	Do.
Aspidiotus lataniae (scale insect)	Argania sideroxylon (fruit)	Do.
Do	Oreopanax sp. (cutting)	Do.
Aspidiotus spinosus (scale insect)	Argania sideroxylon (fruit)	Do.
Aspidiotus sp. (scale insect)	Diospyros sinensis (persimmon) (cutting).	Do.
Asterolecanium bambusae (scale insect).	Dendrocalamus sp. (cutting)	Do.
Chrysomphalus dictyospermi (scale insect).	Palm	New York.
Do	Rosa sp. (rose hip)	District of Columbia.
Chrysomphalus dictyospermi var. (scale insect).	Palm	New York.
Coccus hesperidum (soft brown scale)	Populus euphratica (poplar) (cutting)	District of Columbia.
Histiostoma sp. (mite)	Solanum tuberosum (potato)	Massachusetts.
Lepidosaphes beckii (purple scale)	Citrus sinensis (orange) (2)	Do.
Parlatoria oleae (scale insect)	Prunus mume (Japanese apricot) (cutting).	District of Columbia.
Parlatoria pergandii (chaff scale)	Citrus limetta (sweet lime)	Do.
Do	Citrus limonia (lemon)	Pennsylvania.
Phthorimaea operculella (potato-tuber moth).	Solanum tuberosum (potato)	Do.
Rhizoglyphus hyacinthi (bulb mite)	do	Louisiana.
Sciara sp. (Mycetophilidae)	Solanum tuberosum (potato) (2)	Pennsylvania.
Tetranychus sp. (mite)	Palm	South Carolina.
Diseases:		
Fusarium sp	Solanum tuberosum (potato)	Florida.*
ANTIGUA		
Insects:		
Asterolecanium sp. (scale insect)	Phyllostachys sp. (bamboo)	District of Columbia.
ARGENTINA		
Insects:		
Agallia sp. (Cicadellidae)	Vitis sp. (grape)	New York.
Agromyzid	Vitis sp. (grape)	Do.
Anisolabis annulipes (earwig)	Helianthus annuus (sunflower) (seed)	Washington.
Do	Solanum tuberosum (potato) (2)	Louisiana.
Araecerus fasciculatus (coffee-bean weevil).	Brassica oleracea botrytis (cauliflower)	New York.
Do	Ipomoea batatas (sweet potato)	Pennsylvania.
Do	Solanum tuberosum (potato)	Do.
Armadilidium sp. (isopod)	Amygdalus persica (peach)	New York.
Aspidiotus camelliae (greedy scale)	Amygdalus persica nectarina (nectarine).	Do.
Do	Amygdalus persica (peach)	Do.
Do	Vitis sp. (grape) (2)	Do.
Aspidiotus hederae (ivy scale)	Citrus limonia (lemon)	Florida*.
Do	do	South Carolina.
Do	Prunus domestica (plum) (2)	New York.
Do	Vitis sp. (grape) (9)	Do.
Aspidiotus pectinatus (scale insect)	Pyrus communis (pear)	Do.
Aspidiotus perniciosus (San Jose scale)	Cydonia oblonga (quince)	Do.
Do	Prunus domestica (plum) (4)	Do.
Do	Pyrus communis (pear) (5)	Do.
Aspidiotus spinosus (scale insect)	Palm	Florida*.
Aspidiotus sp. (scale insect)	Amygdalus persica (peach)	New York.
Aulacaspis pentagona (West Indian peach scale).	Vitis sp. (grape) (2)	Do.
Blapstinus punctulatus (Tenebrionidae).	Amygdalus persica (peach)	Do.
Do	Vitis sp. (grape)	Do.
Brevicoryne brassicae (aphid)	Brassica oleracea botrytis (cauliflower)	Do.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
ARGENTINA—continued		
Insects—Continued.		
Camponotus sp. (ant)	Vitis sp. (grape) (2)	New York.
Carpocapsa pomonella (codling moth)	Pyrus communis (pear)	Do.
Cerataphis lataniae (palm aphid)	Aechmea mariea-reginae	Florida*.
Chirothrips sp. (thrips)	Amygdalus persica (peach)	New York.
Chrysomphalus aonidum (Florida red scale).	Citrus limonia (lemon)	California*.
Do	Citrus nobilis (tangerine)	New York.
Do	Palm (2)	Florida*.
Dermestes sp. (Dermestidae)	Helianthus sp. (sunflower)	Washington.
Diabrotica sp. (Chrysomelidae)	do	Do.
Diaspis boisduvalii (Boisduval's scale)	Unknown	Florida*.
Diatraea saccharalis (sugar-cane borer)	Holcus sorghum var. (broomcorn)	Massachusetts.
Diatraea sp. (Pyralidae)	do	Do.
Do	do	New York.
Dolichocysta sp. (Tingididae)	Amygdalus persica (peach)	Do.
Endrosis lacteella (Oecophoridae)	Helianthus sp. (sunflower) (seed)	Washington.
Epilachna paenulata (Coccinellidae)	Vitis sp. (grape)	New York.
Eriococcus araucariae (scale insect)	Araucaria sp	Do.
Eurytoma sp. (Eurytomidae)	Amygdalus persica (peach)	Do.
Eurytomid	Medicago sativa (alfalfa) (seed)	District of Columbia.
Euscepes batatae (West Indian sweet-potato weevil).	Ipomoea batatas (sweet potato)	Pennsylvania.
Euxesta sp. (Ortalidae)	Solanum tuberosum (potato)	Do.
Gargaphia nigrinervis (Tingididae)	Amygdalus persica (peach)	New York.
Gargaphia sp. (Tingididae)	do	Do.
Geraeus sp' (Curculionidae)	Vitis sp. (grape)	Do.
Heilipus sp. (Curculionidae)	Ipomoea batatas (sweet potato)	Pennsylvania.
Hemichionaspis minor (scale insect)	Palm	Florida.*
Howardia biclavis (mining scale)	Mammea americana (mamey)	New York.
Hyperaspis sp. (Coccinellidae)	Vitis sp. (grape)	Do.
Idolothripid (thrips)	Amygdalus persica (peach) (2)	Do.
Lepidosaphes beckii (purple scale)	Citrus limonia (lemon)	California.*
Do	do	Florida.*
Do	do	Massachusetts.
Do	Citrus nobilis (tangerine) (2)	New York.
Do	Citrus sinensis (orange)	Florida.*
Do	do	New York.
Monomorium pharaonis (Pharaoh's ant).	Seeds and bulbs (assorted)	California.*
Mycetophila sp. (Mycetophilidae)	Vitis sp. (grape)	New York.
Mylabris sp. (Mylabridae)	Legume (2)	District of Columbia.
Do	Prosopis sp. (seed) (2)	Do.
Myzus persicae (green peach aphid)	Brassica oleracea (cabbage)	Pennsylvania.
Myzus sp. (aphid)	Acalypha sp. (copper leaf)	New York.
Nezara sp. (Pentatomidae)	Zea mays (corn)	Pennsylvania.
Olethreutid	Amygdalus persica (peach) (2)	New York.
Do	Cydonia oblonga (quince)	Do.
Do	Pyrus communis (pear) (3)	Do.
Ortalid	Ipomoea batatas (sweet potato)	Pennsylvania.
Parlatoria pergandii (chaff scale)	Citrus limonia (lemon)	South Carolina.
Do	Vitis sp. (grape)	New York.
Philoscia vittata (isopod)	do	Do.
Phoxothrips sp. (thrips)	Amygdalus persica (peach) (4)	Do.
Piezodorus guildinii (Pentatomidae)	Vitis sp. (grape)	Do.
Porcellio rathkei (isopod)	Apium graveolens (celery)	Do.
Porcellio sp. (isopod)	Vitis sp. (grape) (2)	Do.
Prenolepis sp. (ant)	do	Do.
Pseudaonidia articulatus (rufous scale)	Citrus sinensis (orange)	Florida.*
Pseudococcus citri (citrus mealybug)	Vitis sp. (grape) (20)	New York.
Pseudococcus maritimus (mealybug)	Vitis sp. (grape)	Do.
Pseudococcus sp. (mealybug)	Amygdalus persica (peach)	Do.
Do	Citrus nobilis (tangerine)	Do.
Do	Vitis sp. (grape)	Do.
Pyralid (Phycitinae)	Prosopis sp. (pod)	District of Columbia
Rhizoglyphus hyacinthi (bulb mite)	Allium cepa (onion)	Pennsylvania.
Do	do	South Carolina.
Do	Solanum tuberosum (potato)	Massachusetts.
Rhizoglyphus sp. (mite)	Solanum tuberosum (potato)	Pennsylvania.
Sciara sp. (Mycetophilidae)	Brassica oleracea (cabbage)	Do.
Do	Solanum tuberosum (potato)	Do.
Do	Vitis sp. (grape)	New York.
Solenopsis geminata var. (ant)	Amygdalus persica (peach)	Do.
Spermophagus sp. (Mylabridae)	Legume	District of Columbia.
Do	Prosopis sp. (seed)	Do.
Symphyothrips sp. (thrips)	Citrus nobilis (tangerine)	New York.
Syrphid	Zea mays (corn)	Do.
Tortricid	Amygdalus persica (peach) (3)	Do.
Trogositid	Triticum aestivum (wheat)	Oregon.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
ARGENTINA—continued		
Diseases:		
Actinomyces scabies	Solanum tuberosum (potato) (4)	Florida.*
Argentina scab	Citrus sinensis (orange) (2)	New York.
Claviceps paspali	Paspalum sp. (2)	District of Columbia.
Fusarium heterosporum	Paspalum sp	Do.
Fusarium sp	Solanum tuberosum (potato) (2)	Florida.*
Spondylocladium atrovirens	do	Do.*
AUSTRALIA		
Insects:		
Aleyrodid	Eucalyptus sp. (foliage)	California.*
Anobiid	Eucalyptus sp. (seed)	Do.*
Apiomorpha sp. (scale insect)	Eucalpytus sp. (foliage)	Do.*
Aspidiotus camellise (greedy scale)	Myrtus sp. (myrtle)	Hawaii.*
Aspidiotus hederae (ivy scale)	Aspidistra sp	California.*
Do	Citrus limonia (lemon)	New York.
Aspidiotus sp. (scale insect)	Eucalyptus sp. (foliage)	California.*
Do	Rhapholepis intermedia (fruit)	District of Columbia.
Borkausenia pseudospretella (Oecophoridae).	Rosa sp. (rose)	California.*
Chrysomphalus aonidum (Florida red scale).	Aspidistra sp	Do.*
Do	Palm	Do.*
Chrysomphalus aurantii (California red scale).	Citrus limonia (lemon) (3)	Do.*
Do	Citrus limonia (lemon)	Massachusetts.
Do	do	Washington.
Do	Citrus sinensis (orange) (2)	California.*
Chrysomphalus sp. (scale insect)	Citrus sinensis (orange)	Do.*
Coccotrypes sp. (Scolytidae)	Phoenix rupicola (cliff date palm)	District of Columbia.
Eriococcus sp. (scale insect)	Eucalyptus sp. (foliage)	California.*
Geomyzid	Cucurbita maxima (squash)	Do.*
Hemichionaspis aspidistrae (aspidistra scale).	Aspidistra sp	Do.*
Hemichionaspis minor (scale insect)	Palm	Do.*
Lepidosaphes beckii (purple scale)	Citrus limonia (lemon)	New York.
Do	Citrus sinensis (orange) (2)	California.*
Lyonetiid	Fern	Do.*
Opisthoscelus sp. (scale insect)	Eucalyptus sp. (foliage)	Do.*
Phenacaspis sp. (scale insect)	Palm	Do.*
Do	do	Oregon.
Phthorimaea operculella (potato-tuber moth.)	Solanum tuberosum (potato) (2)	Massachusetts.
Porcellio sp. (isopod)	In soil around plants	Hawaii.*
Pseudococcus citri (citrus mealybug)	Choco or merliton	California.*
Pseudococcus sp. (mealybug)	Choco	Do.*
Do	Undetermined plant	Do.*
Ptinus sp. (Ptinidae)	Acacia bailyana (cootamundra wattle) (seed).	District of Columbia.
Saissetia hemisphaerica (hemispherical scale).	Fern	Massachusetts.
Do	Polystichum acrostichoides (Christmas fern).	New York.
Saissetia sp. (scale insect)	Unknown plant	Hawaii.*
Sciara sp. (Mycetophilidae)	Macrozamia sp. (cone)	District of Columbia.
Diseases:		
Actinomyces scabies	Solanum tuberosum (potato)	Florida.*
Claviceps microcephala	Oryzopsis miliacea	District of Columbia.
Phoma sp	Araucaria bidwelii (bunya-bunya)	Massachusetts.
Sclerotium sp	Medicago sativa (alfalfa)	California.*
Venturia inaequalis	Malus sylvestris (apple)	Massachusetts.
AUSTRIA		
Insects:		
Argyrotoxa conwayana (Tortricidae)	Ligustrum vulgaris (privet)	District of Columbia.
Diaspis carueli (juniper scale)	Juniperus communis (common juniper) (seed).	Do.
Do	Juniperus virginiana (red cedar)	Do.
Do	Juniperus sp. (juniper) (seed)	Do.
Lepidosaphes ulmi (oyster-shell scale)	Fruit scion	Do.
Pyralid (Phycitinae)	Agaricus campestris (mushroom)	Illinois.
Do	Prunus cerasus (cherry)	Pennsylvania.
Do	Tree seed	New York.
Diseases:		
Venturia inaequalis	Malus sylvestris (apple)	District of Columbia.
AZORES		
Insects:		
Anisolabis annulipes (earwig)	Colocasia esculenta (taro)	New York.
Do	Colocasia sp. (inhame)	Massachusetts.
Anthomyiid	Malus sylvestris (apple)	Do.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
AZORES—continued		
Insects—Continued.		
Armadillidium vulgare (isopod)	In soil around bulbs	Massachusetts.
Aspidiotus cemelliae (greedy scale)	Citrus limetta (sweet lime)	Do.
Do	Citrus sinensis (orange)	Do.
Aspidiotus hederae (ivy scale)	Diospyros sp. (persimmon)	Do.
Aspidiotus lataniae (scale insect)	Citrus limonia (lemon)	Do.
Do	Cucurbita maxima (squash)	Do.
Do	Gladiolus sp. (bulbs) (2)	District of Columbia.
Do	Jasminum nudiflorum (winter jasmine)	Massachusetts.
Do	Rosa sp. (rose) (bush)	Do.
Aspidiotus sp. (scale insect)	Ficus sp. (fig)	New York.
Aulacaspis rosae (rose scale)	Rosa sp. (rose) (2)	Massachusetts.
Blaniulus minutus (myriapod)	In soil around plants	Do.
Carpocapsa pomonella (codling moth)	Malus sylvestris (apple) (3)	Do.
Ceratitis capitata (Mediterranean fruit fly).	Eriobotrya japonica (loquat) (3)	Do.
Do	Malus sylvestris (apple) (3)	Do.
Do	Pyrus communis (pear) (2)	Do.
Ceratitis sp. (Trypetidae)	Eriobotrya japonica (loquat)	New York.
Do	Pupa in box with loquats and dry beans.	Massachusetts.
Chionaspis citri (orange chionaspis)	Citrus sinensis (orange)	Do.
Diaspis bromeliae (scale insect)	Ananas sativus (pineapple) (2)	Do.
Diaspis echinocacti opuntiae (scale insect).	Opuntia sp. (prickly pear)	Do.
Ephestia sp. (Pyralidae)	Ficus sp. (fig)	California.*
Do	Vicia faba (broad bean)	Louisiana.
Fiorinia fioriniae (scale insect)	Camellia japonica (common camellia)	Massachusetts.
Do	Camellia sp. (2)	Do.
Iridomyrmex humilis (Argentine ant)	Colocasia esculenta (dasheen)	Massachusetts.
Do	Zea mays (corn)	Do.
Julus sp. (myriapod)	Soil around plants	Do.
Labiinae (earwig)	Unknown	District of Columbia.
Lepidosaphes beckii (purple scale)	Citrus aurantifolia (lime)	Massachusetts.
Do	Citrus limetta (sweet lime) (8)	Do.
Do	Citrus limonia (lemon) (16)	Do.
Do	Citrus nobilis (tangerine)	Do.
Do	Citrus sinensis (orange) (16)	Do.
Do	Citrus sinensis (orange)	New York.
Do	Citrus sp.	Massachusetts.
Do	Vitis sp. (grape) (vine)	New York.
Lygaeid	Zea mays (corn) (husk)	Massachusetts.
Mycetophilid	Colocasia esculenta (dasheen)	New York.
Do	Colocasia sp. (inhame)	Massachusetts.
Noctuid	Zea mays (corn) (husk)	Do.
Olethreutid	Ananas sativus (pineapple)	Do.
Ophyiulus pilosus (myriapod)	Colocasia esculenta (dasheen)	Do.
Do	In soil around plants	Do.
Parlatoria pergandii (chaff scale)	Ananas sativus (pineapple)	Do.
Phthorimaea sp. (Gelechiidae)	Solanum tuberosum (potato)	Pennsylvania.
Polyzenus legurus (myriapod)	Ananas sativus (pineapple)	South Carolina.
Ponera punctatissima var. (ant)	In soil around begonia roots	Massachusetts.
Porcellio laevis (isopod)	In soil around Colocasia sp. (inhame)	Do.
Porcellio rathkei (isopod)	Colocasia sp. (inhame)	Do.
Prenolepis longicornis (crazy ant)	Ananas sativus (pineapple)	Do.
Do	do	New York.
Do	Gladiolus sp. (bulbs)	Massachusetts.
Do	In soil around bulbs	Do.
Do	Solanum tuberosum (potato)	Do.
Prenolepis sp. (ant)	In box containing sweet limes, pineapples, inhames, and other articles.	Do.
Pseudococcus adonidum (long-tailed mealybug).	Ananas sativus (pineapple)	Do.
Pseudococcus brevipes (pineapple mealybug).	do	New York.
Pseudococcus citri (citrus mealybug)	Chayota edulis (chayote) (2)	Massachusetts.
Do	Citrus limonia (lemon)	Do.
Do	Citrus sinensis (orange)	Do.
Do	Cucurbita maxima (squash)	Do.
Pseudococcus maritimus (mealybug)	Pyrus sp. (small pear)	Do.
Do	Rosa sp. (rose) (bush)	Do.
Do	Solanum tuberosum (potato) (2)	Do.
Pseudococcus sp. (mealybug)	Chayota edulis (chayote)	Do.
Do	Cucurbita maxima (squash)	Do.
Do	Diospyros sp. (persimmon)	Do.
Pyralid (Pyralinae)	In soil around bulbs	Do.
Pyralid	Phaseolus sp. (bean)	New York.
Rhizoglyphus hyacinthi (bulb mite)	Colocasia sp. (tuber)	District of Columbia.
Rhopalosiphum sp. (aphid)	Zea mays (corn) (husk)	Massachusetts.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
AZORES—continued		
Insects—Continued.		
Saissetia hemisphaerica (hemispherical scale).	Cucurbita maxima (squash)	Massachusetts.
Sciara sp. (Mycetophilidae)	Dioscorea sp. (yam)	New York.
Scobicia sp. (Bostrichidae)	Lycopersicum esculentum (tomato)	Massachusetts.
Sesamia vuteria (Noctuidae)	Zea mays (corn)	Do.
Syrphid	Seed pod	Do.
Targionia bromeliae (scale insect)	Ananas sativus (pineapple) (6)	Do.
Do	Ananas sativus (pineapple)	New York.
Do	do	South Carolina.
Targionia sp. (scale insect)	do	Massachusetts.
Tenuipalpus sp. (mite)	Citrus sinensis (orange)	Do.
Trypetid	Ipomoea batatas (sweet potato)	Do.
Diseases:		
Oospora citri-aurantii	Citrus limetta (sweet lime)	Massachusetts.
Sphaeronema fimbriatum	Ipomoea batatas (sweet potato)	Do.
BAHAMA ISLANDS		
Insects:		
Aleurocanthus woglumi (citrus blackfly).	Rosa sp. (rose)	Florida.*
Aphis sp. (aphid)	Hibiscus sp	Do.*
Aspidiotus cocotiphagus (scale insect)	Cocos nucifera (coconut) (8)	Do.*
Do	Cocos nucifera (coconut)	New York.
Do	Palm	Florida.*
Aspidiotus cyanophylli (scale insect)	Rosa sp. (rose)	Do.*
Do	Seed pod	Do.*
Aspidiotus herculeanus (scale insect)	Chrysophyllum cainito (star apple)	Do.*
Do	Spondias purpurea (purple mombin)	Do.*
Aspidiotus lataniae (scale insect)	Achras sapota (sapodilla)	Do.*
Do	Chrysophyllum cainito (star apple)	Do.*
Do	Laurus sp. (laurel)	Do.*
Do	Rosa sp. (rose)	Do.*
Aspidiotus sp. (scale insect)	Poinciana sp	Do.*
Asterolecanium pustulans (scale insect).	Achras sapota (sapodilla) (2)	Do.*
Do	Annona cherimola (cherimoya)	Do.*
Do	Nerium oleander (oleander)	Do.*
Ceroplastes sp. (scale insect)	Chrysophyllum cainito (star apple)	New York.
Chloridea obsoleta (corn earworm)	Lycopersicum esculentum (tomato)	Do.
Do	Zea mays (corn) (4)	Florida.*
Chrysomphalus aonidum (Florida red scale).	Rosa sp. (rose) (2)	Do.*
Chrysomphalus aurantii (California red scale).	Citrus sinensis (orange)	Do.*
Chrysomphalus dictyospermi (scale insect).	Citrus grandis (grapefruit) (2)	Do.*
Do	Cocos nucifera (coconut)	Do.*
Do	Rosa sp. (rose) (3)	Do.*
Chrysomphalus mimosae (mimosa scale).	Spondias purpurea (purple mombin)	Do.*
Coccus hesperidum (soft brown scale)	Palm	Do.*
Coccus viridis (coffee scale)	Achras sapota (sapodilla)	Do.*
Do	Persea americana (avocado)	Do.*
Cryptoptilum antillarum (Gryllidae)	Ananas sativus (pineapple)	New York.
Diaspis boisduvalii (Boisduval's scale)	Cocos nucifera (coconut)	Florida.*
Diatraea sp. (Pyralidae)	Saccharum officinarum (sugar cane)	Do.*
Do	Unknown	Do.*
Hemichionaspis minor (scale insect)	Annona cherimola (cherimoya)	Do.*
Do	Annona muricata (sour sop)	Do.*
Do	Hibiscus sp	Do.*
Do	Palm	Do.*
Do	Poinciana sp	Do.*
Howardia biclavis (mining scale)	Achras sapota (sapodilla) (14)	Do.*
Do	Bunch bush	Do.*
Do	Chrysophyllum cainito (star apple) (2)	Do.*
Do	Mammea americana (mamey)	Do.*
Lepidosaphes beckii (purple scale)	Citrus aurantifolia (lime)	Do.*
Do	Citrus aurantium (sour orange) (2)	Do.*
Lepidosaphes beckii (purple scale)	Citrus grandis (grapefruit) (4)	Do.*
Do	Citrus limonia (lemon) (2)	Do.*
Do	Citrus sinensis (orange) (24)	Do.*
Macrosiphum rosae (aphid)	Rosa sp. (rose)	Do.*
Noctuid	Lycopersicum esculentum (tomato)	New York.
Orthezia insignis (scale insect)	Unknown	Florida.*
Parlatoria sp. (scale insect)	Citrus sinensis (orange)	Do.*
Philoscia sp. (isopod)	Chinese eddo	New York.
Pseudaonidia articulatus (rufous scale)	Achras sapota (sapodilla)	Do.
Do	Annona cherimola (cherimoya)	Florida.*

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
BAHAMA ISLANDS—continued		
Insects—Continued.		
Pseudaonidia articulatus (rufous scale)	Chrysophyllum cainito (star apple)	Florida.*
Do	Hibiscus sp.	Do.*
Do	Nerium oleander (oleander)	Do.*
Do	Persea americana (avocado) (2)	Do.*
Do	Rosa sp. (rose) (10)	Do.*
Do	Spice leaves	Do.*
Do	Tamarindus indica (tamarind) (3)	Do.*
Pseudischnaspis alienus (scale insect)	Annona cherimola (cherimoya) (2)	Do.*
Pseudococcus adonidum (long-tailed mealybug).	Aralia sp.	Do.*
Do	Hibiscus sp.	Do.*
Do	Nerium oleander (oleander)	Do.*
Pseudococcus citri (citrus mealybug)	Annona squamosa (sugar apple)	Do.*
Pseudococcus nipae (palm mealybug)	Achras sapota (sapodilla)	New York.
Do	Palm	Florida.*
Pseudococcus virgatus (mealybug)	Gossypium sp. (cotton) (boll)	Do.*
Pseudococcus sp. (mealybug)	Codiaeum sp. (croton)	Do.*
Pyralid (Pyraustinae)	Lycopersicum esculentum (tomato)	New York.
Saissetia oleae (black scale)	Bunch bush	Florida.*
Do	Chrysophyllum cainito (star apple)	Do.*
Do	Nerium oleander (oleander)	Do.*
Do	Rosa sp. (rose)	Do.*
Targionia sacchari (scale insect)	Saccharum officinarum (sugar cane)	Do.*
Tetraleurodes sp. (whitefly)	Unknown	Do.*
Diseases:		
Actinomyces scabies	Solanum tuberosum (potato) (2)	Do.*
Bacterium tumefaciens	Rosa sp. (rose)	Do.*
Phyllosticta sapotae	Achras sapota (sapodilla)	New York.
BALEARIC ISLANDS		
Insects:		
Diaspis carueli (juniper scale)	Juniperus phoenicea (Phoenicean juniper).	District of Columbia.
Mylabris sp. (Mylabridae)	Medicago apiculata (burrs and seed)	Do.
Do	Medicago scuttellata (snail medick) (seed).	Do.
BARBADOS		
Insects:		
Anisolabis annulipes (earwig)	Cactus leaf	Massachusetts.
Asterolecanium bambusae (bamboo scale).	Bamboo	Florida.*
Asterolecanium miliaris longum (scale insect).	do	Do.*
Colopterus amputatus (Nitidulidae)	Theobroma cacao (cacao bean)	New York.
Curculionid	Ipomoea batatas (sweet potato)	Do.
Cylas formicarius (sweet-potato weevil)	do	Pennsylvania.
Cylas sp. (Curculionidae)	do	New York.
Diaspis boisduvalii (Boisduval's scale)	Cocos nucifera (coconut)	Florida.*
Diaspis echinocacti opuntiae (scale insect).	Cactus	Massachusetts.
Diaspis sp. (scale insect)	Unknown plant	Do.
Euscepes batatae (West Indian sweet-potato weevil).	Dioscorea sp. (yam)	New York.
Do	Ipomoea batatas (sweet potato)	Do.
Laspeyresia sp. (Olethreutidae)	Theobroma cacao (cacao bean)	Do.
Lepidosaphes beckii (purple scale)	Citrus aurantifolia (lime)	Do.
Pectinophora gossypiella (pink bollworm).	Gossypium sp. (cotton) (seed) (2)	Do.
Plutella maculipennis (diamond-back moth).	Brassica oleracea (cabbage)	Do.
Pyralid (Epipasciinae)	Dried flower petal	Massachusetts.
Stenoma sp. (Stenomidae)	Annona reticulata (custard apple)	New York.
Targionia hartii (scale insect	Dioscorea alata (yam)	Massachusetts.
Do	Dioscorea sp. (yam) (2)	Do.
Do	do	New York.
BELGIUM		
Insects:		
Acherontia atropos (death's head moth)	Unknown	Missouri.
Agromyzid	Brassica oleracea gemmifera (Brussels sprouts).	Pennsylvania.
Do	Cichorium endivia (endive)	New York.
Anthomyiid	Brassica oleracea botrytis (cauliflower).	Do.
Athous sp. (Elateridae)	Brassica rapa (turnip)	South Carolina.
Baccha sp. (Syrphidae)	Lactuca sativa (lettuce)	Pennsylvania.
Chrysomphalus aurantii (California red scale).	Coelogyne sp. (orchid)	District of Columbia.
Do	Peristeria elata (Holy-ghost flower)	Do.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
BELGIUM—continued		
Insects—Continued.		
Coccus hesperidum (soft brown scale)	Laurus sp. (laurel)	New York.
Diaspis boisduvalii (Boisduval's scale)	Orchid	District of Columbia.
Gracilaria azaleella (azalea leaf-miner)	Azalea sp	Florida.*
Haptoncus luteolus (Nitidulidae)	Brassica rapa (turnip)	South Carolina.
Hemichionaspis aspidistrae (aspidistra scale).	Aspidistra lurida (common aspidistra)	District of Columbia.
Histiostoma sp. (mite)	Solanum tuberosum (potato)	Pennsylvania.
Lepidosaphes beckii (purple scale)	Citrus nobilis (tangerine)	Florida.*
Lepidosaphes gloverii (Glover's scale)	Citrus sinensis (orange)	California.*
Lepidosaphes ulmi (oyster-shell scale)	Malus sylvestris (apple)	New York.
Macrosiphum kaltenbachii (aphid)	Lactuca sativa (lettuce)	Do.
Mythimna senex (Noctuidae)	Brassica oleracea (cabbage)	Do.
Myzus persicae (green peach aphid)	do	Pennsylvania.
Do	Brassica oleracea gemmifera (Brussels sprouts).	Do.
Do	Lactuca sativa (lettuce)	Do.
Noctuid	Brassica oleracea (cabbage) (2)	New York.
Pieris rapae (imported cabbage worm)	Vitis sp. (grape)	Do.
Pieris sp. (Pieridae)	Brassica oleracea (cabbage)	Pennsylvania.
Pseudoparlatoria parlatorioides (scale insect).	Peristeria elata (Holy-ghost flower)	District of Columbia.
Pulvinaria floccifera (scale insect)	Odontonia bruggenne (orchid)	Do.
Rhizoglyphus hyacinthi (bulb mite)	Solanum tuberosum (potato)	Pennsylvania.
Do	do	South Carolina.
Rhizoglyphus sp. (mite)	Allium cepa (onion)	Do.
Saturnia sp. (Saturniidae)	Unknown	Missouri.
Sciara sp. (Mycetophilidae)	Beta vulgaris (beet)	South Carolina.
Do	Solanum tuberosum (potato)	Do.
Syrphus sp. (Syrphidae)	Brassica oleracea gemmifera (Brussels sprouts).	Pennsylvania.
Do	Lactuca sativa (lettuce)	New York.
Taeniothrips sp. (thrips)	Anthurium sp	District of Columbia.
Tineid	Solanum tuberosum (potato)	South Carolina.
Tyroglyphus lintneri (mite)	do	Do.
Tyroglyphus sp. (mite)	do	Do.
Diseases:		
Actinomyces scabies	Solanum tuberosum (potato) (7)	Florida.*
Fusarium sp	Solanum tuberosum (potato) (2)	Do.*
Phytophthora infestans	Solanum tuberosum (potato)	Do.*
Rhizoctonia solani	Solanum tuberosum (potato) (2)	Do.*
Sclerotinia libertiana	Daucus carota (carrot) (2)	South Carolina.
Spondylocladium atrovirens	Solanum tuberosum (potato) (5)	Florida.*
Venturia inaequalis	Malus sylvestris (apple)	Do.*
BERMUDA		
Insects:		
Anastrepha sp. (Trypetidae)	Eugenia jambos (Malabar plum)	New York.
Anisolabis annulipes (earwig)	Lilium sp. (lily) (bulb)	Do.
Do	Narcissus sp. (bulb)	Do.
Do	Pisum sativum (pea)	Do.
Do	Solanum tuberosum (potato)	Massachusetts.
Aphis gossypii (aphid)	Lilium longiflorum (Easter lily)	Do.
Aphis nerii (aphid)	Nerium oleander (oleander)	New York.
Aphis sp. (aphid)	Lilium longiflorum (Easter lily) (9)	Florida.*
Do	Nerium oleander (oleander)	New York.
Armadillidum vulgare (isopod)	Agave americana (century plant)	Do.
Do	Lactuca sativa (lettuce)	Do.
Do	Rumex sp. (sorrel)	Do.
Aspidiotus hederae (ivy scale)	Nerium oleander (oleander)	Massachusetts.
Aspidiotus lataniae (scale insect)	Magnolia sp	New York.
Do	Palm	Do.
Aulacaspis pentagona (West Indian peach scale).	Bryophyllum pinnatum	Do.
Do	Bryophyllum sp. (6)	Do.
Do	Cycas sp. (cycad) (3)	Do.
Do	Everlive	Do.
Do	Nerium oleander (oleander) (2)	Do.
Baccha sp. (Syrphidae)	Brassica oleracea acephala (kale) (2)	Do.
Brevicoryne brassicae (aphid)	Brassica oleracea (cabbage)	Do.
Do	Brassica oleracea acephala (kale) (2)	Do.
Ceroplastes cirripediformis (barnacle scale).	Codiaeum sp. (croton)	Do.
Do	Nerium oleander (oleander)	Massachusetts.
Ceroplastes sp. (scale insect)	Duranta repens (pigeon-berry)	New York.
Do	Hedera sp. (ivy)	Do.
Do	Laurus sp. (laurel)	Do.
Do	Nerium oleander (oleander)	Do.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
BERMUDA—continued		
Insects—Continued.		
Coccus elongatus (scale insect)	Codiaeum sp. (croton) (2)	New York.
Diaspis zamiae (scale insect)	Cycas sp. (cycad) (3)	Do.
Eriococcus araucariae (scale insect)	Araucaria imbricata (monkey-puzzle)	Do.
Eulota similaris (Mollusca)	Brassica oleracea (cabbage)	South Carolina.
Do	Lactuca sativa (lettuce)	New York.
Euxesta sp. (Ortalidae)	Solanum tuberosum (potato)	Do.
Fiorinia fioriniae (scale insect)	Palm	Do.
Frankliniella insularis (thrips)	Rosa sp. (rose)	Do.
Haplothrips dozieri var. (thrips)	Daisy	Do.
Do	Rosa sp. (rose)	Do.
Helicinia convexa (Mollusca)	Hibiscus sp. (leaf)	Do.
Hemichionaspis sp. (scale insect)	Cycas sp. (cycad) (2)	Do.
Hymenia fascialis (Pyralidae)	Beta vulgaris (beet)	Do.
Julus moreleti (myriapod)	Narcissus sp. (bulb)	Do.
Lepidosaphes beckii (purple scale)	Citrus aurantifolia (lime) (2)	Do.
Do	Citrus limonia (lemon)	Do.
Do	Citrus sinensis (orange) (2)	Do.
Macrosiphum sp. (aphid)	Freesia sp	Do.
Mesograpta marginata (Syrphidae)	Brassica oleracea acephala (kale)	Do.
Mirid	Lilium longiflorum (Easter lily)	Do.
Morganella longispina (scale insect)	Carica papaya (papaya) (2)	Do.
Do	Nerium oleander (oleander) (2)	Do.
Morganella sp. (scale insect)	Carica papaya (papaya)	Do.
Noctuid	Apium graveolens (celery) (2)	Do.
Do	Brassica oleracea acephala (kale)	Do.
Do	Daisy	Do.
Do	Lactuca sativa (lettuce) (2)	Do.
Do	Mentha sp. (mint)	Do.
Orchestia sp. (Amphipoda)	Beta vulgaris (beet)	Do.
Orthezia insignis (greenhouse orthezia)	Coleus sp	Do.
Orthezia sp. (scale insect)	Bryophyllum pinnatum	Do.
Pheidole megacephala (ant)	Brassica oleracea (cabbage)	South Carolina.
Plutella maculipennis (diamond-back moth).	do	Do.
Prodenia sp. (Noctuidae)	In box with assorted cut flowers	New York.
Protopulvinaria pyriformis (scale insect).	Hedera sp. (ivy)	Do.
Pseudaonidia articulatus (rufous scale)	Citrus aurantifolia (lime)	Do.
Pseudococcus citri (citrus mealybug)	Codiaeum sp. (croton)	Do.
Pseudococcus virgatus (mealybug)	Bryophyllum calicinum	Do.
Pulvinaria sp. (scale insect)	Coccoloba uvifera (seagrape)	Do.
Pyralid (Pyraustinae)	Beta vulgaris (beet) (2)	Do.
Pyralid (Phycitinae)	Coccoloba uvifera (seagrape)	Do.
Pyralid (Pyraustinae)	Lactuca sativa (lettuce)	Do.
Pyralid	Brassica oleracea acephala (kale)	Do.
Rhizoglyphus hyacinthi (bulb mite)	Lilium sp. (lily) (bulb)	Do.
Saissetia hemisphaerica (hemispherical scale).	Cycas sp. (cycad) (3)	Do.
Do	Fern	Do.
Do	Palm	Do.
Do	Sedum sp. (stonecrop)	Do.
Saissetia nigra (scale insect)	Bryophyllum sp	Do.
Do	Hibiscus sp. (3)	Do.
Do	Solanaceous plant	Do.
Saissetia oleae (black scale)	Nerium oleander (oleander) (2)	Do.
Syrphus sp. (Syrphidae)	Brassica oleracea acephala (kale)	Do.
Tetramorium guineense (ant)	Unknown	South Carolina.
Thrips tabasci (onion thrips)	Daisy	New York.
Do	Rosa sp. (rose)	Do.
Tyroglyphus lintneri (mite)	Brassica rapa (turnip)	South Carolina.
Diseases:		
Actinomyces scabies	Solanum tuberosum (potato)	Florida.*
Fusarium sp	do	Do.*
Septoria petroselina apii	Apium graveolens (celery)	New York.
BOLIVIA		
Insects:		
Pyralid	In package with raspberry seed	District of Columbia.
BRAZIL		
Insects:		
Anisolabis annulipes (earwig)	Bertholletia excelsa (Brazil nut)	New York.
Anthomyiid	In soil around fern	Pennsylvania.
Do	In soil around potted plant	Do.
Do	Ipomoea batatas (sweet potato)	Louisiana.
Do	Solanum tuberosum (potato)	Pennsylvania.
Aspidiotus destructor (scale insect)	Palm	New York.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
BRAZIL—continued		
Insects—Continued.		
Aspidiotus hederae (ivy scale)	Asparagus officinalis (asparagus)	South Carolina.
Do	Solanum tuberosum (potato)	Florida.*
Caryoborus sp. (Mylabridae)	Cocos romanzoffiana (seed)	District of Columbia.
Cecidomyiid	Ipomoea batatas (sweet potato)	Louisiana.
Cerataphis lataniae (palm aphid)	Palm	New York.
Chrysomphalus aonidum (Florida red scale).	Palm (2)	Do.
Coccus viridis (coffee scale)	Mangifera indica (mango)	Do.
Curculionid	Elaeis guineensis (oil palm)	District of Columbia.
Do	Ipomoea batatas (sweet potato) (2)	Louisiana.
Cylas formicarius (sweet-potato weevil).	Ipomoea batatas (sweet potato)	Do.
Cylas sp. (Curculionidae)	do	Do.
Diaphania nitidalis (pickle worm)	Cucumis sativus (cucumber)	New York.
Diaspis boisduvalii (Boisduval's scale).	Neoglazioria variegata (plant)	District of Columbia.
Do	Neoglazioria sp. (plant)	Do.
Ephestia sp. (Pyralidae)	Ipomoea batatas (sweet potato)	Louisiana.
Do	Theobroma cacao (cacao bean) (7)	California.*
Euscepes batatae (West Indian sweet-potato weevil).	Ipomoea batatas (sweet potato) (4)	Louisiana.
Do	Ipomoea batatas (sweet potato)	Pennsylvania.
Euxesta sp. (Ortalidae)	Solanum tuberosum (potato)	Massachusetts.
Heliothrips sp. (thrips)	Mangifera indica (mango)	New York.
Hemichionaspis minor (scale insect)	Dracaena sp. (cane)	District of Columbia.
Do	Zanzavera sp. (plant)	Do.
Lepidosaphes beckii (purple scale)	Citrus limonia (lemon)	Florida.*
Do	Citrus sinensis (orange) (2)	Do.*
Do	Citrus sinensis (orange)	New York.
Lygaeid	Ipomoea batatas (sweet potato)	Louisiana.
Mezium americanum (Ptinidae)	Theobroma cacao (cacao bean)	Pennsylvania.
Monocrepidius sp. (Elateridae)	In soil around potted plant	Do.
Morganella longispina (scale insect)	Carica papaya (papaya)	New York.
Olethreutid	Araucaria sp. (seed)	District of Columbia
Ortalid	Persea americana (avocado)	Massachusetts.
Orthaea bilobata (Lygaeidae)	Orchid	Louisiana.
Pachymerus sp. (Mylabridae)	Palm	New York.
Parlatoria sp. (scale insect)	Citrus sinensis (orange) (2)	Florida.*
Do	Gardenia sp	New York.
Pheidole sp. (ant)	Unknown	Do.
Pinnaspis buxi (scale insect)	Dracaena sp	Do.
Pseudaonidia trilobitiformis (scale insect).	Gardenia sp	Do.
Do	Mangifera indica (mango)	Do.
Pseudococcus sp. (mealybug)	Ananas sativus (pineapple)	Do.
Do	Solanum tuberosum (potato)	Louisiana
Pyralid (Phycitinae)	Ipomoea batatas (sweet potato) (2)	Do.
Rhizoglyphus sp. (mite)	Ipomoea batatas (sweet potato)	Do.
Sciara sp. (Mycetophilidae)	Allium cepa (onion)	New York.
Scolytid	Ipomoea batatas (sweet potato)	Louisiana.
Do	Phoenix rupicola (cliff date palm)	District of Columbia.
Stenoma sp. (Stenomidae)	Persea americana (avocado) (2)	Massachusetts.
Targionia bromeliae (scale insect)	Neoglazioria variegata (plant)	District of Columbia.
Tetranychus sp. (mite)	Mangifera indica (mango)	New York.
Tyroglyphus lintneri (mite)	Solanum tuberosum (potato)	South Carolina.
Zabrotes pectoralis (Mylabridae)	Ipomoea batatas (sweet potato)	Louisiana.
Do	Phaseolus sp. (bean)	California.*
Zabrotes subfasciatus (Mylabridae)	do	Louisiana.
Diseases:		
Actinomyces scabies	Solanum tuberosum (potato) (8)	Florida.*
Cladosporium citri	Citrus limonia (lemon)	Do.*
Fusarium sp	Solanum tuberosum (potato)	Do.*
Rhizoctonia solani	Solanum tuberosum (potato) (2)	Do.*
Spondylocladium atrovirens	Solanum tuberosum (potato)	Do.*
BRITISH GUIANA		
Insects:		
Araecerus fasciculatus (coffee-bean weevil).	Theobroma cacao (cacao bean)	Pennsylvania.
Haptoncus luteolus (Nitidulidae)	do	Do.
Odontomachus haematodes (ant)	Solanum tuberosum (potato)	Louisiana.
Pseudococcus citri (citrus mealybug)	Theobroma cacao (cacao bean)	New York.
Rhinochenus stigma (Curculionidae)	Tree seed	Hawaii.*
Scolytid	In box with flower bulbs	New York
Wasmannia auropunctata (ant)	Orchid	Do.
Diseases:		
Uredo sp	Unknown Dicotyledon	Do.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
BRITISH HONDURAS		
Insects:		
Cathartus sp. (Cucujidae)	Banak log	Maryland.
Ephihloeus marginipes (Cleridae)	do	Do.
Euphoria sepulchralis (Scarabaeidae)	Unknown	Louisiana.
Laemophloeus sp. (Cucujidae)	Banak log	Maryland.
Orphnaeus brevilabiatus (myriapod)	Rosewood log	Louisiana.
Scolytid	Banak log	Maryland.
BRITISH WEST AFRICA		
Insects:		
Lepidosaphes beckii (purple scale)	Citrus limonia (lemon)	New York.
BRITISH WEST INDIES		
Insects:		
Aeolus elegans (Elateridae)	Musa sp. (banana)	New York.
Anthomyiid	Cucumis sativus (cucumber)	Do.
Aspidiotus herculeanus (scale insect)	Punica granatum (pomegranate)	Do.
Aulacaspis pentagona (West Indian peach scale).	do	Do.
Chrysomphalus sp. (scale insect)	Citrus aurantifolia (lime)	Do.
Crematogaster sp. (ant)	Achras sapota (sapodilla)	Do.
Holcocera sp. (Blastobasidae)	Punica granatum (pomegranate)	Do.
Lepidosaphes beckii (purple scale)	Citrus aurantifolia (lime)	Do.
Do	Citrus sinensis (orange)	Florida.*
Do	do	New York.
Lepidosaphes sp. (scale insect)	Citrus grandis (grapefruit)	Do.
Pachymerus sp. (Mylabridae)	Waby bean seed	District of Columbia.
Pectinophora gossypiella (pink bollworm).	Gossypium sp. (cotton)	New York.
Philephedra broadwayi (scale insect)	Annona muricata (sour sop)	Do.
Prolabia arachidis (earwig)	In package with onions	Massachusetts.
Pseudaonidia articulatus (rufous scale)	Citrus aurantifolia (lime)	New York.
Do	Citrus sinensis (orange)	Florida.*
Pseudococcus citri (citrus mealybug)	Ananas sativus (pineapple)	New York.
Pseudococcus sp. (mealybug)	Dioscorea sp. (yam)	Do.
Pyralid	Decayed vegetation	Do.
Targionia hartii (scale insect)	Dioscorea sp. (yam)	Massachusetts
Do	do	New York.
Diseases:		
Colletotrichum gloeosporioides	Citrus aurantifolia (lime)	Florida.*
Colletotrichum sp	Dracaena sandriana	District of Columbia.
CANADA		
Insects:		
Aphrophora sp. (Cercopidae)	Mentha sp. (mint)	Washington.
Aspidiotus juglans-regiae (English walnut scale).	Salix sp. (willow)	Illinois.
Cerosipha sp. (aphid)	Lilium sp. (lily)	Washington.
Chionaspis pinifoliae (pine-leaf scale)	Picea sp. (spruce)	District of Columbia.
Dermestes sp. (Dermestidae)	In soil around chrysanthemum	Illinois.
Dilachnus sp. (aphid)	Picea sp. (spruce)	Do.
Emphytus cinctus cinctipes (sawfly)	Rosa rugosa (rugosa rose)	District of Columbia.
Epochra canadensis (Trypetidae)	Ribes sp. (gooseberry)	California.*
Gelechiid	Pyracantha sp. (firethorn)	Washington.
Hyponomeutid	Viola sp. (violet)	Illinois.
Lepidosaphes ulmi (oyster-shell scale)	Rosa rugosa (rugosa rose)	District of Columbia.
Lygaeus kalmii (Lygaeidae)	Brassica oleracea (cabbage)	New York.
Malacosoma americana (tent caterpillar).	Salix sp. (willow)	Illinois.
Marmara salictella (Gracilariidae)	do	Do.
Noctuid	Unknown plant	Do.
Notolophus antiqua (European tussock moth).	Rosa sp. (rose)	Washington.
Phyllocoptes aceris-crumena (gall mite).	Acer saccharum (sugar maple)	Pennsylvania.
Pyralid (Phycitinae)	Picea sp. (spruce)	Illinois.
Rhizoglyphus hyacinthi (bulb mite)	Iris sp	Do.
Rhizoglyphus sp. (mite)	Brassica rapa (turnip)	Pennsylvania.
Trichiocampus vinimalis (sawfly)	Populus sp. (poplar)	Washington.
Diseases:		
Actinomyces scabies	Solanum tuberosum (potato)	Florida.*
Cronartium ribicola	Ribes nigrum (European black currant).	Massachusetts.
CANAL ZONE		
Insects:		
Aspidiotus cyanophylli (scale insect)	Musa sp. (banana) (8)	California.*
Aspidiotus lataniae (scale insect)	Citrus limonia (lemon)	Do.*
Do	Citrus sinensis (ornage)	Do.*
Blastobasid	Gasparilla fruit	District of Columbia.
Camponotus abdominalis var. (ant)	Musa sp. (banana)	New York.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
CANAL ZONE—continued		
Insects—Continued.		
Camponotus sp. (ant)	Musa sp. (banana) (3)	California.*
Cerambycid	Guilielma utilis (fruit)	District of Columbia.
Chaetopsis sp. (Ortalidae)	Zea mays (corn)	New York.
Chionaspis citri (orange chionaspis)	Citrus grandis (grapefruit)	South Carolina.
Do	Citrus sinensis (orange)	California.*
Do	do	Florida.*
Do	do	Pennsylvania.
Chionaspis sp. (scale insect)	Achras sapota (sapodilla)	California.*
Chrysomphalus aonidum (Florida red scale).	Citrus sinensis (orange)	Do.*
Do	do	Pennsylvania.
Chrysomphalus dictyospermi (scale insect).	Citrus aurantifolia (lime)	California.*
Do	Citrus grandis (grapefruit)	District of Columbia.
Chrysomphalus dictyospermi var. (scale insect).	do	Do.
Chrysomphalus scutiformis (scale insect).	Citrus sinensis (orange)	California.*
Crematogaster sp. (ant)	Tree seed	Hawaii.*
Curculionid	Guilielma utilis (fruit)	District of Columbia.
Diaphania nitidalis (pickle worm)	Cucumis sativus (cucumber)	New York.
Emporius signatus (Silvanidae)	Gasparilla	District of Columbia.
Ephestia sp. (Pyralidae)	Theobroma cacao (cacao bean) (3)	California.*
Hemichionaspis aspidistrae (aspidistra scale).	Citrus aurantifolia (lime)	Do.*
Hemichionaspis minor (scale insect)	Citrus aurantifolia (lime) (2)	Do.*
Do	Cocos nucifera (coconut)	Do.*
Hypothenemus sp. (Scolytidae)	Gasparilla	District of Columbia.
Lepidosaphes beckii (purple scale)	Citrus aurantifolia (lime) (2)	California.*
Do	Citrus grandis (grapefruit) (2)	District of Columbia.
Do	Citrus grandis (grapefruit)	Florida.*
Do	Citrus grandis (grapefruit) (3)	South Carloina.
Do	Citrus limonia (lemon)	California.*
Do	Citrus sinensis (orange) (12)	Do.*
Do	Citrus sinensis (orange) (4)	Florida.*
Do	Citrus sinensis (orange) (2)	Pennsylvania.
Do	Citrus sinensis (orange) (4)	South Carolina.
Lepidosaphes gloverii (Glover's scale)	Citrus sinensis (orange)	Pennsylvania.
Leucoptera sp. (Gracilariidae)	Guilielma utilis (fruit)	District of Columbia.
Metamasius sericeus (silky cane weevil).	Musa sp. (banana)	Massachusetts.
Myzus persicae (green peach aphid)	Lactuca staiva (lettuce)	Pennsylvania.
Neoponera villosa (ant)	Musa sp. (banana)	California.*
Palorus ratzeburgi (Tenebrionidae)	Gasparilla fruit	District of Columbia.
Parlatoria pergandii (chaff scale)	Citrus aurantifolia (lime)	California.*
Do	Citrus sinensis (orange) (2)	Do.*
Do	do	Pennsylvania.
Pentatomid	Musa sp. (banana) (2)	California.*
Plutella maculipennis (diamond-back moth).	Brassica oleracea (cabbage)	New York.
Porcellio sp. (isopod)	Orchid	Do.
Prenolepis longicornis (crazy ant)	Brassica oleracea (cabbage)	Pennsylvania.
Prenolepis sp. (ant)	Orchid	New York.
Pseudaonidia articulatus (rufous scale)	Citrus grandis (grapefruit)	South Carolina.
Do	Citrus sinensis (orange) (3)	California.*
Do	Citrus sinensis (orange)	Pennsylvania.
Do	Cocos nucifera (coconut) (2)	California.*
Pseudococcus brevipes (pineapple mealybug).	Ananas sativus (pineapple)	New York.
Pseudococcus citri (citrus mealybug)	Musa sp. (banana) (3)	California.*
Pseudococcus sp. (mealybug)	Persea americana (avocado)	Do.*
Rhizoglyphus sp. (mite)	Solanum tuberosum (potato)	Pennsylvania.
Scolytid	Guilielma utilis (fruit)	District of Columbia.
Stelidota championi (Nitidulidae)	Packing around breadnut seed	Do.
Sylepta elevata (Pyralidae)	Ipomoea batatas (sweet potato)	New York.
Targionia hartii (scale insect)	Dioscorea sp. (yam)	Califronia.*
Do	Dioscorea sp. (yam) (2)	New York.
Tetramorium sp. (ant)	Colocasia esculenta (dasheen)	Do.
Diseases:		
Cladosporium citri	Citrus grandis (grapefruit)	South Carolina.
Cladosporium sp	do	Florida.*
Phomopsis citri	do	California.*
CANARY ISLANDS		
Insects:		
Aspidiotus lataniae (scale insect)	Casimiroa edulis (white sapote)	District of Columbia.
Do	Solanum muricatum (pepino)	Pennsylvania.
Bemisia sp. (whitefly)	Citrus sinensis (orange)	Do.
Coccus hesperidum (soft brown scale)	do	Do.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
CANARY ISLANDS—continued		
Insects—Continued.		
Lepidosaphes beckii (purple scale)	Citrus sinensis (orange)	California.*
Do	do	Pennsylvania.
Melyrid	Zea mays (corn)	District of Columbia.
Mylabris sp. (Mylabridae)	Lotus sp. (seed)	Do.
Do	Medicago ciliaris (seed)	Do.
Phthorimaea operculella (potato-tuber moth).	Solanum tuberosum (potato)	Pennsylvania.
Pseudococcus maritimus (mealybug)	Tamarix gallica (French tamarix)	District of Columbia.
Pseudococcus sp. (mealybug)	Solanum muricatum (pepino)	Do.
Pyralid (Phycitinae)	Seaforthia elegans (seed)	Do.
Rhizoglyphus hyacinthi (bulb mite)	Allium cepa (onion)	South Carolina.
Saissetia hemisphaerica (hemispherical scale).	Casimiroa edulis (white sapote)	District of Columbia.
Sphaericus sp. (Ptinidae)	Psoralea bituminosa	Do.
Diseases:		
Actinomyces scabies	Solanum tuberosum (potato) (2)	Florida.*
Fusarium sp	do	Do.*
Rhizoctonia sp	Solanum tuberosum (potato)	Do.*
CAPE VERDE ISLANDS		
Insects:		
Coccus viridis (coffee scale)	Coffea sp. (coffee)	Massachusetts.
Mezium americanum (Ptinidae)	do	Do.
Diseases:		
Fusarium sp	Solanum tuberosum (potato)	Florida.*
CENTRAL AMERICA		
Insects:		
Aphodius sp. (Scarabaeidae)	Musa sp. (banana)	California.*
Araecerus fasciculatus (coffee-bean weevil).	Theobroma cacao (cacao bean)	Do.*
Aspidiotus cyanophylli (scale insect)	Cocos nucifera (coconut)	Do.*
Do	Musa sp. (banana) (10)	Do.*
Aspidiotus lataniae (scale insect)	Musa sp. (banana)	Do.*
Azteca sp. (ant)	do	Do.*
Camponotus abdominalis (ant)	Musa sp. (banana) (2)	Do.*
Camponotus sp. (ant)	Musa sp. (banana) (6)	Do.*
Do	Orchid	Do.*
Cephaloleia pretiosa (Hispidae)	Musa sp. (banana)	Do.*
Cerambycid	Lignum vitae	Do.*
Ceramidia scintillocollaris (Syntomidae).	Musa sp. (banana) (5)	Do.*
Chrysomphalus scutiformis (scale insect).	Citrus aurantifolia (lime)	Do.*
Do	Musa sp. (banana)	Do.*
Cocconotus degeeri (Tettigoniidae)	do	Do.*
Crematogaster opaca (ant)	Orchid	Do.*
Curculionid	Grass	Do.*
Cylas formicarius (sweet-potato weevil).	Dioscorea sp. (yam)	Do.*
Dermestes sp. (Dermestidae)	Theobroma cacao (cacao bean)	Do.*
Dollema plana (Tenebrionidae)	Lignum vitae (log)	Do.*
Ephestia sp. (Pyralidae)	Theobroma cacao (cacao bean) (8)	Do.*
Formica sp. (ant)	Musa sp. (banana) (2)	Do.*
Fulgorid	Musa sp. (banana)	Do.*
Hemichionaspis minor (scale insect)	Cocos nucifera (coconut) (4)	Do.*
Iridomyrmex humilis (Argentine ant)	Musa sp. (banana)	Do.*
Do	Theobroma cacao (cacao)	Do.*
Lepidosaphes beckii (purple scale)	Citrus aurantifolia (lime)	Do.*
Do	Citrus grandis (grapefruit)	Do.*
Do	Citrus sinensis (orange) (2)	Do.*
Leptinotarsa sp. (Chrysomelidae)	Musa sp. (banana)	Do.*
Mesomphalia salvini (Chrysomelidae)	do	Do.*
Metamasius sericeus (silky cane weevil).	do	Do.*
Metamasius sp. (Curculionidae)	do	Do.*
Neoponera villosa (ant)	do	Do.*
Paleococcus sp. (mealybug)	do	Do.*
Parlatoria cinerea (scale insect)	Bougainvillea sp	Do.*
Do	Citrus aurantifolia (lime)	Do.*
Parlatoria pergandii (chaff scale)	Citrus sinensis (orange)	Do.*
Platytylellus sp. (Miridae)	Orchid	Do.*
Pseudaonidia articulatus (rufous scale)	Citrus limetta (sweet lime)	Do.*
Do	Cocos nucifera (coconut)	Do.*
Do	Coffea sp. (coffee) (berry)	Do.*
Do	Musa sp. (banana)	Do.*
Pseudococcus brevipes (pineapple mealybug).	Ananas sativus (pineapple)	Do.*
Pseudococcus maritimus (mealybug)	Musa sp. (banana) (2)	Do.*

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
CENTRAL AMERICA—continued		
Insects—Continued.		
Pseudococcus sp. (mealybug)	Musa sp. (banana) (3)	California.*
Saissetia oleae (black scale)	Coffea sp. (coffee) (berry)	Do.*
Selenis sparsa (Noctuidae)	Musa sp. (banana)	Do.*
Sitophilus linearis (tamarind pod-borer).	Tamarindus indica (tamarind)	Florida.*
Solenopsis geminata var. (ant)	Orchid	California.*
Diseases:		
Colletotrichum falcatum	Saccharum officinarum (sugar cane)	Florida.*
Phomopsis citri	Citrus grandis (grapefruit) (2)	California.*
CEYLON		
Insects:		
Araecerus fasciculatus (coffee-bean weevil).	Derris uliginosa	District of Columbia.
Do	Theobroma cocao (cacao bean)	California.*
Chrysomphalus aurantii (California red scale).	Citrus limonia (lemon)	Massachusetts.
Coccus punctuliferus (scale insect)	Mangifera indica (mango)	Do.
Ephestia sp. (Pyralidae)	Theobroma cacao (cacao bean) (2)	California.*
Lepidosaphes beckii (purple scale)	Citrus sinensis (orange)	Do.*
Lophocateres pusillus (Siamese grain beetle).	Coix lacryma-jobi (jobs-tears)	District of Columbia
Pseudococcus citri (citrus mealybug)	Cucurbita maxima (squash)	Massachusetts.
CHILE		
Insects:		
Agriolimax agrestis (Mollusca)	Brassica oleracea (cabbage)	South Carolina.
Do	Cynara scolymus (artichoke)	New York.
Agromyza virens (Agromyzidae)	Phaseolus sp. (bean)	Do.
Aleocharid	Solanum tuberosum (potato)	South Carolina.
Apion sp. (Curculionidae)	Trifolium repens (white clover) (2)	District of Columbia.
Armadillidium vulgare (isopod)	In soil around strawberry plants	New York.
Aspidiotus camelliae (greedy scale)	Pyrus communis (pear)	Do.
Aspidiotus hederae (ivy scale)	Cydonia oblonga (quince)	Do.
Aspidiotus sp. (scale insect)	Citrus sinensis (orange)	Do.
Ataenius sp. (Scarabaeidae)	Pinones seed	Washington.
Baccha sp. (Syrphidae)	Brassica oleracea (cabbage)	New York.
Brachymyrmex sp. (ant)	In soil around Lapageria rosea plant	District of Columbia
Carpocapsa pomonella (codling moth)	On box of cherries	New York.
Chaetopsis sp. (Ortalidae)	Phaseolus sp. (bean)	Do.
Chloridea obsoleta (corn earworm)	Zea mays (corn)	Do.
Chloridea sp. (Noctuidae)	do	Do.
Diatraea sp. (Pyralidae)	do	Do.
Ephestia sp. (Pyralidae)	Capsicum annuum (chili pepper)	California.*
Do	Ficus sp. (fig) (2)	Do.*
Do	Prunus cerasus (cherry)	New York.
Epitragus sp. (Tenebrionidae)	Unknown	District of Columbia.
Eriopis connexa (Coccinellidae)	Paper packing	New York.
Do	Unknown	District of Columbia.
Eriosoma sp. (aphid)	Malus sylvestris (apple)	New York.
Euxesta sp. (Ortalidae)	Daucus carota (carrot)	Louisiana.
Do	Zea mays (corn) (2)	New York.
Gelechia mediofuscella (Gelechiidae)	Solanum tuberosum (potato)	Pennsylvania.
Gelechiid	Lycopersicum esculentum (tomato)	New York.
Do	Solanum tuberosum (potato)	South Carolina.
Gnathocerus cornutus (Tenebrionidae)	Capsicum annuum (chili pepper)	California.*
Gryllus assimilis (Gryllidae)	Vitis sp. (grape)	New York.
Lepidosaphes beckii (purple scale)	Citrus sinensis (orange)	Do.
Do	Citrus sp	California.*
Lepidosaphes gloverii (Glover's scale)	do	Do.*
Lepidosaphes ulmi (oyster-shell scale)	Malus sylvestris (apple)	New York.
Do	Pyrus communis (pear)	Do.
Microgryllus pallipes (Gryllidae)	On crate of melons	Do.
Monomorium destructor (ant)	Solanum tuberosum (potato)	South Carolina.
Mylabris sp. (Mylabridae)	Legume (seed)	District of Columbia.
Do	Prosopis sp. (seed)	Do.
Do	Prosopis spp	Do.
Do	Trifolium sp. (clover) (seed)	Do.
Olethreutid	Amygdalus persica (peach)	New York.
Do	Pyrus communis (pear) (4)	Do.
Pentatomid	On box of plums	Do.
Pheidole megacephala (ant)	Grass	District of Columbia.
Pheidole sp. (ant)	Legume (seed)	Do.
Phthorimaea operculella (potato-tuber moth).	Solanum tuberosum (potato)	Alabama.
Do	Solanum tuberosum (potato) (3)	Louisiana.
Do	Solanum tuberosum (potato) (2)	New York.
Do	Solanum tuberosum (potato)	Oregon.
Do	Solanum tuberosum (potato) (8)	South Carolina.
Do	Solanum tuberosum (potato)	Texas.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
CHILE—continued		
Insects—Continued.		
Plutella maculipennis (diamond-back moth).	Brassica oleracea (cabbage)	New York.
Pseudaonidia articulatus (rufous scale)	Citrus sinensis (orange)	Do.
Pseudococcus citri (citrus mealybug)	Hoya carnosa (common waxplant)	South Carolina.
Pseudococcus maritimus (mealybug)	Lapageria rosea (red chile-bells)	District of Columbia.
Do	Vitis sp. (grape)	New York.
Pyralid (Pyraustinae)	Beta sp. (Swiss chard)	Do.
Rhizoglyphus hyacinthi (bulb mite)	Allium cepa (onion)	Do.
Syrphus sp. (Syrphidae)	Cynara scolymus (artichoke)	Do.
Veronicella floridana (Mollusca)	Brassica oleracea (cabbage)	South Carolina.
Diseases:		
Actinomyces scabies	Solanum tuberosum (potato) (3)	Florida.*
Cladosporium carpophilum	Prunus armeniaca (apricot)	New York.
Rhizoctonia solani	Solanum tuberosum (potato)	Florida.*
Rhizoctonia sp	do	Do.*
Tilletia tritici	Triticum aestivum (wheat)	District of Columbia.
CHINA		
Insects:		
Aegeriid	Populus sp. (poplar)	District of Columbia.
Alphitobius fagi (Tenebrionidae)	Oryza sativa (rice) (straw)	Illinois.
Ancylomia chrysographella (Pyralidae).	do	Do.
Anisolabis annulipes (earwig)	Colocasia esculenta (taro)	Washington.
Do	Narcissus sp. (bulb) (2)	Do.
Do	Packing around Zizania plant	District of Columbia.
Do	Sagittaria sagittifolia (water chestnut) (2).	New York.
Do	Zingiber officinale (ginger)	Do.
Do	do	Washington.
Anisolabis sp. (earwig)	Colocasia esculenta (taro)	Illinois.
Do	Narcissus sp. (bulb)	Washington.
Do	Pueraria thunbergiana (kudzu-bean)	New York.
Anthomyiid	Packing around Zizania plant	District of Columbia.
Do	Sagittaria sagittifolia (water chestnut)	Massachusetts.
Aphiochaeta sp. (Mycetophilidae)	do	Pennsylvania.
Aphis maidis (aphid)	Zea mays (corn) (husk)	District of Columbia.
Araecerus fasciculatus (coffee-bean weevil).	Citrus sinensis (orange) (dried peel)	California.*
Do	Herb (dried)	Do.*
Do	Lotus sp. (seed)	Do.*
Aspidiotini (scale insect)	Prunus sp. (scion)	District of Columbia.
Aspidiotus perniciosus (San Jose scale)	Malus sp. (scion) (6)	Do.
Do	Prunus armeniaca (apricot) (scion)	Do.
Do	Prunus mume (Japanese apricot) (cutting).	Do.
Do	Prunus sp. (cutting) (2)	Do.
Aspidiotus sp. (scale insect)	Pyrus sp. (scion)	Do.
Do	Zizyphus jujuba (common jujuba)	Do.
Asterolecanium sp. (scale insect)	Bamboo	Do.
Aulacaspis pentagona (West Indian peach scale).	Amygdalus persica (peach)	Do.
Do	Prunus armeniaca (apricot)	Do.
Do	Prunus mume (Japanese apricot) (2)	Do.
Do	Prunus sp. (scion) (4)	Do.
Aulacaspis rosae (rose scale)	Rosa sp. (rose)	Oregon.
Balaninus sp. (Curculionidae)	Castanopsis armata (seed)	District of Columbia.
Do	Pyrus sp. (seed)	Do.
Do	Quercus sp. (oak)	Do.
Do	Undetermined seed	Do.
Cathartus sp. (Cucujidae)	Dioscorea sp. (yam)	California.*
Cecidomyiid	Colocasia esculenta (taro)	Washington.
Do	Holcus sorghum (sorghum)	Illinois.
Cercyon sp. (Hydrophilidae)	Sagittaria sagittifolia (water chestnut)	Massachusetts.
Chionapis citri (orange chionaspis)	Citrus grandis (grapefruit) (2)	California.*
Do	Citrus grandis (grapefruit)	New York.
Do	do	Washington.
Chionaspis sp. (scale insect)	Citrus grandis (grapefruit) (2)	Hawaii.*
Chrysomphalus aonidum (Florida red scale).	Citrus sinensis (orange)	California.*
Chyrsomphalus aurantii (California red scale).	Citrus grandis (grapefruit) (3)	Do.*
Do	Citrus grandis (grapefruit)	Washington.
Do	Citrus sinensis (orange)	California.*
Do	Citrus sinensis (orange) (2)	Washington.
Chrysomphalus dictyospermi (scale insect).	Pothos sp. (cutting)	District of Columbia.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
CHINA—continued		
Insects—Continued.		
Coccinae (scale insect)	Malus sp. (cutting)	District of Columbia.
Do	Prunus armeniaca (apricot)	Do.
Corcyra cephalonica (Pyralidae)	Dioscorea sp. (yam)	California.*
Crematogaster sp. (ant)	Herb (dried)	Hawaii.*
Cryptolestes sp. (Cucujidae)	Narcissus sp. (bulb)	Washington.
Cryptophlebia sp. (Olethreutidae)	In package containing Gymnocladus	District of Columbia.
Curculionid	Packing around Zizania plant	Do.
Do	Rhododendron sp. (seed)	Do.
Cylas formicarius (sweet-potato weevil)	Impomoea batatas (sweet potato) (3)	California.*
Do	Impomoea batatas (sweet potato) (2)	Hawaii.*
Dermestes sp. (Dermestidae)	Colocasia esculenta (taro)	Massachusetts.
Do	Juglans sp. (walnut)	Washington.
Do	Linseed meal	Do.
Do	Sagittaria sagittifolia (water chestnut)	California.*
Dermestid	Lilium sp. (lily)	Do.*
Dinoderus minutus (Bostrichidae)	Narcissus sp. (bulb)	Washington.
Do	Split bamboo	Oregon.
Dinoderus sp. (Bostrichidae)	Bamboo	California.*
Do	Herb (dried)	Do.*
Dolycoris rudicus (Pentatomidae)	Glycyrrhiza sp. (licorice)	District of Columbia.
Entomobrya sp. (Collembola)	Narcissus sp. (bulb)	Washington.
Do	Ornamental plant	Do.
Do	Sagittaria sagittifolia (water chestnut)	New York.
Ephestia sp. (Pyralidae)	Arachis hypogaea (peanut)	California.*
Do	Brassica sp. (mustard)	Do.*
Do	Juglans sp. (walnut) (2)	Do.*
Do	Phaseolus sp. (bean)	Illinois.
Eriosoma lanigerum (woolly apple aphid).	Malus sp	Maryland.
Eurytomid	Astragalus sp. (seed)	District of Columbia.
Do	Indigofera pendula (indigo)	Do.
Fiorinia theae (scale insect)	Citrus grandis (grapefruit)	Illinois.
Forficula auricularia (European earwig).	Colocasia esculenta (taro)	Washington.
Gelechiid	Rhododendron sp. (seed)	District of Columbia.
Hemichionaspis aspidistrae (aspidistra scale).	Citrus grandis (grapefruit) (4)	California.*
Do	Citrus grandis (grapefruit) (2)	New York.
Hypena sp. (Noctuidae)	Unknown	Do.
Hypothenemus sp. (Scolytidae)	Vigna sp. (cowpea)	District of Columbia.
Lecanium sp. (scale insect)	Malus sp	Do.
Do	Prunus serrulata (oriental cherry)	Oregon.
Do	Pyrus sp. (scion) (2)	District of Columbia.
Lepidosaphes beckii (purple scale)	Citrus grandis (grapefruit) (6)	California.*
Do	Citrus grandis (grapefruit) (2)	Illinois.
Do	Citrus grandis (grapefruit)	Washington.
Do	Citrus limonia (lemon)	Pennsylvania.
Lepidosaphes gloverii (Glover's scale)	Citrus grandis (grapefruit) (2)	California.*
Do	Citrus grandis (grapefruit)	Illinois.
Do	do	New York.
Do	Citrus sinensis (orange)	California.*
Do	Citrus sp. (2)	Hawaii.*
Lepidosaphes tuberculata (scale insect)	Ophiopogon japonicus (Japanese snakebread).	Washington.
Lepidosaphes sp. (scale insect)	Citrus grandis (grapefruit) (2)	Hawaii.*
Do	Citrus grandis (grapefruit)	New York.
Do	Juglans regia (Persian walnut)	District of Columbia.
Do	Prunus mume (Japanese apricot) (cutting).	Do.
Leucaspis sp. (scale insect)	Bamboo	Do.
Do	Malus sp. (crab apple) (scion)	Do.
Do	Oxheart red plum (scion)	Do.
Lophocateres pusillus (Siamese grain beetle).	Dioscorea sp. (yam)	California.*
Do	Sagittaria sagittifolia (water chestnut)	Do.*
Lycus sp. (Lycidae)	Packing around Zizania plant	District of Columbia.
Macrocheles sp. (mite)	Sagittaria sagittifolia (water chestnut)	Pennsylvania.
Megastigmus sp. (Chalcididae)	Rosa sericea typica (seed)	District of Columbia.
Metoponorthus pruinosus (isopod)	Colocasia esculenta (taro)	Illinois.
Do	Narcissus sp. (bulb)	Pennsylvania.
Metoponorthus sp. (isopod)	do	Washington.
Minthea rugicollis (Lyctidae)	Medicinal herb	California.*
Monomorium sp. (ant)	Zingiber officinale (ginger)	New York.
Monotoma sp. (Monotomidae)	Narcissus sp. (bulb)	Washington.
Morganella longispina (scale insect)	Citrus grandis (grapefruit)	Illinois.
Mycetophilid	Colocasia esculenta (taro)	California.*
Mylabrid	Albizzia sp. (seed)	District of Columbia.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
CHINA—continued		
Insects—Continued.		
Mylabris sp. (Mylabridae)	Acacia sp. (seed)	District of Columbia.
Do	Glycine soja (soybean)	Do.
Do	Indigofera pendula (indigo)	Do.
Do	Sophora viciifolia (vetchleaf sophora)	Do.
Mysius sp. (Lygaeidae)	Colocasia esculenta (taro)	Illinois.
Odonaspis penicillata (scale insect)	Bambusa sp. (bamboo)	District of Columbia.
Olethreutid	Gymnocladus sp. (seed)	Do
Do	Pyrus communis (pear) (cutting)	Do.
Do	Pyrus sp. (scion) (4)	Do.
Do	Quercus sp. (oak)	Do.
Do	Sagittaria sagittifolia (water chestnut)	New York.
Oniscid (isopod)	Colocasia esculenta (taro)	Illinois.*
Ornebius sp. (Gryllidae)	Narcissus sp. (bulb)	Illinois.
Otiorhynchid	Ulmus pumila (dwarf Asiatic elm)	District of Columbia.
Pachymerus sp. (Mylabridae)	Pisum sativum (pea)	Do.
Parlatoria chinensis (scale insect)	Pyrus sp. (scion) (4)	Do.
Parlatoria pergandii (chaff scale)	Citrus grandis (grapefruit) (5)	California.*
Do	Citrus grandis (grapefruit)	Illinois.
Do	do	New York.
Do	do	Washington.
Do	Citrus limonia (lemon)	Pennsylvania.
Do	Citrus nobilis (tangerine)	California.*
Do	Citrus sinensis (orange)	Do.*
Do	do	Hawaii.*
Do	Citrus sinensis (orange) (3)	Washington.
Parlatoria ziziphus (scale insect)	Citrus grandis (grapefruit) (5)	California.*
Do	Citrus nobilis (tangerine)	Do.*
Do	Citrus sinensis (orange)	Do.*
Do	Citrus sinensis (orange) (2)	Washington.
Parlatoria sp. (scale insect)	Citrus sinensis (orange)	Do.
Do	Citrus sp.	Hawaii.*
Pectinophora gossypiella (pink bollworm)	Gossypium sp. (cotton) (seed) (2)	District of Columbia.
Do	Gossypium sp. (cotton) (seed)	Florida.*
Pheidole javana (ant)	Zingiber officinale (ginger) (2)	Hawaii.*
Pheidole sp. (ant)	Sagittaria sagittifolia (water chestnut)	Do.*
Phycitid	Pryus sp.	District of Columbia.
Polyrachis sp. (ant)	Unknown	California.*
Ponera sp. (ant)	Ornamental plant	Washington.
Ponerid (ant)	Soil	California.*
Porcellio sp. (isopod)	Zingiber officinale (ginger)	Massachusetts.
Porcellionides pruinosus (isopod)	Narcissus sp. (bulb)	Washington.
Prenolepis longicornis (crazy ant)	Sagittaria sagittifolia (water chestnut)	California.*
Pseudaonidia trilobitiformis (scale insect)	Citrus grandis (grapefruit) (2)	Do.*
Do	Citrus sinensis (orange)	Do.*
Pseudococcus sp. (mealybug)	Ipomoea batatas (sweet potato)	Hawaii.*
Do	Orchid (2)	Do.*
Do	Solanum melongena (eggplant)	New York.
Ptinus sp. (Ptinidae)	Citrus grandis (grapefruit)	Washington.
Do	Juglans sp. (walnut)	Do.
Pyralid (Pyraustinae)	Castanea sp. (chestnut)	District of Columbia.
Pyralid (Phycitinae)	Prunus mume (Japanese apricot) (2)	Do.
Pyralid	Holcus sorghum (sorghum)	Illinois.
Do	Pyrus sp. (2)	District of Columbia.
Rhizoglyphus hyacinthi (bulb mite)	Colocasia esculenta (taro)	Illinois.
Do	Eleocharis tuberosa (black water chestnut).	Massachusetts.
Do	Narcissus sp. (bulb) (2)	Virginia.*
Do	Narcissus sp. (bulb) (3)	Washington.
Rhizoglyphus phylloxerae (mite)	Pueraria thunbergiana (kudzu-bean)	Massachusetts.
Do	Sagittaria sagittifolia (water chestnut)	Do.
Rhizoglyphus tarsalis (mite)	Sagittaria sagittifolia (water chestnut) (2).	New York.
Rhizoglyphus sp. (mite)	Castanea sp. (chestnut)	Illinois.
Do	do	New York.
Do	Colocasia esculenta (taro) (2)	Illinois.
Do	Colocasia esculenta (taro)	Massachusetts.
Do	Colocasia sp.	Do.
Do	do	New York.
Do	Eleocharis tuberosa (black water chestnut).	District of Columbia.
Do	Lilium tigrinum (tiger lily)	California.*
Do	Lilium sp. (lily) (bulb)	Illinois.
Do	do	Pennsylvania.
Do	Narcissus sp. (bulb) (2)	Washington.
Do	Pueraria thunbergiana (kudzu-bean)	New York.
Do	Sagittaria sagittifolia (water chestnut) (2).	Illinois.
Do	do	Massachusetts.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
CHINA—continued		
Insects—Continued.		
Rhizoglyphus sp. (mite)	Sagittaria sagittifolia (water chestnut) (3).	New York.
Do	Sagittaria sagittifolia (water chestnut) (2).	Pennsylvania.
Rhopalosiphun sp. (aphid)	Colocasia sp	Hawaii.*
Do	Lilium sp. (lily) (bulb)	Do.*
Do	Sagittaria sp. (2)	Do.*
Rhynchites sp. (Curculionidae)	Rhododendron sp. (seed)	District of Columbia.
Scarabaeid	Lilium sp. (lily) (bulb)	New York.
Sciara sp. (Mycetophilidae)	Colocasia sp	Massachusetts.
Do	Dioscorea sp. (yam)	Do.
Do	Lilium sp. (lily)	Pennsylvania.
Do	Pueraria thunbergiana (kudzu-bean)	New York.
Do	In soil around taro	Massachusetts.
Do	Sagittaria sagittifolia (water chestnut) (2).	Pennsylvania.
Do	Trapa natans (water caltrops)	Washington.
Du	Undetermined seed	District of Columbia.
Scymnus sp. (Coccinellidae)	Packing around Zizania plant	Do.
Silvanus sp. (Cucujidae)	Sagittaria sagittifolia (water chestnut)	New York.
Spilonota sp. (Olethreutidae)	Pyrus sp. (cutting) (2)	District of Columbia.
Tenebrionid	Colocasia esculenta (taro)	California.*
Do	Dioscorea sp. (yam)	Do.*
Do	Narcissus sp. (bulb)	Do.*
Tenebroides sp. (Ostomidae)	Diospyros sp. (persimmon)	Do.*
Do	Lilium sp. (lily) (bulb)	Do.*
Tetramorium caespitum (ant)	Narcissus sp. (bulb)	Do.*
Do	Packing around Zizania plant	District of Columbia.
Tetramorium sp. (ant)	Pueraria thunbergiana (kudzu-bean)	California.*
Tineid	Thea chinensis	District of Columbia.
Trogoderma sp. (Dermestidae)	Lagiaria sp. (seed)	Do.
Tyroglyphus sp. (mite)	Colocasia esculenta (dasheen)	California.*
Do	Sagittaria sagittifolia (water chestnut)	Do.*
Veronicella sp. (Mollusca)	Lactuca sativa (lettuce)	Pennsylvania.
Vivipara quadrata (Mollusca)	In soil around roots of wild rice	District of Columbia.
Zygaenid	Pyrus sp. (scion)	Do.
Diseases:		
Bacterium citri	Citrus grandis (grapefruit) (2)	Hawaii.*
Do	Citrus grandis (grapefruit)	Massachusetts.
Do	Citrus grandis (grapefruit) (2)	New York.
Do	Citrus grandis (grapefruit)	Washingron.
Do	Citrus sinensis (orange)	District of Columbia.
Leptothyrium pomi	Malus sylvestris (apple)	California.*
Melanose	Citrus grandis (grapefruit)	Do.*
Phoma citricarpa	Citrus sinensis (orange) (3)	Do.*
Do	Citrus sinensis (orange)	Washington.
Do	Citrus nobilis (tangerine)	Do.
Phomopsis citri	Citrus grandis (grapefruit)	California.*
Rhytisma sp	Dalbergia hupeana	Do.*
Sclerotium rolfsii	Colocasia sp	Illinois.
Do	do	New York.
Sclerotium sp	Nelumbo nucifera (Hindu lotus)	California.*
Tilletia foetens	Triticum aestivum (wheat)	District of Columbia.
Uredo sp	Bambusa sp. (bamboo)	Do.
Ustilago avenae	Avena sativa (oats)	Do.
Do	Avena sp	Do.
Ustilago nuda	Hordeum sp	Illinois.
Do	Hordeum mixed with peas	District of Columbia.
Do	Hordeum sp	Do.
Ustilago panici-miliacei	Panicum sp	Do.
COLOMBIA		
Insects:		
Aulacaspis pentagona (West Indian peach scale).	Carica papaya (papaya)	New York.
Camponotus sp. (ant)	Musa sp. (banana)	Do.
Chrysomphalus biformis (scale insect).	Orchid	Porto Rico.
Crematogaster sp. (ant)	Musa sp. (banana)	Pennsylvania.
Eurytomid	In box of palm seed	New York.
Pachymerus sp. (Mylabridae)	Palm seed	Do.
Tineid	Orchid	Porto Rico.
COOK ISLANDS		
Insects:		
Aspidiotus lataniae (scale insect)	Citrus sinensis (orange)	California.*
Chrysomphalus aurantii (California red scale).	do	Do.*
Hemichionaspis minor (scale insect)	Cocos nucifera (coconut)	Do.*
Lepidosaphes beckii (purple scale)	Citrus sinensis (orange) (2)	Do.*
Parlatoria cinerea (scale insect)	Citrus sinensis (orange)	Do.*
Parlatoria pergandii (chaff scale)	do	Do.*

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
COSTA RICA		
Insects:		
Alegoria dilatata (Tenebrionidae)	Musa sp. (banana) (7)	California.
Anastrepha distans (Trypetidae)	Mangifera indica (mango)	Do.
Anastrepha fraterculus (West Indian fruit fly).	do	New York.
Aspidiotus sp. (scale insect)	Citrus grandis (grapefruit)	California.*
Bephrata sp. (Chalcididae)	Annona reticulata (custard apple)	New York.
Campnontus abdominalis stercorarius (ant).	Musa sp. (banana) (8)	Massachusetts.
Camponotus abdominalis var. (ant)	Musa sp. (banana) (2)	Do.
Camponotus sexguttatus (ant)	Musa sp. (banana)	Do.
Camponotus sp. (ant)	Musa sp. (banana) (6)	Do.
Cecidomyiid	Ananas sativus (pineapple)	Pennsylvania.
Ceramidia butleri (Syntomidae)	Musa sp. (banana)	Massachusetts.
Chrysomphalus aurantii (California red scale).	Citrus sp. (leaf)	New York.
Coccus hesperidum (soft brown scale)	do	Do.
Crematogaster sp. (ant)	Musa sp. (banana)	Massachusetts.
Cycloplasis sp. (Heliodinidae)	Ananas sativus (pineapple)	Pennsylvania.
Diaspis bromeliae (scale insect)	do	Massachusetts.
Do	Orchid (2)	Florida.*
Discocephala humilis (Pentatomidae)	Musa sp. (banana) (4)	Massachusetts.
Dolichoderus bispinosus (ant)	Musa sp. (banana)	Do.
Estola perforata (Cerambycidae)	Unknown	Do.
Gelechiid	Ananas sativus (pineapple)	Pennsylvania.
Ithomid	Musa sp. (banana)	Massachusetts.
Lecanium sp. (scale insect)	Orchid (2)	Florida.*
Lepidosaphes beckii (purple scale)	Citrus aurantifolia (lime) (3)	Massachusetts.
Do	Citrus grandis (grapefruit)	California.*
Do	Citrus grandis (grapefruit) (3)	Massachusetts.
Do	Citrus sinensis (orange) (2)	California.*
Do	Citrus sinensis (orange)	Florida.*
Do	do	Massachusetts.
Lepidosaphes gloverii (Glover's scale)	Citrus aurantifolia (lime)	California.*
Lygaeid	Musa sp. (banana)	Massachusetts.
Metalectra praeciscalis (Noctuidae)	Ananas sativus (pineapple)	Do.
Metamasius sericeus (silky cane weevil).	Musa sp. (banana) (8)	Do.
Do	Palm (seed)	New York.
Neoponera unidentata (ant)	Musa sp. (banana) (2)	Massachusetts.
Neoponera villosa (ant)	Musa sp. (banana) (4)	Do.
Neoponera villosa inversa (ant)	Musa sp. (banana)	Do.
Odontomachus haematodes var. (ant)	do	Do.
Pachycondyla sp. (ant)	do	Do.
Parlatoria pergandii (chaff scale)	Citrus sinensis (orange)	California.*
Prenolepis longicornis (crazy ant)	Musa sp. (banana)	New York.
Prenolepis sp. (ant)	do	Massachusetts.
Prolabia sp. (earwig)	Palm (seed)	District of Columbia.
Pseudaonidia articulatus (rufous scale)	Citrus sinensis (orange)	California.*
Pseudococcus brevipes (pineapple mealybug).	Ananas sativus (pineapple)	New York.
Do	do	Pennsylvania.
Rhinocricus sp. (myriapod)	Musa sp. (banana)	Massachusetts.
Rhizoglyphus sp. (mite)	Palm (seed)	New York.
Syntomid	Musa sp. (banana)	Massachusetts.
Tineid	Orchid	Do.
Diseases:		
Claviceps paspali	Paspalum notatum	District of Columbia.
Fusarium sp	Solanum tuberosum (potato)	Florida.*
Phomopsis citri	Citrus grandis (grapefruit)	California.*
Thielaviopsis paradoxa	Ananas sativus (pineapple)	Massachusetts.
CUBA		
Insects:		
Agromyzid	Ipomoea batatas (sweet potato)	Pennsylvania.
Aleurocanthus woglumi (citrus blackfly).	Bougainvillea sp	Florida.*
Do	Citrus grandis (grapefruit)	Do.*
Do	Citrus sinensis (orange) (5)	Do.*
Do	Citrus sp. (3)	Do.*
Do	Coffea sp. (coffee) (leaf) (2)	Do.*
Do	Gardenia sp.	Do.*
Do	Unknown	Do.*
Aleurodicus cardini (Cardin's whitefly).	Psidium guajava (guava) (3)	Do.*
Anastrepha fraterculus (West Indian fruit fly).	Mangifera indica (mango) (4)	New York.
Do	Psidium guajava (guava) (2)	Florida.*
Anastrepha sp. (Trypetidae)	Achras sapota (sapodilla)	New York.
Anisolabis annulipes (earwig)	Opizia stolonifera	District of Columbia.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
CUBA—continued		
Insects—Continued.		
Anisolabis annulipes (earwig)	Phaseolus lunatus macrocarpus (lima bean).	New York.
Do	Salvia sp. (sage)	Do.
Do	Solanum melongena (eggplant)	Do.
Do	Solanum tuberosum (potato)	Pennsylvania.
Anthonomus varipes (Curculionidae)	Solanum melongena (eggplant)	New York.
Aonidia sp. (scale insect)	Laurus sp. (laurel)	Florida.*
Aphis sp. (aphid)	Capsicum annuum (pepper) (5)	New York.
Do	Hibiscus esculentus (okra)	Do.
Aspidiotus cocotiphagus (scale insect)	Annona squamosa (sugar apple)	Florida.*
Do	Cocos nucifera (coconut)	California.*
Do	Cocos nucifera (coconut) (64)	Florida.*
Do	Musa sp. (banana)	Do.*
Do	Palm	Do.*
Aspidiotus cyanophylli (scale insect)	Annona cherimola (cherimoya)	Do.*
Do	Cocos nucifera (coconut)	Do.*
Do	Musa sp. (banana)	Do.*
Aspidiotus destructor (scale insect)	Amygdalus communis (almond)	Do.*
Do	Cocos nucifera (coconut) (9)	Do.*
Do	Musa sp. (banana) (15)	Do.*
Aspidiotus hederae (ivy scale)	Palm	Do.*
Aspidiotus herculeanus (scale insect)	Unknown	Do.*
Aspidiotus lataniae (scale insect)	Annona squamosa (sugar apple)	Do.*
Do	Persea americana (avocado)	New York.
Aspidiotus sp. (scale insect)	Rubber plant	Florida.*
Asterolecanium miliaris longum (scale insect).	Bamboo	Do.*
Asterolecanium pustulans (scale insect).	Psidium guajava (guava)	Do.*
Atherigona excisa (Anthomyiidae)	Lycopersicum esculentum (tomato)	New York.
Aulacaspis pentagona (West Indian peach scale).	Carica papaya (papaya)	Do.
Bdella sp. (mite)	Citrus limonia (wild lemon)	Pennsylvania.
Bephrata cubensis (Chalcididae)	Annona cherimola (cherimoya)	Florida.*
Do	do	Louisiana.
Do	Annona muricata (sour sop)	Do.
Do	do	Pennsylvania.
Do	Annona squamosa (sugar apple)	Florida.*
Camponotus planatus (ant)	Ananas sativas (pineapple)	Louisiana.
Camponotus sp. (ant)	Herb	Pennsylvania.
Cecidomyiid	Capsicum annuum (pepper)	New York.
Do	Persea americana (avocado)	Do.
Do	Unknown	Illinois.
Cepolis alauda (Mollusca)	Musa sp. (banana) (2)	Pennsylvania.
Cerambycid	Unknown	Florida.*
Ceroplastes sp. (scale insect)	Mangifera indica (mango) (2)	New York.
Chionaspis citri (orange chionaspis)	Citrus sinensis (orange)	District of Columbia.
Do	Citrus sinensis (orange) (2)	Massachusetts.
Do	Citrus sinensis (orange)	Pennsylvania.
Chloridea obsoleta (corn earworm)	Capsicum annuum (pepper) (2)	New York.
Do	Hibiscus esculentus (okra)	Do.
Do	Lycopersicum esculentum (tomato)	Do.
Do	Phaseolus lunatus macrocarpus (lima bean).	Do.
Do	Solanum melongena (eggplant)	Do.
Chloridea sp. (Noctuidae)	Capsicum annuum (pepper) (4)	Do.
Do	Hibiscus esculentus (okra)	Louisiana.
Do	Hibiscus esculentus (okra) (6)	New York.
Do	Lycopersicum esculentum (tomato)	Louisiana.
Do	do	New York.
Do	Phaseolus lunatus macrocarpus (lima bean).	Do.
Do	Solanum melongena (eggplant)	Do.
Chrysomphalus aonidum (Florida red scale).	Citrus grandis (grapefruit)	Florida.*
Do	do	Missouri.
Do	do	New York.
Do	Citrus sinensis (orange)	Florida.*
Do	do	Porto Rico.
Do	do	Washington.
Do	Citrus sp. (3)	Florida.*
Do	Ficus sp. (fig)	Do.*
Do	Mangifera indica (mango)	New York.
Do	Palm	Louisiana.
Chrysomphalus dictyospermi (scale insect).	Cocus nucifera (coconut)	Florida.*
Do	Musa sp. (banana)	Do.*
Do	Palm	Do.*
Chrysomphalus sp. (scale insect)	Unknown leaf	Do.*

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
CUBA—continued		
Insects—Continued.		
Coccus acuminatus (scale insect)	Gardenia sp.	Florida.*
Do	Jasminum sp. (jasmine)	Do.*
Coccus hesperidum (soft brown scale)	Citrus sinensis (orange)	Do.*
Coccus viridis (coffee scale)	Aralia sp.	Do.*
Do	Jasminum sp. (jasmine)	Do.*
Do	Psidium guajava (guava) (2)	Do.*
Crematogaster sp. (ant)	Ananas sativus (pineapple)	New York.
Curculionid	Achras sapota (sapodilla)	Louisiana.
Do	do	New York.
Do	Solanum tuberosum (potato)	Massachusetts.
Cylas formicarius (sweet-potato weevil).	Ipomoea batatas (sweet potato) (3)	Florida.*
Do	do	Louisiana.
Do	Ipomoea batatas (sweet potato)	Mississippi.
Do	do	Texas.
Cylas sp. (Curculionidae)	do	South Carolina.
Deltocephalus sp. (Cicadellidae)	Lactuca sativa (lettuce)	Pennsylvania.
Dialeurodes citrifolii (cloudy-winged whitefly).	Citrus grandis (grapefruit)	Florida.*
Do	Citrus sinensis (orange) (2)	Do.*
Diaphania hyalinata (Pyralidae)	Cucumis sativus (cucumber)	New York.
Do	Cucurbita maxima (squash) (4)	Do.
Diaphania nitidalis (pickle worm)	Cucumis sativus (cucumber) (6)	Do.
Do	Cucurbita maxima (squash) (3)	Do.
Diaphania sp. (Pyralidae)	Cucurbita maxima (squash) (2)	Do.
Diaspinae (scale insect)	Citrus grandis (grapefruit)	Illinois.
Diaspis boisduvalii (Boisduval's scale)	Cocos nucifera (coconut) (10)	Florida.*
Do	Cocos nucifera (coconut)	New York.
Do	Musa sp. (banana) (6)	Florida.*
Diaspis bromeliae (scale insect)	Ananas sativus (pineapple)	California.*
Diaspis carueli (scale insect)	Juniperus sp. (juniper)	District of Columbia.
Diatraea saccharalis (sugar-cane borer)	Saccharum officinarum (sugar cane) (2).	Do.
Do	Saccharum officinarum (sugar cane)	Louisiana.
Do	Saccharum officinarum (sugar cane) (4).	Pennsylvania.
Diatraea sp. (Pyralidae)	Saccharum officinarum (sugar cane) (21).	Florida.*
Do	Saccharum officinarum (sugar cane)	Pennsylvania.
Doru lineare (earwig)	Ananas sativus (pineapple)	Louisiana.
Emporius signatus (Silvanidae)	do	Maryland.
Ephestia sp. (Pyralidae)	do	Do.
Epuraea luteola (Nitidulidae)	Citrus sinensis (orange)	Pennsylvania.
Epuraea sp. (Nitidulidae)	do	Do.
Eriophyes oleivorus (rust mite)	do	Florida.*
Euxesta sp. (Ortalidae)	Brassica rapa (turnip)	Pennsylvania.
Do	Plantago major (plantain)	New York.
Do	Zea mays (corn)	Pennsylvania.
Fiorinia fioriniae (scale insect)	Palm	Louisiana.
Frankliniella tritica bispinosa (thrips)	Rosa sp. (rose)	Florida.*
Frankliniella sp. (thrips)	do	Do.*
Gastrothrips sp. (thrips)	Citrus limonia (lemon)	New York.
Gelechiid	Orchid	Pennsylvania.
Do	Phaseolus lunatus macrocarpus (lima bean).	New York.
Haplothrips gowdeyi (thrips)	Artocarpus incisa (breadfruit)	Florida.*
Haplothrips merrilli (thrips)	Cocos nucifera (coconut) (2)	Do.*
Heliothrips haemorrhoidalis (greenhouse thrips).	Cocos nucifera (coconut)	Do.*
Hemichionaspis minor (scale insect)	Annona muricata (sour sop)	New York.
Do	Annona reticulata (custard apple)	Do.
Do	Annona squamosa (sugar apple)	Florida.*
Do	Antigonum sp.	District of Columbia.
Do	Citrus aurantifolia (lime)	Pennsylvania.
Do	Cocos nucifera (coconut)	California.*
Do	Cocos nucifera (coconut) (8)	Florida.*
Do	Codiaeum sp. (croton)	Do.*
Do	Gossypium sp. (cotton)	District of Columbia.
Do	Legume	Florida.*
Do	Palm	Do.*
Do	Unknown (2)	Do.*
Hemichionaspis sp. (scale insect)	Mangifera sp. (budwood)	District of Columbia.
Hindsiana sp. (thrips)	Cocos nucifera (coconut) (2)	Florida.*
Howardia biclavis (mining scale)	Bobo	Do.*
Do	Jasminum sp. (jasmine)	Do.*
Do	Mammea americana (mamey)	New York.
Do	Plumeria rubra (nosegay frangipani)	District of Columbia.
Do	Punica granatum (pomegranate)	Do.
Do	Unknown	Florida.*

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
CUBA—continued		
Insects—Continued.		
Hylemyia sp. (Anthomyiidae)	Allium cepa (onion)	South Carolina.
Ischnaspis longirostris (thread scale)	Cocos nucifera (coconut)	Florida.*
Do	Palm (2)	Do.*
Do	Unknown	Do.*
Kalotermes schwarzi (termite)	Saccharum officinarum (sugar cane)	Pennsylvania.
Lepidosaphes beckii (purple scale)	Annona cherimola (cherimoya)	Florida.*
Do	Citrus aurantifolia (lime)	Do.*
Do	Citrus grandis (grapefruit)	California.*
Do	Citrus grandis (grapefruit) (12)	Florida.*
Do	Citrus grandis (grapefruit) (3)	Illinois.
Do	Citrus grandis (grapefruit)	Maryland.
Do	Citrus grandis (grapefruit) (3)	Massachusetts.
Do	Citrus grandis (grapefruit) (2)	Missouri.
Do	Citrus grandis (grapefruit) (12)	New York.
Do	Citrus limonia (lemon)	Florida.*
Do	Citrus limonia lemon) (2)	New York.
Do	Citrus limonia (lemon)	Pennsylvania.
Do	Citrus nobilis (king orange)	New York.
Do	Citrus sinensis (orange)	California.*
Do	do	District of Columbia.
Do	Citrus sinensis (orange) (20)	Florida.*
Do	Citrus sinensis (orange)	Illinois.
Do	do	Louisiana.
Do	Citrus sinensis (orange) (4)	Massachusetts.
Do	Citrus sinensis (orange)	New York.
Do	do	Pennsylavnia.
Do	Citrus sinensis (orange) (2)	South Carolina.
Do	Citrus sp. (5)	Florida.*
Lepidosaphes gloverii (Glover's scale)	Citrus grandis (grapefruit)	California.*
Do	Citrus grandis (grapefruit((2)	Florida.*
Do	Citrus limonia (lemon)	Do.*
Do	Citrus sinensis (orange)	District of Columbia.
Do	do	Florida.*
Do	Citrus sinensis (orange) (2)	Massachusetts.
Do	Citrus sinensis (orange)	Washington.
Do	Citrus sp.	Pennsylvania.
Macrosiphum rosae (aphid)	Rosa sp. (rose) (2)	Florida.*
Monocrepidius sp. (Elateridae)	Solanum melongena (eggplant) (2)	New York.
Monomorium pharaonis (Pharaoh's ant).	Herb	Pennsylvania.
Do	Musa sp. (banana)	South Carolina.
Do	Saccharum officinarum (sugar cane)	Pennsylvania.
Myzaphis sp. (aphid)	Rosa sp. (rose)	New York.
Myzus persicae (green peach aphid)	Lactuca sativa (lettuce)	Pennsylvania.
Do	Solanum melongena (eggplant)	New York.
Neoconocephalus triops fuscostriatus (Tettigoniidae).	Unknown	Do.
Noctuid	Apium graveolens (celery)	Pennsylvania.
Do	Capsicum annuum (pepper) (7)	New York.
Do	Daucus carota (carrot)	Pennsylvania.
Do	Hibiscus esculentus (okra)	New York.
Do	Lactuca sativa (lettuce)	Pennsylvania.
Do	Phaseolus lunatus macrocarpus (lima bean).	New York.
Odonaspis saccharicaulis (scale insect)	Saccharum officinarum (sugar cane) (2).	District of Columbia.
Olethreutid	Citrus sp. (3)	Illinois.
Ortalid	Allium cepa (onion)	New York.
Orthezia insignis (greenhouse orthezia)	Gardenia sp.	Florida.*
Pachnaeus sp. (Curculionidae)	Rosa sp. (rose)	Do.*
Parlatoria pergandii (chaff scale)	Citrus grandis (grapefruit)	California.*
Do	Citrus grandis (grapefruit) (2)	Florida.*
Do	Citrus limonia (lemon)	Do.*
Do	Citrus sinensis (orange)	California.*
Do	Citrus sinensis (orange) (2)	District of Columbia.
Do	Citrus sinensis (orange) (4)	Florida.*
Do	Citrus sinensis (orange)	Illinois.
Do	do	Pennsylvania.
Do	do	Washington.
Pasorovma sp. (Coccinellidae)	Citrus limonia (wild lemon)	Pennsylvania.
Pentatomid	Capsicum annuum (pepper)	New York.
Do	Orchid	Pennsylvania.
Pheidole megacephala (ant)	Ananas sativus (pineapple) (2)	Louisiana.
Do	Ananas sativus (pineapple)	Maryland.
Do	Ananas sativus (pineapple((2)	New York.
Do	Citrus grandis (grapefruit)	Do.
Do	Hibiscus esculentus (okra)	Do.
Do	Phaseolus lunatus macrocarpus (lima bean).	Do.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
CUBA—continued		
Insects—Continued.		
Pheidole sp. (ant)	Cymbopogon sp. (lemon grass)	Louisiana.
Do	Gossypium sp. (cotton)	District of Columbia.
Do	Solanum melongena (eggplant)	New York.
Phenacoccus gossypii (scale insect)	do	Do.
Phenacoccus sp. (scale insect)	do	Do.
Phthorimaea operculella (potato-tuber moth).	Solanum melongena (eggplant)	New York.
Platynota rostrana (Tortricidae)	Eugenia uniflora (Surinam cherry)	District of Columbia.
Plutella maculipennis (diamond-back moth).	Apium graveolens (celery)	Pennsylvania.
Do	Daucus carota (carrot)	Do.
Do	Lactuca sativa (lettuce)	Do.
Porcellionides pruinosus (isopod)	Ananas sativus (pineapple)	New York.
Prenolepis longicornis (crazy ant)	do	Louisiana.
Do	Ananas sativus (pineapple) (2)	New York.
Do	Packing	District of Columbia.
Do	Phaseolus lunatus macrocarpus (lima bean)	New York.
Do	Saccharum officinarum (sugar cane)	Do.
Do	Tropical fruit (mixed)	Do.
Prodenia sp. (Noctuidae)	Capsicum annuum (pepper)	Do.
Prolabia arachidis (earwig)	Achas sapota (sapodilla)	Louisiana.
Psara periusalis (Pyralidae)	Solanum melongena (eggplant)	New York.
Pseudaonidia articulatus (rufous scale)	Artocarpus incisa (breadfruit)	Florida.*
Do	Canna sp	Do.*
Do	Chrysophyllum cainito (star apple)	Do.*
Do	Citrus grandis (grapefruit)	Massachusetts.
Do	Citrus grandis (grapefruit) (2)	Missouri.
Do	Citrus grandis (grapefruit)	New York.
Do	Citrus sinensis (orange) (2)	Florida.*
Do	Citrus sinensis (orange)	Louisiana.
Do	Citrus sp. (2)	Florida.*
Do	Cocos nucifera (coconut) (2)	California.*
Do	Cocos nucifera (coconut)	Florida.*
Do	Codiaeum sp. (croton)	Do.*
Do	Dracaena sp	Unknown.
Do	Jasminum sp. (jasmine) (4)	Florida.*
Do	Manga blanca	Do.*
Do	Mangifera indica (mango) (2)	New York.
Do	Mangifera indica (mango)	Pennsylvania.
Do	Palm	Florida.*
Do	Unknown (3)	Do.*
Pseudaonidia tesserata (scale insect)	Unknown vine	Do.*
Pseudischnaspis alienus (scale insect)	Succulent "Penequin"	Do.*
Do	Unknown	Do.*
Pseudococcus adonidum (long-tailed mealybug).	Codiaeum sp. (croton)	Do.*
Do	Dracaena sp	New York.
Do	Musa sp. (banana)	Maryland.
Do	Solanum melongena (eggplant)	New York.
Pseudococcus brevipes (pineapple mealybug).	Ananas sativus (pineapple) (2)	California.*
Do	Ananas sativus (pineapple)	Florida.*
Do	Ananas sativus (pineapple) (2)	Louisiana.
Do	Ananas sativus (pineapple) (3)	Maryland.
Do	Ananas sativus (pineapple) (19)	New York.
Do	Ananas sativus (pineapple)	Pennsylvania.
Do	Musa sp. (banana) (3)	Florida.*
Pseudococcus citri (citrus mealybug)	Artocarpus incisa (breadfruit)	Do.*
Do	Citrus limonia (wild lemon)	Pennsylvania.
Do	Dioscorea sp. (yam)	Alabama.
Do	Phaseolus lunatus macrocarpus (lima bean).	New York.
Pseudococcus maritimus (mealybug)	Solanum melongena (eggplant)	Do.
Pseudococcus nipae (palm mealybug)	Annona muricata (sour sop)	Do.
Do	Annona squamosa (sugar apple)	Florida.*
Do	Psidium guajava (guava)	Do.*
Do	Unknown leaf	Do.*
Pseudococcus sacchari (mealybug)	Saccharum officinarum (sugar cane) (2).	District of Columbia.
Do	Saccharum officinarum (sugar cane)	Pennsylvania.
Pseudococcus virgatus (mealybug)	Solanum melongena (eggplant)	New York.
Pseudococcus sp. (mealybug)	Capsicum annuum (pepper)	Do.
Do	Cymbopogon sp. (lemon grass) (2)	Louisiana.
Do	Manihot esculenta (cassava)	Florida.*
Do	Muehlenbackia sp	Do.*
Do	Musa sp. (banana) (2)	Do.*

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
CUBA—continued		
Insects—Continued.		
Pseudococcus sp. (mealybug)	Phaseolus lunatus macrocarpus (lima bean).	New York.
Do	Phaseolus sp. (bean)	Do.
Do	Saccharum officinarum (sugar cane)	Florida.*
Do	Solanum melongena (eggplant)	New York.
Pseudoparlatoria parlatorioides (scale insect).	Unknown	Florida.*
Puto sp. (scale insect)	Chayota edulis (chayote)	Do.*
Pyralid (Phycitinae)	Ananas sativus (pineapple)	New York.
Pyralid (Pyraustinae)	Apium graveolens (celery)	Pennsylvania.
Do	Bougainvillea sp.	New York.
Pyralid (Phycitinae)	Carica papaya (papaya)	Pennsylvania.
Pyralid (Pyralinae)	Cedrela odorata (cigarbox cedar)	District of Columbia.
Pyralid (Pyraustinae)	Cucurbita maxima (squash) (17)	New York.
Pyralid (Phycitinae)	Herb	Pennsylvania.
Pyralid (Pyraustinae)	Phaseolus lunatus macrocarpus (lima bean).	Louisiana.
Do	Phaseolus lunatus macrocarpus (lima bean) (9).	New York.
Do	Solanum melongena (eggplant)	Do.
Pyralid	Cucurbita maxima (squash)	Do.
Do	Lycopersicum esculentum (tomato)	Louisiana.
Do	Phaseolus lunatus macrocarpus (lima bean).	New York.
Pyrausta mellinalis (Pyralidae)	Orchid	Pennsylvania.
Pyroderces sp. (Cosmopterygidae)	Plantago major (plantain)	New York.
Pyrophorus hesperus (Elateridae)	Unknown	Do.
Rhizoglyphus hyacinthi (bulb mite)	Allium cepa (onion)	Do.
Do	Solanum tuberosum (potato)	Massachusetts.
Rhizoglyphus phylloxerae (mite)	do	Pennsylvania.
Rhizoglyphus sp. (mite)	Dioscorea sp. (yam)	Do.
Saissetia hemisphaerica (hemispherical scale).	Annona muricata (sour sop)	New York.
Do	Annona squamosa (sugar apple)	Florida.*
Saissetia oleae (black scale)	Amygdalus communis (almond)	Do.*
Do	Citrus sinensis (orange) (2)	Do.*
Do	Psidium guajava (guava)	Do.*
Sciara sp. (Mycetophilidae)	Saccharum officinarum (sugar cane)	Pennsylvania.
Do	Unknown	Massachusetts.
Do	Xanthosoma sp. (malanga)	New York.
Scolytid	Dioscorea sp. (yam)	Alabama.
Selenothrips rubrocinctus (red-banded thrips).	Codiaeum sp. (croton)	Florida.*
Sitophilus linearis (tamarind pod-borer).	Tamarindus indica (tamarind)	Do.*
Do	do	New York
Solenopsis geminata rufa (ant)	Saccharum officinarum (sugar cane)	Do.
Solenopsis geminata var. (ant)	Ananas sativus (pineapple)	Florida.*
Do	do	Louisiana.
Symphyothrips punctatus (thrips)	Cocos nucifera (coconut)	Florida.*
Tapinoma melanocephalum (ant)	Musa sp. (banana)	Maryland.
Do	Saccharum officinarum (sugar cane)	Louisiana.
Targionia hartii (scale insect)	Dioscorea sp. (yam)	Florida.*
Targionia quohogiformis (quohog-shaped scale).	Codiaeum sp. (croton)	Do.*
Targionia sacchari (scale insect)	Saccharum officinarum (sugar cane)	Do.*
Tetramorium caespitum (ant)	Impomoea batatas (sweet potato)	Texas.
Tetramorium guineense (ant)	Saccharum officinarum (sugar cane)	Pennsylvania.
Tetrenychus 6-maculatus (mite)	Rosa sp. (rosa) (2)	Florida.*
Tetranychus sp. (mite)	Saccharum officinarum (sugar cane)	Pennsylvania.
Thanasimus dubius (Cleridae)	Ananas sativus (pineapple)	Louisiana.
Tineid	Dioscorea sp. (yam)	Alabama.
Do	Saccharum officinarum (sugar cane)	Louisiana.
Trialeurodes floridensis (guava white-fly).	Psidium guajava (guava)	Florida.*
Trimiopsis sp. (Pselaphidae)	Orchid	Pennsylvania.
Tyroglyphus lintneri (mite)	Solanum tuberrosum (potato)	South Carolina.
Tyroglyphus sp. (mite)	Disocorea sp. (yam)	Alabama.
Veronicella sp. (Mollusca)	Ananas sativus (pineapple)	New York.
Xyleborus sp. (Scolytidae)	Saccharum officinarum (sugar cane)	Pennsylvania.
Diseases:		
Actinomyces scabies	Solanum tuberosum (potato)	Florida.*
Cladosporium citri	Citrus aurantifolia (lime)	Do.*
Colletotrichum falcatum	Saccharum officinarum (sugar cane) (2)	Do.*
Colletotrichum lindemuthianum	Phaseolus lunatus macrocarpus (lima bean).	New York.
Colletotrichum phomoides	Lycopersicum esculentum (tomato)	Do.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
CUBA—continued		
Diseases—Continued.		
Diplodia epicocos	Cocos nucifera (coconut)	Maryland.
Diplodia natalensis	Citrus grandis (grapefruit)	Illinois.
Diplodia sp	Cocos nucifera (coconut)	Florida.*
Do	Zamia kickxii	District of Columbia.
Gloeosporium sp	Carica papaya (papaya)	Florida.*
Macrosporium sp	Solanum tuberosum (potato)	Do.*
Phomopsis citri	Citrus grandis (grapefruit) (2)	California.*
Do	Citrus sinensis (orange)	Florida.*
Sclerotium rolfsii	Musa sp. (banana)	Maryland.
Spondylocladium atrovirens	Solanum tuberosum (potato)	Florida.*
Thielaviopsis paradoxa	Ananas sativus (pineapple)	Maryland.
Do	Saccharum officinarum (sugar cane) (2)	Pennsylvania.*
Uromyces appendiculatus	Phaseolus lunatus macrocarpus (lima bean).	New York.
Venturia inaequalis	Malus sylvestris (apple)	Massachusetts.
CYPRUS ISLAND		
Insects:		
Aspidiotus hederae (ivy scale)	Citrus limonia (lemon)	Massachusetts.
Lepidosaphes beckii (purple scale)	Citrus limonia (lemon) (2)	Do.
CZECHOSLOVAKIA		
Insects:		
Aulacaspis pentagona (West Indian peach scale).	Ilex sp. (holly) (seed)	District of Columbia.
Diplolepis quercus-folii (Cynipidae)	Quercus sessiliflora (durmast oak)	Illinois.
Lepidosaphes ulmi (oyster-shell scale)	Prunus cerasus (cherry)	District of Columbia.
DENMARK		
Insects:		
Ceutorhynchus pleurostigma (turnip gall weevil).	Brassica rapa (turnip)	South Carolina.
Ceutorhynchus sp. (Curculionidae)	do	New York.
Hemichionaspis aspidistrae (aspidistra scale).	Aspidistra sp	Massachusetts.
Histiostoma sp. (mite)	Brassica rapa (turnip)	South Carolina.
Myzus persicae (green peach aphid)	In soil around turnip	Pennsylvania.
Pyralid (Pyralinae)	Malus sylvestris (apple)	Illinois.
Syrphus sp. (Syrphidae)	Allium porrum (leek)	New York.
Diseases:		
Oospora pustulans	Solanum tuberosum (potato)	District of Columbia.
DOMINICA (B. W. I.)		
Insects:		
Anastrepha serpentina (Trypetidae)	Achras sapota (sapodilla)	New York.
Chionaspis citri (orange chionaspis)	Citrus aurantifolia (lime)	Do.
Chrysomphalus dictyospermi (scale insect).	Citrus aurantifolia (lime) (2)	Do.
Coccus viridis (coffee scale)	Citrus aurantifolia (lime)	Do.
Euxesta sp. (Ortalidae)	Citrus sinensis (orange)	Do.
Lepidosaphes beckii (purple scale)	Citrus aurantifolia (lime)	Florida.*
Do	Citrus aurantifolia (lime) (3)	New York.
Lepidosaphes gloverii (Glover's scale)	Citrus aurantifolia (lime)	Do.
Noctuid	do	Do.
Parlatoria pergandii camelliae (scale insect	do	Do.
Paratoria sp. (scale insect)	do	Florida.*
Pseudaonidia articulatus (rufous scale)	Citrus aurantifolia (lime) (2)	New York.
Pseudococcus citri (citrus mealybug)	Citrus aurantifolia (lime)	Florida.*
Pseudococcus sp. (mealybug)	Ananas sativus (pineapple)	New York.
Pyralid (Phycitinae)	Tamarindus indica (tamarind)	Do.
Sitophilus linearis (tamarind pod-borer.)	Tamarindus indica (tamarind) (2)	Do.
Solenopsis geminata rufa (ant)	Zingiber officinale (ginger)	Do.
Tritoxa flexa (black onion fly)	Citrus grandis (grapefruit)	Do.
DOMINICAN REPUBLIC		
Insects:		
Anastrepha sp. (Trypetidae)	Psidium guajava (guava)	New York.
Aspidiotus lataniae (scale insect)	Dracaena sp	Do.
Atherigona sp. (Anthomyiidae)	Chayota edulis (chayote)	Do.
Baccha sp. (Syrphidae)	Capsicum annuum (chili pepper)	New York.
Bephrata sp. (Chalcididae)	Annona muricata (sour sop)	Do.
Cerambycid	Wood	Porto Rico.
Chrysomphalus aonidum (Florida red scale).	Citrus grandis (grapefruit)	New York.
Clerid	Wood (2)	Porto Rico.
Coccus hesperidum (soft brown scale)	Carica papaya (papaya)	New York.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
DOMINICAN REPUBLIC—continued		
Insects—Continued.		
Curculionid	Capsicum annuum (pepper)	New York.
Do	do	South Carolina.
Cylas formicarius (sweet-potato weevil).	Ipomoea batatas (sweet potato)	New York.
Diatrae saccharalis (sugar-cane borer)	Saccharum officinarum (sugar cane)	Pennsylvania.
Elaphidion nanum (Cerambycidae)	Wood (2)	Porto Rico.
Euryscelis suturalis (Cerambycidae)	Wood (3)	Do.
Euxesta sp. (Ortalidae)	Capsicum annuum (pepper) (4)	New York.
Do	Plantago major (plantain)	Do.
Hemichionaspis minor (scale insect)	Annona muricata (sour sop)	Do.
Do	do	Pennsylvania.
Do	Cucurbita pepo (pumpkin)	New York.
Do	Gossypium sp. (cotton) (2)	Do.
Lamiid	Wood	Porto Rico.
Lepidosaphes beckii (purple scale)	Citrus aurantifolia (lime) (3)	New York.
Do	Citrus grandis (grapefruit)	Do.
Do	Citrus sinensis (orange)	Do.
Lepidosaphes lasianthi (scale insect)	Palm	Florida.*
Lepidosaphes sp. (scale insect)	Codiaeum sp. (croton)	New York.
Pheidole sp. (ant)	Gossypium sp. (cotton) (seed)	District of Columbia.
Prenolepis longicornis (crazy ant)	Capsicum annuum (pepper)	South Carolina.
Do	On bag containing malangas	New York.
Prolabia unidentata (earwig)	Xanthosoma sp. (malanga)	Do.
Pseudaonidia articulatus (rufous scale)	Citrus aurantifolia (lime)	Do.
Do	Citrus grandis (grapefruit)	Do.
Do	Citrus sinensis (orange)	Do.
Do	Dracaena sp. (leaves and cuttings)	Do.
Pseudococcus brevipes (pineapple mealybug).	Cucurbita pepo (pumpkin)	Do.
Pseudococcus citri (citrus mealybug)	Citrus aurantifolia (lime)	Do.
Pseudococcus nipae (palm mealybug)	Palm	Florida.*
Pseudococcus sp. (mealybug)	Dioscorea sp. (yam)	Do.*
Pyralid (Pyraustinae)	Chayota edulis (chayote) (2)	New York.
Saissetia hemisphaerica (hemispherical scale).	Annona muricata (sour sop)	Do.
Do	Citrus sinensis (orange) (2)	Do.
Saissetia oleae (black scale)	Gossypium sp. (cotton)	Do.
Do	Rosa sp. (rose)	Florida.*
Targionia hartii (scale insect)	Dioscorea sp. (yam)	Do.*
Do	Dioscorea sp. (yam) (2)	New York.
Tineid	Sandoricum indicum (seed)	District of Columbia.
Tritoxa sp. (Ortalidae)	Capsicum annuum (pepper)	New York.
Diseases:		
Actinomyces scabies	Solanum tuberosum (potato)	Florida.*
DUTCH EAST INDIES		
Insects:		
Aspidiotus hederae (ivy scale)	Citrus limonia (lemon)	Pennsylvania.
DUTCH GUIANA		
Insects:		
Euscepes batatae (West Indian sweet-potato weevil).	Ipomoea batatas (sweet potato)	Florida.*
DUTCH WEST INDIES		
Insects:		
Aspidiotus cocotiphagus (scale insect)	Cocos nucifera (coconut)	South Carolina.
Chrysomphalus aonidum (Florida red scale)	Citrus sinensis (orange)	Pennsylvania.
Lepidosaphes beckii (purple scale)	do	Do.
Pachymerus gonager (Mylabridae)	Tamarindus indica (tamarind)	New York.
Plutella maculipennis (diamond-back moth).	Brassica oleracea (cabbage)	Pennsylvania.
Pseudaonidia articulatus (rufous scale)	Palm	New York.
Pyralid	Unknown	Do.
Diseases:		
Diplodia cacaoicola	Cocos nucifera (coconut)	South Carolina.
ECUADOR		
Insects:		
Aspidiotus camelliae (greedy scale)	Prunus serotina (black cherry)	District of Columbia.
Aspidiotus lataniae (scale insect)	Amygdalus persica (peach)	Do.
Do	Pyrus communis (pear) (cutting)	Do.
Aspidiotus sp. (scale insect)	Persea americana (avocado)	Do.
Do	Prunus serotina (black cherry)	Do.
Do	Vallea stipularis	Do.
Diaspis boisduvalii (Boisduval's scale)	Cocos nucifera (coconut)	Do.
Diaspis sp. (scale insect)	Prunus serotina (black cherry) (2)	Do.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
ECUADOR—continued		
Insects—Continued.		
Ephestia sp. (Pyralidae)	Theobroma cacao (cacao bean) (6)	California.*
Hemichionaspis sp. (scale insect)	Persea americana (avocado)	District of Columbia.
Lepidosaphes sp. (scale insect)	Carica papaya (papaya)	Do.
Pseudaonidia articulatus (rufous scale)	Persea americana (avocado) (budwood) (2).	Do.
Pseudischnaspis sp. (scale insect)	Persea americana (avocado) (budwood).	Do.
Tetranychus telarius (mite)	Fragaria chiloenis (chiloe strawberry)	Do.
EGYPT		
Insects:		
Anisolabis annulipes (earwig)	In soil around cactus plant	Pennsylvania.
Do	In soil around palm	Do.
Aspidiotus lataniae (scale insect)	Acacia arabica	District of Columbia.
Asterolecanium sp. (scale insect)	do	Do.
Chrysomphalus aonidum (Florida red scale).	Citrus sinensis (orange)	Massachusttes.
Chrysomphalus aurantii (California red scale).	Citrus limonia (lemon)	Do.
Do	Citrus sinensis (orange) (5)	Do.
Do	Citrus sinensis (orange)	South Carolina.
Chrysomphalus dictyospermi (scale insect).	Citrus sinensis (orange)	Massachusetts.
Coelophora inaequalis (Coccinellidae)	Gossypium sp. (cotton) (seed)	District of Columbia.
Crypticus murinus (Tenebrionidae)	Phoenix dactylifera (date palm)	Do.
Cylas formicarius (sweet-potato weevil).	Ipomoea botatas (sweet potato)	Pennsylvania.
Desmometopa m-nigrum (Agromyzidae).	Solanum tuberosum (potato)	Massachusetts.
Elaterid	Phoenix dactylifera (date palm)	District of Columbia.
Ephestia sp. (Pyralidae)	Allium cepa (onion)	Pennsylvania.
Do	Phoenix dactylifera (date palm) (fruit) (2).	District of Columbia.
Do	Ribes sp. (currant)	California.*
Helicella barbara (Mollusca)	In soil around palm	Pennsylvania.
Histiostoma sp. (mite)	Allium cepa (onion)	New York.
Lepidosaphes beckii (purple scale)	Citrus limonia (lemon)	Massachusetts.
Do	Citrus sinensis (orange) (5)	Do.
Do	Citrus sinensis (orange)	New York.
Do	Citrus sinensis (orange) (2)	South Carolina.
Monomorium salomonis (ant)	Hordeum vulgare (barley)	District of Columbia.
Mylabris sp. (Mylabridae)	Berseem miskawi	Do.
Myzus persicae (green peach aphid)	Brassica oleracea (cabbage)	South Carolina.
Nacerda melanura (Oedemeridae)	Allium cepa (onion)	New York.
Ortalid	do	Massachusetts.
Parlatoria blanchardi (scale insect)	Phoenix dactylifera (date palm)	District of Columbia.
Parlatoria pergandii (chaff scale)	Citrus limonia (lemon)	Massachusetts.
Do	Citrus sinensis (orange) (3)	Do.
Do	Citrus sinensis (orange)	South Carolina.
Pectinophora gossypiella (pink bollworm).	Gossypium sp. (cotton) (seed) (11)	New York.
Phoenicococcus marlatti (scale insect)	Phoenix dactylifera (date palm)	District of Columbia.
Phthorimaca operculella (potato-tuber moth).	Solanum tuberosum (potato) (4)	Massachusetts.
Ptinus sp. (Ptinidae)	Gossypium sp. (cotton) (seed)	District of Columbia.
Prenolepis longicornis (crazy ant)	In crate with date palm	Do.
Pyroderces sp. (Cosmopterygidae)	Allium cepa (onion)	Massachusetts.
Rhizoglyphus hyacinthi (bulb mite)	Allium sativum (garlic)	New York.
Do	Solanum tuberosum (potato) (2)	Massachusetts.
Do	Solanum tuberosum (potato)	New York.
Do	do	Pennsylvania.
Do	do	South Carolina.
Rhizoglyphus sp. (mite)	Solanum tuberosum (potato) (2)	Massachusetts.
Sciara sp. (Mycetophilidae)	do	Do.
Scolytid	Phoenix dactylifera (date palm)	California.*
Sternochetus mangiferae (mango weevil).	Mangifera indica (mango)	Do.*
Tenebrionid	Solanum tuberosum (potato)	Massachusetts.
Trigonogenius sp. (Ptinidae)	Gossypium sp. (cotton) (seed)	District of Columbia.
Tyroglyphus sp. (mite)	Allium cepa (onion)	New York.
ENGLAND		
Insects:		
Agriolimax agrestis (Mollusca)	Brassica oleracea (cabbage)	Pennsylvania.
Do	In soil and cotton packing around carnation.	Washington.
Do	In soil around roots of miscellaneous plants.	Massachusetts.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
ENGLAND—continued		
Insects—Continued.		
Agriolimax agrestis (mollusca)	Lactuca sativa (lettuce)	Pennsylvania.
Do	Perennial roots	Massachusetts.
Do	Rosa sp. (Manetti stock) (2)	Pennsylvania.
Do	Unknown plant (2)	New York.
Do	Unknown roots	Do.
Do	Viola sp. (violet)	Do.
Agriotes lineatus (Elateridae)	Brassica campestris (rutabaga)	Do.
Agriotes sp. (Elateridae)	In soil around narcissus bulbs	Massachusetts.
Agromyza sp. (Agromyzidae)	Vanda sp. (orchid) (leaf)	District of Columbia.
Agromyzid	Brassica oleracea botrytis (cauliflower)	Pennsylvania.
Alleculid	In soil around roots of heather, fern, ivy and grass plants.	Do.
Anthomyiid	Brassica rapa (turnip) (2)	New York.
Do	Solanum tuberosum (potato)	Pennsylvania.
Anthonomus pedicularius (Curculionidae).	Crataegus sp. (cutting)	Massachusetts.
Do	Laburnum sp. (cutting)	Do.
Anuraphis tulipae (aphid)	Iris xiphioides	District of Columbia.
Do	Iris sp. (Korolkowi violacea)	Do.
Do	Iris sp. (8)	Do.
Aphis sp. (aphid)	Ornithogalum thyrsoides (chinkerichee).	Pennsylvania.
Aphodius sp. (Scarabaeidae)	In soil around grass roots	District of Columbia.
Apion sp. (Curculionidae)	In package of heather	Massachusetts.
Arion hortensis (Mollusca)	Brassica oleracea botrytis (cauliflower).	New York.
Do	In soil and cotton packing around carnation.	Washington.
Do	In soil around a shrub	New York.
Arion hortensis fasciata (Mollusca)	Aster sp.	Do.
Do	Crataegus sp. (hawthorn)	Massachusetts.
Do	Laburnum sp.	Do.
Arion sp. (Mollusca)	Rosa sp. (Manetti stock)	Illinois.
Armadillidium vulgare (isopod)	In soil around roots of heather, fern, ivy and grass plants.	Pennsylvania.
Do	In soil around roots of miscellaneous plants.	Massachusetts.
Aspidiotus hederae (ivy scale)	Citrus limonia (lemon)	Florida.*
Do	do	Massachusetts.
Do	do	Pennsylvania.
Do	Cymbidium sp. (orchid) (2)	District of Columbia.
Do	Palm (5)	Massachusetts.
Do	Palm (2)	New York.
Aspidiotus sp. (scale insect)	Desfontainea spinosa	District of Columbia.
Do	Laurus noblis (Grecian laurel)	Do.
Balaninus glandium (Curculionidae)	Corylus sp. (hazel nut)	Do.
Berytus clavipes (Berytidae)	Rosa sp. (Manetti stock)	Illinois.
Blaniulus guttulatus (myriapod)	In soil around Scotch broom plant	Pennsylvania.
Brachydesmus superus (myriapod)	Petroselinum hortense (parsley)	Do.
Brachygeophilus truncorum (myriapod).	Unknown plant	Do.
Brachyrhinus sp. (Curculionidae)	In soil around roots of plant	District of Columbia.
Bregmatothrips iridis (thrips)	Iris sp. (6)	Do.
Carpocapsa pomonella (codling moth)	Malus sylvestris (apple)	New York.
Do	Pyrus communis (pear)	Do.
Carychium minimum (Mollusca)	Crataegus sp.	Massachusetts.
Do	Laburnum sp.	Do.
Cecidomyiid	Crataegus sp.	Do.
Do	Laburnum sp.	Do.
Do	Narcissus sp. (bulb) (2)	New York.
Do	Rosa multiflora platyphylla	Massachusetts.
Do	Rosa sp. (rose)	Do.
Do	Prunus serotina salicifolia	Do.
Ceutorhynchus pleurostigma (turnip gall weevil).	Brassica campestris (rutabaga)	New York.
Do	Brassica rapa (turnip) (6)	Do.
Do	Brassica rapa (turnip)	South Carolina.
Ceutorhynchus sp. (Curculionidae)	Brassica campestris (rutabaga)	New York.
Do	Brassica rapa (turnip)	Do.
Chionaspis salicis (willow scale)	Salix lanata	Massachusetts.
Chionaspis sp. (scale insect)	Unknown	District of Columbia.
Chrysomphalus dictyospermi (scale insect)	Citrus limonia (lemon)	Florida.*
Coccinae (scale insect)	Ribes sp. (gooseberry) (plant)	District of Columbia.
Coccus hesperidum (soft brown scale)	Clethra arborea (2)	Do.
Do	Drimys winteri	Do.
Do	Epacris alba odorata	Do.
Do	Hedera sp. (ivy)	Do.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
ENGLAND—continued		
Insects—Continued.		
Coccus hesperidum (soft brown scale)	Hedera sp. (ivy)	Massachusetts.
Do	Itea ilicifolia (cutting)	District of Columbia.
Do	Itea yunnanensis (leaf)	Do.
Do	Lapageria sp. (leaf)	Do.
Do	Laurus nobilis (laurel) (2)	Massachusetts.
Do	Laurus sp. (laurel) (7)	Do.
Do	Laurus sp. (laurel) (5)	New York.
Do	Pittosporum magii	District of Columbia.
Do	Ricinus communis (castor bean) (2)	Massachusetts.
Do	Tristania nerifolia	District of Columbia.
Do	Undetermined plant	California.*
Coccus sp. (scale insect)	Hedera sp. (ivy)	New York.
Coenosia sp. (Anthomyiidae)	In soil around roots of heather, fern, ivy and grass plants.	Pennsylvania.
Crematogaster sp. (ant)	Moss used as packing for bulbs and plants.	District of Columbia.
Diaspis boisduvalii (Boisduval' scale)	Brassocattleya sp. (orchid)	Do.
Do	Cattleya sp. (orchid)	Do.
Do	Cymbidium sp. (orchid) (2)	Do.
Do	Dendrobium kingianum amethystimum (orchid).	Do.
Do	Epidendrum erectum purpurescens (orchid).	Do.
Do	Laeliocattleya schroederae (orchid)	Do.
Do	Oncidium sp. (orchid)	Do.
Do	Orchid	California.*
Do	Orchid (2)	District of Columbia.
Do	Vanda sp. (orchid)	Do.
Diaspis cattleyae (scale insect)	Orchid	Do.
Diaspis sp. (scale insect)	do	Do.
Emphytus cinctus (sawfly)	Labiatae	Massachusetts.
Do	Rosa sp. (Manetti stock) (2)	Connecticut.*
Do	Rosa sp. (Manetti stock) (6)	Illinois.*
Do	Rosa sp. (Manetti stock) (3)	Indiana.*
Do	Rosa sp. (Manetti stock)	New York.
Do	do	Pennsylvania.
Do	Rosa sp. (Manetti stock) (30)	Pennsylvania.*
Endrosis lacteella (Oecophoridae)	Allium sativum (garlic)	Massachusetts.
Do	Narcissus sp. (bulb)	New York.
Ephestia cahiritella (Pyralidae)	Ribes sp. (currant)	California.*
Ephestia sp. (Pyralidae)	do	Do.*
Eumerus strigatus (lesser bulb fly)	Narcissus sp. (bulb) (5)	New York.
Do	Narcissus sp. (bulb)	Washington.
Euxesta sp. (Ortalidae)	Brassica rapa (turnip)	New York.
Do	Solanum tubersum (potato)	Do.
Gastrocopta umvilicata (Mollusca)	In soil around roots of heather, fern, ivy, and grass plant.	Pennsylvania.
Helicella sp. (Mollusca)	do	Do.
Heliothrips haemorrhoidalis (greenhouse thrips).	Grevillea robusta (silk-oak)	Massachusetts.
Hemichionaspis aspidistrae (aspidistra scale).	Aspidistra sp. (2)	Do.
Histiostoma sp. (mite)	Daucus carota (carrot)	South Carolina.
Do	Solanum tuberosum (potato)	Pennsylvania.
Do	do	South Carolina.
Hylemyia cilicrura (Anthomyiidae)	Brassica rapa (turnip)	Massachusetts.
Hylemyia sp. (Anthomyiidae)	Brassica campestris (rutabaga)	New York.
Do	Brassica rapa (turnip)	Do.
Julus sp. (myriapod)	In soil around roots of heather, fern, ivy, and grass plant.	Pennsylvania.
Lepidosaphes ulmi (oyster-shell scale)	Malus sylvestris (apple)	District of Columbia.
Do	Unknown tree	Pennsylvania.
Lithobius forficatus (myriapod)	Rosa sp. (Manetti stock)	Do.
Macrocheles sp. (mite)	do	Illinois.
Do	Solanum tuberosum (potato)	Pennsylvania.
Merodon equestris (narcissus fly)	Narcissus sp. (bulb) (2)	New York.
Merodon sp. (Syrphidae)	Narcissus sp. (bulb) (3)	Do.
Monarthropalpus buxi (boxwood leaf miner).	Buxus sp. (boxwood)	District of Columbia
Monomorium pharaonis (Pharaoh's ant).	Unknown plant	Pennsylvania.
Mycetobia sp. (Rhyphidae)	Solanum tuberosum (potato)	Do.
Mylabris sp. (Mylabridae)	Cassia sp. (fruit)	District of Columbia.
Myzaphis sp. (aphid)	Rosa sp. (rose)	Massachusetts.
Myzus circumflexus (aphid)	Orchid	District of Columbia.
Myzus persicae (green peach aphid)	Brassica oleracea (cabbage)	South Carolina.
Do	Chrysanthemum sp.	Pennsylvania.
Do	Dianthus sp. (carnation)	District of Columbia.
Do	Viola sp. (violet)	Do.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
ENGLAND—continued		
Insects—Continued.		
Nanophyes sp. (Curculionidae)	Therminalia chebula	Massachusetts.
Newsteadia floccosa (scale insect)	Moss used as packing	District of Columbia.
Noctuid	Iris sp. (rhizome)	Do.
Do	Palm	Massachusetts.
Do	Unknown potted plant	New York.
Notolophus sp. (Lymantriidae)	Rosa sp. (Manetti stock)	Pennsylvania.*
Oniscus asellus (isopod)	Primula sp. (primrose)	Massachusetts.
Oniscus sp. (isopod)	Rosa sp. (Manetti stock)	Illinois.
Ortalid	Solanum tuberosum (potato)	Pennsylvania.
Parthenothrips dracaenae (thrips)	Ricinus communis (castor bean)	Massachusetts.
Physothrips sp. (thrips)	do	Do.
Podurid (Collembola)	In soil around field plants	Do.
Pseudococcus gahani (mealybug)	Clematis sp. (stem)	District of Columbia.
Do	Clethra arborea	Do.
Do	Erica ventricosa globosa (2)	Do.
Do	Ilex aquifolium (English holly) (2)	Do.
Do	Pittosporum magii	Do.
Do	Tristania nerifolia	Do.
Pseudococcus maritimus (mealybug)	Hibbestia perfoliata (2)	Do.
Do	Jakanosa vine (wax plant)	Massachusetts.
Pseudococcus nipae (palm mealybug)	Palm (2)	Do.
Do	Palm	New York.
Pseudococcus sp. (mealybug)	Aotus gracillima	District of Columbia.
Do	Drimys winteri	Do.
Do	Eriostemon linarifolium	Do.
Do	Rhododendron sp. (Princess Alexandra).	Do.
Do	Trochodendron aralioides	Do.
Pulvinaria floccifera (scale insect)	Hexadesnua crucigera (orchid)	Do.
Do	Mosdevallea bruckmulleri (orchid)	Do.
Do	Odontoglossum cordatum (orchid)	Do.
Do	Phaius sanderianus (orchid)	Do.
Do	Pholidota articulata (orchid)	Do.
Pyralid (Pyraustinae)	Fern	New York
Pyramidula rotundata (Mollusca)	Unknown flower root	Do.
Rhizoglyphus hyacinthi (bulb mite)	Allium cepa (onion)	Pennsylvania.
Do	Lilium sp. (lily) (bulb)	New York.
Do	Narcissus sp. (bulb)	Massachusetts.
Do	Narcissus sp. (bulb) (3)	New York.
Do	Narcissus sp. (bulb) (2)	Pennsylvania.
Do	Narcissus sp. (bulb) (3)	Washington.
Do	Scilla sp. (squill)	Massachusetts.
Rhizoglyphus sp. (mite)	Solanum tuberosum (potato)	South Carolina.
Rhopalosiphum rufomaculata (aphid)	Chrysanthemum sp	Massachusetts.
Do	do	Pennsylvania.
Saissetia hemisphaerica (hemispherical scale).	Orchid	District of Columbia.
Do	Ricinus communis (castor bean) (3)	Massachusetts.
Schendyla nemorensis (myriapod)	In soil around roots of heather, fern, ivy and grass.	Pennsylvania.
Sciara sp. (Mycetophilidae)	Crataegus sp. (hawthorn)	Massachusetts.
Do	Daucus carota (carrot)	Do.
Do	do	Pennsylvania.
Do	Dianthus sp. (carnation)	Washington.
Do	Laburnum sp	Massachusetts.
Do	Narcissus sp. (bulb) (2)	New York.
Do	Narcissus sp. (bulb)	Pennsylvania.
Do	Orchid	New York.
Do	Papaver orientale (oriental poppy)	District of Columbia.
Do	Petroselinum hortense (parsley)	Pennsylvania.
Do	Solanum tuberosum (potato)	Do.
Scolytus rugulosus (Scolytidae)	Malus sylvestris (apple)	California.*
Sigibius dubosqui (myriapod)	Crataegus sp. (hawthorn)	Massachusetts.
Do	Laburnum sp	Do.
Stigmategaster subterreaneus (myriapod).	In soil around roots of holly	Do.
Strophosoma coryli (Curculionidae)	Moss used for packing	District of Columbia
Syrphid	Labiatae	Massachusetts.
Do	Rosa sp. (rose) (cutting)	Do.
Syrphus sp. (Syrphidae)	Brassica oleracea (cabbage)	New York.
Do	Buxus sp. (boxwood)	Illinois.
Do	Chrysanthemum sp	Pennsylvania.
Tetranychus telarius (mite)	Fragaria sp. (strawberry)	Massachusetts.
Do	Malus sp. (crab apple)	District of Columbia.
Thrips tabaci (onion thrips)	Chrysanthemum sp	Pennsylvania.
Tinea sp. (Tineidae)	Old bagging bales	New York.
Tortricid	Hedera sp. (ivy)	District of Columbia.
Do	Laurus sp. (laurel (2)	Massachusetts.
Do	Magnolia sp	Do.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
ENGLAND—continued		
Insects—Continued.		
Trialeurodes sp. (whitefly)	Polygala cordifolia	District of Columbia.
Trichoniscus pusillus (isopod)	Fern	New York.
Trichoniscus sp. (isopod)	Crataegus sp. (hawthorn)	Massachusetts.
Do	Laburnum sp	Do.
Do	Rosa sp. (Manetti stock)	New York.
Tritoxa sp. (Ortalidae)	Solanum tuberosum (potato)	Pennsylvania.
Tyroglyphus sp. (mite)	do	South Carolina.
Vitrea hammonis (Mollusca)	Crataegus sp. (hawthorn)	Massachusetts.
Do	Laburnum sp	Do.
Vitrea nitida (Mollusca)	In soil around roots of heather, fern, ivy, and grass.	Pennsylvania.
Vitrea sp. (Mollusca)	Rosa sp. (Manetti stock)	Illinois.
Vitrina pellucida (Mollusca)	In soil around roots of heather, fern, ivy, and grass.	Pennsylvania.
Diseases:		
Actinomyces scabies	Solanum tuberosum (potato) (7)	Florida.*
Bacterium tumefaciens	Chrysanthemum frutescens var. Marguerite.	District of Columbia.
Do	Rosa sp. (Manetti stock)	Illinois.*
Do	Rosa sp. (Manetti stock) (2)	Indiana.*
Do	do	Iowa.*
Do	Rosa sp. (Manetti stock) (8)	Pennsylvania.
Do	Rosa sp. (Manetti stock) (3)	Wisconsin.
Botrytis cinerea	Aster cordifolius (blue wood aster)	District of Columbia.
Botrytis parasitica	Rosa sp. (rose)	Do.
Botrytis sp	Allium cepa (onion)	Massachusetts.
Do	do	South Carolina.
Corticium vagum	Solanum tuberosum (potato)	Florida.*
Fusarium sp	Solanum tuberosum (potato) (4)	Do.*
Gymnosporangium sp	Sorbus sp. (mountain-ash)	Illinois.*
Leptosphaeria vagabunda	Ribes grossularia (gooseberry)	Washington.
Oospora pustulans	Solanum tuberosum (potato) (3)	New York.
Do	Solanum tuberosum (potato)	South Carolina.
Phragmidium subcorticium	Rosa sp. (var. Bedford crimson)	District of Columbia.
Puccinia buxi	Buxus suffruticosus	New York.
Rhizoctonia solani	Solanum tuberosum (potato) (3)	Florida.*
Rhytisma acerinum	Acer pseudoplatanus (2)	California.*
Sclerotinia libertiana	Daucus carota (carrot)	Pennsylvania.
Sclerotium sp	Allium cepa (onion)	South Carolina.
Spondylocladium atrovirens	Solanum tuberosum (potato) (6)	Florida.*
Spongospora subterranea	Solanum tuberosum (potato) (2)	Louisiana.
Do	do	Massachusetts.
Do	Solanum tuberosum (potato) (3)	New York.
Do	Solanum tuberosum (potato)	South Carolina.
Tilletia tritici	Triticum aestivum (wheat)	Illinois.
Tylenchus dipsaci (bulb nematode)	Narcissus sp. (Soleil d'Or) (3)	New York.
Venturia inaequalis	Malus sylvestris (apple)	Florida.*
Vermicularia lliacearum	Iris sp	New York.
FEDERATED MALAY STATES		
Insects:		
Tineid	Ceiba pentandra (kapok)	Washington.
FIJI ISLANDS		
Insects:		
Cosmopolites sordidus (banana root-borer).	Musa sp. (banana)	District of Columbia.
Dysdercus sp. (Pyrrhocoridae)	Gossypium sp. (cotton) (lint)	Do.
Ereunetis sp. (Tineidae)	Cocos nucifera (coconut)	California.*
Pseudococcus brevipes (pineapple mealybug).	Ananas sativus (pineapple)	Do.*
FORMOSA ISLAND		
Insects:		
Chrysomphalus aurantii (California red scale).	Citrus grandis (grapefruit)	California.
FRANCE		
Insects:		
Acronycta auricoma (dagger moth)	Cydonia oblonga (quince) (3)	Iowa.*
Do	Malus sylvestris (apple) (stock)	Do.*
Do	Prunus sp. (Mahaleb stock) (2)	Do.*
Do	Pyrus communis (pear stock) (3)	Do.*
Acronycta rumicis (sorrel cutworm)	Cydonia oblonga (quince) (stock) (3)	Ohio.*
Do	Cydonia oblonga (quince) (stock)	Pennsylvania.*
Do	Prunus cerasus (cherry) (stock) (2)	Connecticut.*
Do	Prunus cerasus (cherry) (stock)	Tennessee.*

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
FRANCE—continued		
Insects—Continued.		
Acrenyeta rumicis (sorrel cutworm)	Prunus domestica (plum) (stock) (3)	Ohio.*
Do	Prunus domestica (plum) (stock)	Pennsylvania.*
Do	Prunus sp. (Mahaleb stock)	Indiana.*
Do	do	Maryland.*
Do	Prunus sp. (Myrobalan stock)	Do.*
Do	Pyrus communis (pear) (stock)	Iowa.*
Do	do	Michigan.*
Do	Pyrus communis (pear) (stock) (2)	Ohio.*
Do	Rosa sp. (Manetti stock) (2)	Iowa.*
Do	Rosa sp. (Manetti stock) (6)	Ohio.*
Agrilus viridis (Buprestidae)	Rosa multiflora (rose)	Pennsylvania.*
Agriolimax agrestis (Mollusca)	In a box with Mahaleb stock	Michigan.*
Do	Lilium sp. (lily) (bulb)	New York.
Do	Lilium sp. (lily) (bulb) (2)	Pennsylvania.
Agromyza sp. (Agromyzidae)	Lilium sp. (lily) (bulb)	Do.
Agromyzid	Brassica oleracea (cabbage)	New York.
Aleurotrachelus sp. (whitefly)	Viburnum sp	District of Columbia.
Alphitophagus bifasciatus (Tenebrionidae).	Packing around citron slips	Do.
Anisolabis annulipes (earwig)	Lilium candidum (Madonna lily)	New York.
Do	Lilium sp. (lily)	Do.
Do	Narcissus sp. (bulb) (2)	Do.
Anthomyia pluvialis (Anthomyiidae)	In soil around carnation	Do.
Anthomyiid	Allium cepa (onion)	Pennsylvania.
Do	Brassica campestris (rutabaga)	New York.
Do	In soil around carnation	Do.
Do	Lilium sp. (lily) (bulb)	Do.
Do	Narcissus sp. (bulb)	Do.
Do	Solanum tuberosum (potato)	Pennsylvania.
Anuraphis tulipae (aphid)	Iris tingitana (Morocco iris)	District of Columbia.
Do	Iris sp. (Denil de Valerie Mezet)	Do.
Do	Iris sp. (8)	Do.
Do	Iris sp. (2)	New York.
Aonidia lauri (scale insect)	Laurus nobilis (laurel)	Illinois.
Aporia crataegi (white tree pierid)	Cydonia oblonga (quince) (stock)	Iowa.*
Do	do	Massachusetts.*
Do	Cydonia oblonga (quince) (stock) (5)	New York.*
Do	In case with nursery stock	Massachusetts.*
Do	Malus sylvestris (apple) (2) (stock)	Connecticut.*
Do	do	Iowa.*
Do	Malus sylvestris (apple) (9) (stock)	New York.*
Do	Malus sylvestris (apple) (stock)	Pennsylvania.*
Do	Prunus domestica (plum) (stock) (2)	Ohio.*
Do	do	New York.*
Do	Prunus sp. (Mahaleb stock)	Iowa.*
Do	Prunus sp. (Myrobalan stock) (2)	Do.*
Do	Pyrus communis (pear) (stock) 2	Connecticut.*
Do	Pyrus communis (pear) (stock)	Iowa.*
Do	Pyrus communis (pear) (stock) (10)	New York.*
Araecerus fasciculatus (coffee-bean weevil).	Iris sp	District of Columbia
Arion hortensis (Mollusca)	Brassica oleracea botrytis (cauliflower)	New York.
Do	In package with nursery stock	Pennsylvania.
Do	Lilium sp. (lily) (bulb) (2)	New York.
Arion hortensis fasciata (Mollusca)	do	Pennsylvania.
Armadillidium vulgare (isopod)	Lilium candidum (Madonna lily)	Do.
Aspidiotus camelliae (greedy scale)	Jasminum fruticans (cutting)	District of Columbia.
Do	Jasminum grandiflorum (Spanish jasmine) (cutting).	Do.
Aspidiotus hederae (ivy scale)	Citrus limonia (lemon)	California.*
Do	Palm	Massachusetts.
Do	do	New York.
Aspidiotus lataniae (scale insect)	Syringa pinnatifolia (pinnate lilac)	District of Columbia.
Aspidiotus ostreaeformis (scale insect)	Olea europaea (olive) (cutting)	Do.
Do	Prunus brigantiaca (cutting)	Do.
Aspidiotus sp. (scale insect)	Picea pungens glauca speckl (spruce)	Do.
Do	Syringa pinnatifolia (pinnate lilac)	Do.
Do	Syringa sp	Do.
Athous haemorrhoidalis (Elateridae)	Lilium sp. (lily) (bulb)	New York.
Athous subfuscus (Elateridae)	Astilbe sp. (root)	District of Columbia.
Athous sp. (Elateridae)	Picea sp. (spruce)	Do.
Aulacaspis rosae (rose scale)	Rosa sp. (Manetti stock)	New York.
Do	Rosa sp. (rose)	Do.
Do	do	Ohio.*
Aylax glechomae (Cynipidae)	Nepeta hederacea (ground-ivy)	Illinois.
Balaninus sp. (Curculionidae)	Quercus sp. (acorn) (2)	District of Columbia.
Bittium sp. (Mollusca)	In soil around fern	Pennsylvania.
Brevicoryne brassicae (aphid)	Brassica oleracea (cabbage)	Do.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
FRANCE—continued		
Insects—Continued.		
Calophasia lunula (Noctuidae)	Malus sylvestris (apple) (stock)	Pennsylvania.
Do	Nursery stock	Virginia.*
Do	Prunus cerasus (cherry) (stock)	Indiana.*
Do	do	Maryland.
Do	Prunus sp. (Mahaleb stock) (2)	Indiana.*
Do	Pyrus communis (pear) (stock) (2)	Connecticut.
Calyptonotus rolandri (Lygaeidae)	In packing around roots of trees	District of Columbia.
Cardium sp. (Mollusca)	In soil around fern	Pennsylvania.
Carpocapsa pomonella (codling moth)	Malus sylvestris (apple)	New York.
Carpocapsa sp. (Olethreutidae)	Castanea sp. (chestnut)	Georgia.*
Do	Juglans sp. (walnut)	New York.
Cerambycid	Pinus sp. (pine) (cone)	North Carolina.*
Ceutorhynchus pleurostigma (turnip gall weevil).	Brassica rapa (turnip)	New York.
Ceutorhynchus sp. (Curculionidae)	Raphanus sativus (radish)	Pennsylvania.
Chrysomphalus dictyospermi (scale insects).	Palm	Massachusetts.
Do	do	New York.
Chrysomphalus dictyospermi var. (scale).	Citrus sp	Pennsylvania.
Do	do	Texas.
Coccotrypes sp. (Scolytidae)	Chamaerops humilis elegans	District of Columbia.
Do	Phoenix farinifera (palm) (seed)	Do.
Do	Phoenix rupicola (cliff date palm)	Do.
Coccus hesperidum (soft brown scale)	Berberis koreana (Korean barberry)	Do.
Do	Camellia sp	Do.
Do	Laurus nobilis (laurel)	Illinois.
Cochlicopa lubrica (Mollusca)	In soil around aspidistra	Pennsylvania.
Diapis boisduvalii (Boisduval's scale)	Palm	Florida.*
Diaspis bromeliae (scale insect)	do	New York.
Diaspis carueli (juniper scale)	Juniperus bermudiana (Bermuda red cedar).	District of Columbia.
Do	Juniperus virginiana (red cedar)	Do.
Do	Juniperus sp. (juniper)	Do.
Diplolepis quercus (Figitidae)	Quercus sp. (oak)	Illinois.
Emphytus cinctus (sawfly)	Rosa sp. (Manetti stock) (4)	Clonnecticut.*
Do	Rosa sp. (Manetti stock)	New York.
Do	Rosa sp. (rose) (stock) (2)	Do.
Do	Rosa sp. (rose) (stock)	Pennsylvania.
Ephestia sp. (Pyralidae)	Juglans regia (Persian walnut)	New York.
Epidiaspis piricola (scale insect)	Malus sylvestris (apple) (stock) (6)	Pennsylvania.*
Do	Prunus domestica (plum) (stock)	Do.*
Do	Prunus sp. (Myrobalan stock)	Do.*
Do	Pyrus communis (pear) (stock) (2)	Missouri.*
Do	Pyrus communis (pear) (stock)	Tennessee.
Eriosoma lanigerum (wooly apple aphid).	Malus sylvestris (apple) (stock)	Pennsylvania.
Do	Malus sylvestris (apple) (stock) (3)	Pennsylvania.*
Eriosoma pyricola (aphid)	Pyrus communis (pear) (stock) (2)	California.*
Eumerus strigatus (lesser bulb fly)	Allium cepa (onion)	Pennsylvania.
Do	Hyacinthus sp. (bulb)	New York.
Do	Iris sp. (rhizome)	District of Columbia
Do	Narcissus sp. (bulb) (19)	New York.
Do	Narcissus sp. (bulb)	Pennsylvania.
Eumerus sp. (Syrphidae)	do	New York.
Euproctis chrysorrhoea (brown-tail moth).	Cydonia oblonga (quince) (stock)	New York.*
Do	Cydonia oblonga (quince) (stock) (2)	Pennsylvania.*
Do	Malus sylvestris (apple) (stock)	Massachusetts.*
Do	do	Ohio.*
Do	Malus sylvestris (apple) (stock) (4)	Pennsylvania.*
Do	Pyrus communis (pear) (stock)	New York.*
Do	do	Pennsylvania.*
Eysarcoris arneus (Pentatomidae)	In packing around roots of trees	District of Columbia.
Forficula auricularia (European earwig).	Lilium sp. (lily) (bulb)	New York.
Gelechiid	Prunus cerasus (cherry) (stock) (2)	Connecticut.*
Helix aspersa (Mollusca)	In package with nursery stock	Pennsylvania.
Do	Prunus sp. (Mahaleb stock)	Kansas.*
Hepialid	Paeonia sp. (peony)	District of Columbia.
Histiostoma sp. (mite)	Solanum tuberosum (potato)	Pennsylvania.
Hoplopilia sp. (Hoplopitlidae)	Rosa sp. (rose)	District of Columbia.
Hylemyia cilicrura (Anthomyiidae)	Brassica rapa (turnip)	New York
Lasiocampid	Prunus cerasifera (Myrobalan plum) (stock).	Pennsylvania.*
Lasius niger (ant)	Hyacinthus sp. (bulb)	New York
Do	In packing around roots of trees	District of Columbia.
Lecanium corni (scale insect)	Malus sylvestris (apple) (stock)	Pennsylvania.*
Lepidosaphes beckii (purple scale)	Citrus nobilis (tangerine)	Massachusetts.
Lepidosaphes ulmi (oyster-shell scale)	Cotoneaster praecox (pips)	District of Columbia
Do	Malus sylvestris (apple) (stock)	Massachusetts.*

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
FRANCE—continued		
Insects—Continued.		
Lepidosaphes ulmi (oyster shell scale)	Paeonia suffruticosa (tree peony)	District of Columbia.
Do	Syringa pinnatifolia (pinnate lilac)	Do.
Do	Syringa sp. (lilac) (2)	Do.
Limax maximus (Mollusca)	Lactuca sativa (lettuce)	New York.
Liothrips vaneeckei (thrips)	Lilium sp. (lily) (bulb)	Do.
Do	do	Pennsylvania.
Macrosiphum kaltenbachii (aphid)	Brassica oleracea (cabbage)	New York.
Macrosiphum sp. (aphid)	Lactuca sativa (lettuce)	Do.
Malacosoma neustria (lackey moth)	Prunus sp. (Myrobalan stock) (2)	Iowa.*
Megastigmus aculeatus (rose seed chalcid).	Rosa canina (dogbrier) (seed)	District of Columbia.
Merodon equestris (narcissus fly)	Narcissus sp. (Soleil d'Or) (bulb)	New York.
Merodon sp. (Syrphidae)	Narcissus sp. (bulb) (16)	Do.
Mylabris sp. (Mylabridae)	Acacia nilotica	District of Columbia.
Do	Voandzia subterranea	Do.
Myzus circumflexum (aphid)	Hydrangea sp.	Do.
Myzus pelargonii (aphid)	Hydrangea opuloides	Do.
Myzus persicae (green peach aphid)	Brassica oleracea (cabbage)	Pennsylvania.
Nemasoma minutum (myriapod)	Lilium sp. (lily) (bulb)	New York.
Nemasoma sp. (myriapod)	do	Do.
Noctuid	In packing around roots of trees	District of Columbia.
Notolophus antiqua (European tussock moth).	Cydonia oblonga (quince) (stock)	California.*
Do	Cydonia oblonga (quince) (stock) (3)	Iowa.*
Do	do	Ohio.*
Do	do	New York.*
Do	Cydonia oblonga (quince) (stock) (2)	Pennsylvania.*
Do	Malus sylvestris (apple) (stock) (2)	Connecticut.*
Do	Malus sylvestris (apple) (stock) (4)	Iowa.*
Do	Malus sylvestris (apple) (stock)	New York.*
Do	do	Pennsylvania.*
Do	Nursery stock	Kansas.*
Do	Prunus cerasus (cherry) (stock)	Pennsylvania.
Do	do	Tennessee.*
Do	Prunus sp. (Myrobalan stock) (3)	Iowa.*
Do	Prunus sp. (Myrobalan stock) (2)	Kansas.*
Do	Pyrus communis (pear) (stock) (3)	California.*
Do	Pyrus communis (pear) (stock) (6)	Iowa.*
Do	Pyrus communis (pear) (stock) (2)	New York.*
Do	Pyrus communis (pear) (stock)	Ohio.*
Do	do	Pennsylvania.
Do	Rosa multiflora (Japanese rose)	Iowa.*
Do	Rosa sp. (Manetti stock) (2)	Do.*
Do	Rosa sp. (Manetti stock)	New York.
Notolophus sp. (Lymantriidae)	Malus sylvestris (apple) stock)	Pennsylvania.
Do	do	Pennsylvania.*
Olethreutid	Stachys sp. (rhizome)	District of Columbia.
Otiorhynchus picipes (Curculionidae)	Astilbe sp. (root)	Do.
Pachymerus sp. (Mylabridae)	Acacia horrida	Do.
Papilio podalirius (Papilionidae)	Malus sylvestris (apple) (stock)	Connecticut.*
Do	Nursery stock	Kansas.*
Do	Prunus sp. (Mahaleb stock) (2)	Indiana.*
Do	Prunus sp. (Mahaleb stock) (11)	Iowa.*
Do	Prunus sp. (Myrobalan stock)	Do.*
Do	Pyrus communis (pear) (stock)	Do.*
Do	Rosa sp. (Manetti stock) (2)	Do.*
Papilio sp. (Papilionidae)	Prunus sp. (Mahaleb stock)	Do.*
Papilionid	Prunus cerasus (cherry) (stock)	Indiana.*
Do	Prunus sp. (Mahaleb stock)	Maryland.*
Parlatoria pergandii (chaff scale)	Citrus sp.	Pennsylvania.
Philoscia esterelana (isopod)	In packing around roots of trees	District of Columbia.
Pierid	Prunus sp. (Mahaleb stock)	Iowa.*
Platydema europaea (Tenebrionidae)	In packing around citron slip	District of Columbia.
Porcellio lugubris (isopod)	Lilium candidum (Madonna lily)	Pennsylvania.
Porcellio sp. (isopod)	Lilium sp. (lily) (bulb)	New York.
Porcellionides sp. (isopod)	do	Do.
Porthetria dispar (gipsy moth)	Cork	Pennsylvania.
Do	Prunus cerasus (cherry) (stock)	Pennsylvania.*
Prolabia arachidis (earwig)	Bulbs	New York.
Pseudococcus sp. (mealybug)	Laurus sp. (laurel)	Do.
Do	Orchid	District of Columbia.
Psyche villosella (Psychidae)	Malus sylvestris (apple) (stock) (3)	Pennsylvania.*
Do	Pyrus communis (pear) (stock)	Do.*
Pyralid (Phycitinae)	Acacia eburnea	District of Columbia.
Do	In packing around citron slips	Do.
Do	Thuja orientalis (oriental arborvitae)	New York.
Pyralid (Pyraustinae)	In packing around roots of trees	District of Columbia.
Rhizoglyphus hyacinthi (bulb mite)	Allium cepa (onion) (3)	Pennsylvania.
Do	Hyacinthus sp. (bulb) (2)	Massachusetts.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
FRANCE—continued		
Insects—Continued.		
Rhizoglyphus hyacinthi (bulb mite)	Hyacinthus sp. (bulb) (3)	New York.
Do	Lilium candidum (Madonna lily)	Do.
Do	Lilium sp. (lily) (bulb)	Do.
Do	do	Pennsylvania.
Do	Narcissus sp. (bulb)	Massachusetts.
Do	Narcissus sp. (bulb) (17)	New York.
Do	Narcissus sp. (bulb) (8)	Pennsylvania.
Rhizoglyphus sp. (mite)	Hyacinthus sp. (bulb)	New York.
Do	Iris sp	District of Columbia.
Do	Narcissus sp. (bulb)	New York.
Do	Solanum tuberosum (potato)	South Carolina.
Rhizotrogus falleni (Scarabaeidae)	Astilbe sp. (root)	District of Columbia.
Rhyparochromus sp. (Lygaeidae)	In packing around roots of trees	Do.
Sciara sp. (Mycetophilidae)	Allium cepa (onion)	Pennsylvania.
Do	Brassica oleracea (cabbage)	New York.
Scolytid	Cedrus deodara (deodar)	District of Columbia
Do	Phoenix sp. (palm)	Do.
Syrphid	Brassica oleracea (cabbage)	Pennsylvania.
Do	Lilium canadense (Canada lily) (bulb)	Do.
Tetramorium sp. (ant)	do	Do.
Tidabius lapidicola (myriapod)	Lilium candidum (Madonna lily) (bulb).	Do.
Tinea granella (Tineidae)	Davidia involucrata (dove tree)	District of Columbia.
Do	Sabal blackburniana (blackburn palmetto).	Do.
Tineid	Malus sylvestris (apple)	New York.
Do	Solanum tuberosum (potato)	Pennsylvania.
Tortricid	Erythrina arborescens (coral-bean)	District of Columbia.
Do	Thuja orientalis (oriental arborvitae)	New York.
Toxoptera aurantiae (aphid)	Camellia sp	District of Columbia.
Vitrea sp. (Mollusca)	In soil around fern	Pennsylvania.
Zeuzera pyrina (leopard moth)	Nursery stock	Virginia.*
Diseases:		
Actinomyces scabies	Solanum tuberosum (potato) (3)	Florida.*
Aphelenchus sp	Hyacinthus sp	New York.
Do	Lilium candidum (Madonna lily)	Do.
Do	Narcissus sp. (11)	Do.
Do	Paeonia sp. (peony)	District of Columbia.
Bacillus amylovorus	Rosa sp. (rose)	Pennsylvania.
Bacterium tumefaciens	Chrysanthemum sp	District of Columbia.
Do	Malus sylvestris (apple)	Maryland.*
Do	do	Michigan.*
Do	do	Missouri.*
Do	do	New Jersey.*
Do	do	New York.
Do	do	Pennsylvania.*
Do	Malus sylvestris (apple) (4)	Pennsylvania.
Do	Prunus sp. (Mazzard stock) (2)	Do.
Do	Prunus sp. (Myrobalan stock)	Pennsylvania.*
Do	do	Pennsylvania.
Do	Pyrus communis (pear) (stock)	California.*
Do	do	Connecticut.*
Do	do	Iowa.*
Do	Pyrus communis (pear) (stock) (2)	Pennsylvania.
Do	Pyrus sp. (2)	Iowa.*
Do	do	Ohio.*
Do	Pyrus sp	New York.
Do	do	South Dakota.*
Do	Pyrus sp. (2)	Tennessee.*
Do	Rosa sp. (Manetti stock)	Connecticut.*
Do	do	Illinois.*
Do	do	Iowa.*
Do	do	Pennsylvania.*
Do	Rosa sp. (rose) (Romeo)	District of Columbia.
Do	Rosa sp. (rose)	Illinois.*
Do	do	New York.
Do	Rosa sp. (rose) (3)	Ohio.*
Do	Rosa sp. (rose) (2)	Pennsylvania.
Do	Vitex negundo (negundo chaste tree)	District of Columbia.
Botrytis parasitica	Iris sp. (var. Opera)	Do.
Cephalobus oxyuroides (nematode)	Paeonia sp. (peony)	Do.
Cephalobus sp. (nematode)	Hyacinthus sp	New York.
Do	Narcissus sp	Do.
Diplogaster sp. (nematode)	Hyacinthus sp	Do.
Diploscapter sp. (nematode)	Lilium candidum (Madonna lily)	Do.
Fusarium sp	Solanum tuberosum (potato)	Florida.*
Phyllosticta sp	Mahonia japonica	District of Columbia.
Phytophthora infestans	Solanum tuberosum (potato)	Do.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
FRANCE—continued		
Diseases—Continued.		
Puccinia pruni	Prunus domestica (plum) (stock)	Pennsylvania.
Sclerotium semen	Iris sp	District of Columbia.
Spondylocladium atrovirens	Solanum tuberosum (potato) (2)	Florida.*
Tylenchus bryophilus (nematode)	Paeonia sp. (peony)	District of Columbia.
Tylenchus dipsaci (bulb nematode)	Hyacinthus sp. (5)	New York.
Do	Narcissus sp. (19)	Do.
Uromyces caryophyllinus	Dianthus caryophyllus (clove carnation pink).	District of Columbia.
Venturia inaequalis	Malus sylvestris (apple)	Florida.*
Vermicularia liliacearum	Iris sp. (var. Opera) (2)	District of Columbia.
FRENCH INDO-CHINA		
Insects:		
Araecerus fasciculatus (coffee-bean weevil)	Melia azedarach (chinaberry)	Massachusetts.
FRENCH WEST INDIES		
Diseases:		
Cladosporium citri	Citrus sinensis (orange)	California.*
Phomopsis sp	do	Do.*
GERMANY		
Insects:		
Agriolimax agrestis (Mollusca)	On roots of herbaceous perennial	New York.
Agriotes lineatus (Elateridae)	Solanum tuberosum (potato)	Do.
Aleyrodes sp. (whitefly)	Fragaria sp. (strawberry)	Do.
Anobium sp. (Anobiidae)	Conifer branch	District of Columbia.
Anthomyiid	Apium graveolens (celery)	South Carolina.
Do	Brassica rapa (turnip)	Pennsylvania.
Do	In soil around chrysanthemum	Do.
Do	In soil around horseradish	Do.
Do	Radicula armoracia (horseradish)	New York.
Anuraphis sp. (aphid)	Prunus cerasus (cherry)	Pennsylvania.
Arion ater (Mollusca)	Rosa sp. (rose)	New York.
Arion hortensis fasciata (Mollusca)	Humulus sp. (hop)	Do.
Arion sp. (Mollusca)	In package with bulbs, soil and moss	Illinois.
Aspidiotus hederae (ivy scale)	Citrus limonia (lemon)	Florida.*
Do	Nerium oleander (oleander)	New York.
Aspidiotus ostreaeformis (scale insect)	Salix sp. (willow)	District of Columbia.
Aulacaspis rosae (rose scale)	Rosa sp. (rose)	Do.
Balaninus, sp. (Curculionidae)	Quercus sp. (oak)	Do.
Brachydesmus superus (myriapod)	In soil around a plant	New York.
Bythinia tentaculata (Mollusca)	In soil around chrysanthemum	Pennsylvania.
Carpocapsa pomonella (codling moth)	Malus sylvestris (apple) (2)	California.*
Do	Malus sylvestris (apple) (6)	New York.
Do	Pyrus communis (pear)	Do.
Cecidomyiid	Rosa sp. (rose)	District of Columbia.
Ceutorhynchus pleurostigma (turnip gall weevil).	Brassica rapa (turnip)	South Carolina.
Chrysopila sp. (Leptidae)	In package with bulbs, soil and moss	Illinois.
Do	In soil around chrysanthemum	Pennsylvania.
Coccus hesperidum (soft brown scale)	Laurus sp. (laurel) (2)	New York.
Do	Myrtus communis, (myrtle) (2)	Do.
Cryptolestes ater (Cucujidae)	Virginia creeper fruit	District of Columiba.
Diaspis carueli (juniper scale)	Juniperus sp. (juniper)	Do.
Diplopulus sp. (myriapod)	On roots of flower	New York.
Elater balteatus (Elateridae)	Bulbs, soil and moss	Illinois.
Endrosis lacteella (Oecophoridae)	Solanum tuberosum (potato)	Missouri.
Ephestia sp. (Pyralidae)	Virginia creeper fruit	District of Columbia.
Eunobius abietinus (Anobiidae)	Pinus sp. (pine)	Missouri.
Euxesta sp. (Ortalidae)	Radicula armoracia (horseradish)	Pennsylvania.
Gryllus sp. (Gryllidae)	In soil around chrysanthemum	Do.
Hepialus sp. (Hepialidae)	Apium graveolens (celery)	South Carolina.
Histiostoma sp. (mite)	Radicula armoracia (horseradish)	New York.
Do	Solanum tuberosum (potato)	Pennsylvania.
Do	do	South Carolina.
Hylemyia cilicrura (Anthomyiidae)	Radicula armoracia (horseradish (5)	New York.
Do	Radicula armoracia (horseradish) (2)	Pennsylvania.
Hylemyia sp. (Anthomyiidae)	Brassica rapa (turnip)	New York.
Do	Radicula armoracia (horseradish) (2)	Do.
Lepidosaphes ulmi (oyster-shell scale)	Amelanchier sp	District of Columbia.
Do	Salix sp. (willow)	Do.
Do	Sorbus aria magnifica	Do.
Lithobius mutabilis (myriapod)	In package with bulbs, soil and moss	Illinois.
Lymnaea peregra (Mollusca)	In soil around chrysanthemum	Pennsylvania.
Macrosiphum kaltenbachii (aphid)	Lactuca sativa (lettuce)	Do.
Merodon sp. (Syrphidae)	Narcissus sp. (bulb)	Do.
Monotarsobius cartipes (myriapod)	In package with bulbs, soil and moss	Illinois.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
GERMANY—continued		
Insects—Continued.		
Myrmica sp. (ant)	Dahlia sp	New York.
Do	Ribes sp	Do.
Do	Rosa sp. (rose)	Do.
Do	Shrub root	Do.
Myzus sp. (aphid)	Crataegus maximowiczii	District of Columbia.
Nepoiulus minutus (myriapod)	In soil around Clematis jackmani	Pennsylvania.
Phytonomus posticus (alfalfa weevil)	Packing material (2)	California.*
Pseudococcus gahani (mealybug)	Myrtus communis (myrtle)	New York.
Pseudococcus sp. (mealybug)	Echinocactus sp	District of Columbia.
Psila sp. (Psilidae)	Daucus carota (carrot)	Pennsylvania.
Pulvinaria sp. (scale insect)	Camellia sp	District of Columbia.
Pyralid (Phycitinae)	Abies sp. (fir) (cone)	New York.
Pyralid	Moss used as packing for pear	Washington.
Rhizoglyphus hyacinthi (bulb mite)	Allium cepa (onion)	South Carolina.
Do	Hyacinthus sp. (bulb)	Massachusetts.
Do	Narcissus sp. (bulb)	Pennsylvania.
Do	Radicula armoracia (horseradish) (2)	Do.
Do	Solanum tuberosum (potato)	South Carolina.
Rhizoglyphus sp. (mite)	Apium graveolens (celery)	Do.
Do	Solanum tuberosum (potato)	Do.
Saperda populnea (Cerambycidae)	Populus tremula purpurea	District of Columbia.
Sciara sp. (Mycetophilidae)	In package with bulbs, soil and moss	Illinois.
Do	Brassica rapa (turnip)	Pennsylvania.
Do	Herbaceous perennial	New York.
Do	Radicula armoracia (horseradish)	Pennsylvania.
Do	Solanum tuberosum (potato)	Do.
Do	Do	South Carolina.
Sigibius dubesqui (myriapod)	In soil and sphagnum around roots of cherry tree.	Pennsylvania.
Sphingid	Registered mail package	California.*
Tenebrionid	Virginia creeper fruit	District of Columbia.
Tortricid	Prunus cerasus (cherry)	Pennsylvania.
Trichoniscus sp. (isopod)	In package with bulbs, soil and moss	Illinois.
Tyroglyphus farinae (mite)	Solanum tuberosum (potato) (2)	South Carolina.
Valvata piscinalis (Mollusca)	In soil around chrysanthemum	Pennsylvania.
Vitrea sp. (Mollusca)	In soil around horseradish	Do.
Diseases:		
Actinomyces scabies	Solanum tuberosum (potato) (9)	Florida.*
Corticium vagum (Rhizoctonia)	Solanum tuberosum (potato)	Do.*
Fusarium sp	Solanum tuberosum (potato) (2)	Do.*
Heterodera radicicola	Hydrangea sp	District of Columbia.
Do	Prunus cerasus (cherry)	Do.
Lophodermium pinastri	Tsuga sp. (hemlock)	New York.
Oospora scabies	Solanum tuberosum (potato)	Florida.*
Phoma sp	Lonicera douglasi	District of Columbia.
Phyllosticta sp	Quercus rubra magnifica	Do.
Puccinia buxi	Buxus sempervirens (common box)	New York.
Puccinia phragmitis	Phragmitis communis	District of Columbia.
Rhizoctonia solani	Solanum tuberosum (potato) (2)	Florida.*
Rhizoctonia sp	Solanum tuberosum (potato)	Do.*
Sclerotium compactum	Iris sp	South Carolina.
Spondylocladium atrovirens	Solanum tuberosum (potato) (6)	Florida.*
Spongospora subterranea	Solanum tuberosum (potato)	New York.
Venturia inaequalis	Malus sylvestris (apple)	California.*
Venturia pyrina	Pyrus communis (pear)	Do.*
GIBRALTAR		
Insects:		
Aspidiotus hederae (ivy scale)	Citrus limonia (lemon)	Florida.*
Do	do	Massachusetts.
Chrysomphalus dictyospermi (scale insect).	do	Florida.*
Histiostoma sp. (mite)	Solanum tuberosum (potato)	Pennsylvania.
Lepidosaphes beckii (purple scale)	Citrus limonia (lemon)	Florida.*
Do	do	Massachusetts.
Mycetophilid	Solanum tuberosum (potato)	Pennsylvania.
Phthorimaea operculella (potato-tuber moth).	do	Do.
Sciara sp. (Mycetophilidae)	Solanum tuberosum (potato) (2)	Do.
Diseases:		
Actinomyces scabies	Solanum tuberosum (potato) (2)	Florida.*
Macrosporium sp	Solanum tuberosum (potato)	Do.*
Spondylocladium atrovirens	Solanum tuberosum (potato) (2)	Do.*
GRAND CAYMAN ISLAND		
Insects:		
Aspidiotus lataniae (scale insect)	Achras sapota (sapodilla) (2)	Florida.*
Hemichionaspis minor (scale insect)	Unknown	Alabama.*
Howardia biclavis (mining scale)	Achras sapota (sapodilla)	Florida.*

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
GRAND CAYMAN ISLAND—continued		
Insects—Continued.		
Lepidosaphes beckii (purple scale)	Citrus aurantifolia (lime)	Florida.*
Do	Citrus grandis (grapefruit)	Do.*
Odonaspis sp. (scale insect)	Anatherum zizanioides	Alabama.*
Rhizoglyphus sp. (mite)	Artocarpus incisa (bread fruit)	Florida.*
Targionia hartii (scale insect)	Dioscorea sp. (yam) (5)	Do.*
GREECE		
Insects:		
Aulacaspis rosae (rose scale)	Rosa sp. (rose)	District of Columbia.
Chrysomphalus aonidum (Florida red scale).	Citrus limonia (lemon)	Massachusetts.
Chrysomphalus aurantii (California red scale).	Citrus aurantifolia (lime)	New York.
Do	Citrus limonia (lemon)	Florida.*
Do	Citrus nobilis (tangerine)	New York.
Do	Citrus sinensis (orange)	Do.
Ephestia sp. (Pyralidae)	Ficus sp. (fig.)	Pennsylvania.
Eumerus strigatus (lesser bulb fly)	Allium cepa (onion)	New York.
Helix aperta (Mollusca)	In parcel-post package	Illinois.
Helix aspersa (Mollusca)	do	Do.
Helix pomatia (Mollusca)	do	Do.
Lepidosaphes beckii (purple scale)	Citrus sinensis (orange) (2)	Massachusetts.
Monomorium pharaonis (Pharaoh's ant).	In soil	New York.
Paralatoria oleae (scale insect)	Malus sylvestris (apple) (cutting)	District of Columbia.
Do	Pyrus sp. (pear) (cutting) (2)	Do.
Do	Vitis sp. (grape) (cutting)	Do.
Parlatoria pergandii (chaff scale)	Citrus limonia (lemon)	Florida.*
Do	Citrus sinensis (orange)	Massachusetts.
Parlatoria ziziphus (scale insect)	Citrus limonia (lemon)	Florida.*
Do	Citrus sinensis (orange)	New York.
Phenacoccus sp. (scale insect)	Crinum sp. (bulb)	Illinois.
Do	Unknown bulb	District of Columbia.
Pyralid (Phycitinae)	Ficus sp. (fig)	New York.
Rhyncolus truncorum (Curculionidae)	Unknown	Do.
Silvanus gemellatus (Cucujidae)	Ribes sp. (currant)	California.*
Tenebrio obscurus (Tenebrionidae)	Unknown	New York.
Thrips sp. (thrips)	Allium cepa (onion)	Florida.*
Diseases:		
Actinomyces scabies	Solanum tuberosum (potato)	Do.*
Macrosporium sp	do	Do.*
Spondylocladium atrovirens	do	Do.*
GRENADA ISLAND		
Insects:		
Anisolabis annulipes (earwig)	Ipomoea batatas (sweet potato)	South Carolina.
GUAM		
Insects:		
Araecerus fasciculatus (coffee-bean weevil).	Theobroma cacao (cacao bean)	California.*
Aspidiotus destructor (scale insect)	Cocos nucifera (coconut)	Do.*
Ischnaspis longirostris (thread scale)	Palm	Do.*
Lepidosaphes mcgregori (scale insect)	Cocos nucifera (coconut)	Do.*
Phenacaspis inday (scale insect)	Palm	Do.*
Pyralid	Citrus sp. (seed)	District of Columbia.
Tetramorium sp. (ant)	Cocos nucifera (coconut)	California.*
GUATEMALA		
Insects:		
Aegithus rufipennis (Erotylidae)	Musa sp. (banana)	Louisiana.
Alegoria dilatata (Tenebrionidae)	Musa sp. (banana) (2)	Do.
Anastrepha sp. (Trypetidae)	Mangifera indica (mango)	Do.
Aspidiotus cocotiphagus (scale insect)	Musa sp. (banana) (stem)	California.*
Aspidiotus cydoniae (scale insect)	Cocos nucifera (coconut)	Do.*
Aspidiotus lataniae (scale insect)	Musa sp. (banana) (stem)	Do.*
Aspidiotus persearum (scale insect)	Cocos nucifera (coconut)	Do.*
Camponotus abdominalis var. (ant)	Musa sp. (banana)	Louisiana.
Do	do	New York.
Camponotus sp. (ant)	do	California.*
Chrysomphalus dictyospermi var. (scale insect).	Citrus limetta (sweet lime)	Louisiana.
Dermestes carnivorus (Dermestidae)	In soil around orchid	New York.
Eccritotarsus vestitus (Miridae)	Orchid	Do.
Formica sp. (ant)	do	California.*
Lepidosaphes beckii (purple scale)	Citrus limetta (sweet lime) (2)	Louisiana.
Do	Citrus sinensis (orange)	Do.
Lygaeus modestus (Lygaeidae)	Musa sp. (banana)	Do.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
GUATEMALA—continued		
Insects—Continued.		
Metamasius sericeus carbonarius (Curculionidae)	Musa sp. (banana)	Louisiana
Metoponorthus pruinosus (isopod)	Orchid	New York.
Metoponorthus sp. (isopod)	do	Do.
Neoponera villosa (ant)	Musa sp. (banana) (3)	Louisiana.
Oncometopia undata (Cicadellidae)	Musa sp. (banana)	Do.
Pachycondyla sp. (ant)	do	New York.
Porcellio rathkei (isopod)	Orchid	Do.
Pseudaonidia articulatus (rufous scale)	Coffea sp. (coffee)	Florida.*
Pseudococcus citri (citrus mealybug).	Dracaena sp. and unidentified plant	District of Columbia.
Do	Musa sp. (banana) (stem)	California.*
Pseudococcus nauritinus (mealybug)	Citrus limetta (sweet lime)	Louisiana.
Pseudococcus sp. (mealybug)	Bamboo	New York.
Do	Musa sp. (banana) (stem)	California.*
Sclara sp. (Mycetophilidae)	Orchid	Louisiana
Solenopsis sp. (ant)	Citrus limetta (sweet lime)	Do.
Tortricid	Punica granatum (pomegranate)	Do.
Trimerotropis pallidipennis (Acrididae).	Musa sp. (banana)	Do.
Diseases:		
Claviceps sp.	Chaetochloa sulcata	District of Columbia.
Colletotrichum sp.	Gramineae	Do.
HAITI		
Insects:		
Anastrepha sp. (Trypetidae)	Mangifera indica (mango) (2)	New York.
Anisolabis minuta (earwig)	Ipomoea batatas (sweet potato)	Pennsylvania.
Asterolecanium sp. (scale insect)	Achras sapota (sapodilla)	New York.
Blapstinus sp. (Tenebrionidae)	Ipomoea batatas (sweet potato)	Pennsylvania.
Centruroides sp. (mite)	Haematoxylon campechianum (logwood).	Do.
Chrysomphalus aonidum (Florida red scale).	Citrus grandis (grapefruit)	New York.
Do	Citrus sp.	Do.
Cylas formicarius (sweet-potato weevil).	Ipomoea batatas (sweet potato)	Pennsylvania.
Diatraea saccharalis (sugar-cane borer)	Saccharum officinarum (sugar cane)	District of Columbia.
Ephestia sp. (Pyralidae)	Ipomoea batatas (sweet potato)	Pennsylvania.
Euscopes batatae (West Indian sweet-potato weevil).	Dioscorea sp. (yam)	New York.
Lepidosaphes beckii (purple scale)	Citrus aurantifolia (lime)	Pennsylvania.
Do	Citrus grandis (grapefruit) (2)	New York.
Do	Citrus sinensis (orange)	Florida.*
Do	do	New York.
Do	do	Pennsylvania.
Monomorium destructor (ant)	Ananas sativus (pineapple)	New York.
Palaeopus costicollis (Curculionidae).	Dioscorea sp. (yam)	Do.
Pheidole sp. (ant)	Ipomoea batatas (sweet potato)	Pennsylvania.
Prenolepis longicornis (crazy ant)	do	Do.
Pseudaonidia articulatus (rufous scale)	Citrus sp.	New York.
Pseudococcus brevipes (pineapple mealybug).	Ananas sativus (pineapple)	Do.
Do	Colocasia esculenta (taro)	Do.
Pyralid (Phycitinae)	Daucus carota (carrot)	Pennsylvania.
Rhizoglyphus sp. (mite)	Dust in potato bin	Do.
Do	Ipomoea batatas (sweet potato)	Do.
Scolopendra alternans (myriapod)	Haematoxylon campechianum (logwood).	Do.
Solenopsis geminata (ant)	Ipomoea batatas (sweet potato)	Do.
Tetramorium destructor (ant)	Dust in potato bin	Do.
Tineid	Daucus carota (carrot)	Do.
Volucella sp. (Syrphidae)	Ipomoea batatas (sweet potato)	Do.
Diseases:		
Sphaeronema fimbriatum	Ipomoea batatas (sweet potato)	Do.
HAWAII		
Insects:		
Adoretus umbrosus (Scarabaeidae)	Ananas sativus (pineapple)	California.*
Do	Capsicum annuum (pepper)	Do.*
Anisolabis annulipes (earwig)	Cocos nucifera (coconut)	Do.*
Aphis sp. (aphid)	Areca catechu (betel palm) (9)	Do.*
Do	Persea americana (avocado)	Do.*
Araecerus fasciculatus (coffee-bean weevil).	Helipterum (everlasting flower)	Do.*
Do	Musa sp. (banana)	Do.*
Aspidiotus cocotiphagus (scale insect).	Cocos nucifera (coconut) (13)	Do.*
Aspidiotus cyanophylli (scale insect)	Cocos nucifera (coconut) (25)	Do.*
Do	Musa sp. (banana) (3)	Do.*

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
HAWAII—continued		
Insects—Continued.		
Aspidiotus lataniae (scale insect)	Cocos nucifera (coconut) (99)	California.*
Do	Musa sp (banana) (3)	Do.*
Aspidiotus persearum (scale insect)	Cocos nucifera (coconut) (43)	Do.*
Aspidiotus sp. (scale insect)	Cocos nucifera (coconut)	Do.*
Do	Musa sp. (banana) (3)	Do.*
Aulacaspis rosea (rose scale)	Rosa sp. (rose)	Do.*
Aulonium sp. (Colydiidae)	Solanum tuberosum (potato)	Louisiana.
Baccha sp. (Syrphidae)	Brassica oleracea (cabbage)	Washington.
Caryedon gonagra (Mylabridae)	Cascara pod (3)	California.*
Do	Cassia sp. (pod) (2)	Do.*
Do	Poinciana regia (royal poinciana) (5)	Do.*
Do	Poinciana sp. (pod)	Do.*
Do	Prosopis chilensis (algaroba) (pod) (2)	Do.*
Do	Tamarindus indica (tamarind)	Do.*
Ceratitis capitata (Mediterranean fruit fly).	Capsicum annuum (pepper) (6)	Do.*
Do	Carica papaya (papaya)	Do.*
Do	Citrus aurantifolia (lime)	Do.*
Do	Citrus sinensis (orange) (3)	Do.*
Do	Coffea sp. (coffee) (berry) (3)	Do.*
Do	Magnifera indica (mango)	Do.*
Do	Persea americana (avocado) (4)	Do.*
Do	Phaseolus sp. (string bean) (3)	Do.*
Ceroplastes floridensis (Florida wax scale).	Smilax sp. (greenbrier)	Do.*
Ceroplastes rubens (scale insect)	Bougainvillea sp	Do.*
Chelisoches morio (earwig)	Ananas sativus (pineapple) (7)	Do.*
Do	Packing material	Do.*
Chionaspis inday (scale insect)	Cocos nucifera (coconut)	Do.*
Chrysomphalus aonidum (Florida red scale).	Bougainvillea sp	Do.*
Do	Citrus aurantifolia (lime)	Do.*
Do	Cocos nucifera (coconut) (187)	Do.*
Do	Hibiscus sp. (cutting)	Do.*
Do	Musa sp. (banana) (9)	Do.*
Do	Palm (2)	Do.*
Chrysomphalus aurantii (California red scale).	Areca catechu (betel palm) (2)	Do.*
Do	Citrus nobilis (tangerine)	Do.*
Do	Musa sp. (banana)	Do.*
Chrysomphalus bromeliae (scale insect)	Ananas sativus (pineapple)	Do.*
Chrysomphalus dictyospermi (scale insect).	Cocos nucifera (coconut) (7)	Do.*
Coccotrypes sp. (Scolytidae)	Palm	Do.*
Coccus acuminatus (scale insect)	Bougainvillea sp	Do.*
Do	Gardenia sp	Do.*
Do	Ixora sp	Do.*
Coccus elongatus (scale insect)	Areca catechu (betel palm) (40)	Do.*
Do	Begonia sp	Do.*
Do	Codiaeum sp. (croton)	Do.*
Do	Gardenia sp	Do.*
Do	Hibiscus sp. (3)	Do.*
Coccus hesperidum (soft brown scale)	Bulb	Do.*
Do	Hibiscus sp. (2)	Do.*
Do	Ixora sp	Do.*
Coccus sp. (scale insect)	Aucuba sp	Do.*
Do	Citrus aurantifolia (lime)	Do.*
Do	Hibiscus sp	Do.*
Corcyra cephalonica (Pyralidae)	Dioscorea sp. (yam)	Do.*
Cylas formicarius (sweet-potato weevil).	Ipomoea batatas (sweet potato) (4)	Do.*
Dacus cucurbitae (melon fly)	Cucumis sativus (cucumber) (11)	Do.*
Do	Phaseolus sp. (string bean) (5)	Do.*
Diaspis boisduvalii (Boisduval's scale)	Air plant	Do.*
Diaspis bromeliae (scale insect)	Ananas sativus (pineapple) (135)	Do.*
Diaspis echinocacti cacti (scale insect)	Cereus sp	Do.*
Diaspis zamiae (scale insect)	Cycas revoluta (sago cycas)	Do.*
Diocalendra taitensis (Tahiti coconut weevil).	Cocos nucifera (coconut) (8)	Do.*
Ereunetis flavistriata (sugar-cane bud moth).	Cocos nucifera (coconut) (111)	Do.*
Do	Musa sp. (banana) (2)	Do.*
Ereunetis sp. (Tineidae)	Musa sp. (banana)	Do.*
Euscepes batatae (West Indian sweet-potato weevil).	Dioscorea sp. (yam)	Do.*
Do	Ipomoea batatas (sweet potato)	Do.*
Euxesta sp. (Ortalidae)	Cocos nucifera (coconut)	Do.*
Do	Musa sp. (banana)	Do.*

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
HAWAII—continued		
Insects—Continued.		
Gnathocerus maxillosus (Tenebrionidae).	Musa sp. (banana)	California.*
Hemichionaspis aspidistrae (aspidistra scale).	Citrus limonia (lemon)	Do.*
Do	Citrus sinensis (orange)	Do.*
Do	Cycas revoluta (sago cycas)	Do.*
Hemichionaspis minor (scale insect)	Cocos nucifera (coconut) (192)	Do.*
Do	Cucurbita maxima (squash)	Do.*
Do	Dracaena sp. (leaf)	Do.*
Do	Hibiscus sp. (cutting)	Do.*
Do	Musa sp. (banana) (2)	Do.*
Do	Undetermined plant	Do.*
Hemichionaspis sp. (scale insect)	Dracaena sp. (leaf)	Do.*
Do	Holcus sorghum var. (milo)	Do.*
Do	Musa sp. (banana)	Do.*
Howardia biclavis (mining scale)	Hibiscus sp. (7)	Do.*
Do	Hibiscus sp	District of Columbia.
Do	Plumeria sp. (frangipani)	California.*
Labidura riparia (earwig)	Koa wood	Do.*
Lepidosaphes auriculata (scale insect)	Codiaeum sp. (croton)	Do.*
Lepidosaphes beckii (purple scale)	Citrus aurantifolia (lime) (3)	Do.*
Do	Citrus sinensis (orange) (3)	Do.*
Lepidosaphes crotonis (scale insect)	Codiaeum sp. (croton) (5)	Do.*
Lepismid	Koa wood (log)	Do.*
Monomorium floricola (ant)	Cocos nucifera (coconut) (14)	Do.*
Monomorium pharaonis (Pharaoh's ant).	Wili-wili seed	Do.*
Monomorium sp. (ant)	Cocos nucifera (coconut) (5)	Do.*
Mylabris limbatus (Mylabridae)	Acacia farnesiana (sweet acacia)	Do.*
Do	Cassia sp. (seed)	Do.*
Do	Prosopis chilensis (algaroba) (seed)	Do.*
Mylabris sp. (Mylabridae)	Jacaranda sp	District of Columbia.
Do	Poinciana regia (royal poinciana)	California.*
Do	Wili-wili seed	Do.*
Paleococcus sp. (mealybug)	Areca catechu (betel palm)	Do.*
Paragus sp. (Syrphidae)	Brassica oleracea (cabbage)	Washington.
Parlatoria pergandii (chaff scale)	Citrus limonia (lemon)	California.*
Do	Citrus nobilis (tangerine)	Do.*
Do	Hibiscus sp	Do.*
Parlatoria proteus (scale insect)	Codiaeum sp. (croton)	Do.*
Parlatoria ziziphus (scale insect)	Citrus aurantifolia (lime)	Do.*
Pectinophora gossypiella (pink bollworm).	Gossypium sp. (cotton) (seed)	Do.*
Pheidole megacephala (ant)	Ananas sativus (pineapple) (7)	Do.*
Do	Areca catechu (betel palm)	Do.*
Do	Begonia sp	Do.*
Do	Codiaeum sp. (croton)	Do.*
Do	Colocasia esculenta (taro)	Do.*
Do	Koa wood (log)	Do.*
Do	Lilium sp. (lily) (3)	Do.*
Do	Musa sp. (banana) (2)	Do.*
Do	In soil around plant	Do.*
Do	Zingiber officinale (ginger)	Do.*
Phenacaspis sp. (scale insect)	Cocos nucifera (coconut) (28)	Do.*
Do	Nerium oleander (oleander)	Do.*
Phthorimaea operculella (potato-tuber moth).	Solanum tuberosum (potato) (3)	Washington.
Porcellio sp. (isopod)	Ananas sativus (pineapple)	California.*
Prenolepis sp. (ant)	Cocos nucifera (coconut) (13)	Do.*
Proceratium sp. (ant)	Canna edulis (canna)	District of Columbia.
Pseudaonidia articulatus (rufous scale).	Hibiscus sp. (cutting)	California.*
Pseudaonidia clavigera (scale insect)	Acalypha sp	Do.*
Do	Hibiscus sp. (cutting) (5)	Do.*
Pseudaonidia sp. (scale insect)	Hibiscus sp. (cutting)	Do.*
Pseudococcus adonidum (long-tailed mealybug).	Areca catechu (betel palm)	Do.*
Do	Begonia sp	Do.*
Pseudococcus brevipes (pineapple mealybug).	Ananas sativus (pineapple) (149)	Do.*
Do	Bulb	Do.*
Do	Musa sp. (banana) (17)	Do.*
Pseudococcus citri (citrus mealybug)	Codiaeum sp. (croton) (2)	Do.*
Do	Cucurbita maxima (squash)	Do.*
Do	Dioscorea sp. (yam)	Do.*
Do	Lilium sp. (lily)	Do.*
Pseudococcus nipae (palm mealybug)	Palm (2)	Do.*
Pseudococcus virgatus (mealybug)	Areca catechu (betel palm)	Do.*
Do	Codiaeum sp. (croton)	Do.*

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
HAWAII—continued		
Insects—Continued.		
Pseudococcus sp. (mealybug)	Areca catechu (betel palm)	California.*
Do	Lilium sp. (lily)	Do.*
Do	Musa sp. (banana) (2)	Do.*
Do	Musa sp. (banana)	Washington.
Do	Palm	California.*
Do	Persea americana (avocado)	Do.*
Pyralid (Phycitinae)	Gossypium sp. (cotton) (seed)	Do.*
Rhizoglyphus sp. (mite)	Allium cepa (onion)	Washington.
Rhyncolus longulus (Curculionidae)	Cucurbita sp. (gourd)	California.*
Ripersia palmarum (scale insect)	Cocos nucifera (coconut) (111)	Do.*
Ripersia sp. (scale insect)	Cocos nucifera (coconut)	Oregon.
Do	Codiaeum sp. (croton)	California.*
Do	Palm	Do.*
Saissetia nigra (scale insect)	Air plant	Do.*
Do	Areca catechu (betel palm) (28)	Do.*
Do	Assorted plants	Do.*
Do	Cocos nucifera (coconut)	Oregon.
Do	Hibiscus sp. (6)	California.*
Do	Hibiscus sp	District of Columbia.
Saissetia oleae (black scale)	Aucuba sp	California.*
Sciara sp. (Mycetophilidae)	Solanum tuberosum (potato)	Washington.
Scymnus sp. (Coccinellidae)	Musa sp. (banana)	California.*
Solenopsis geminata rufa (ant)	Dioscorea sp. (yam)	Do.*
Sternochetus mangiferae (mango weevil).	Mangifera indica (mango) (9)	Do.*
Targionia hartii (scale insect)	Dioscorea sp. (yam)	Do.*
Tenebroides sp. (Ostomidae)	Koa wood (log)	Do.*
Tribolium sp. (Tenebrionidae)	Litchi sp. (lichee) (nut)	Do.*
Diseases:		
Diplodia sp	Cereus sp	Do.*
Sphaeronema fimbriatum	Ipomoea batatas (sweet potato)	Do.*
HOLLAND		
Insects:		
Anisolabis annulipes (earwig)	Hyacinthus sp. (bulb)	Maryland.
Do	Narcissus sp. (bulb)	New York.
Do	do	Pennsylvania.
Anisolabis sp. (earwig)	Solanum tuberosum (potato)	Do.
Anthomyiid	do	New York.
Anuraphis tulipae (aphid)	Iris tingitana (Morocco iris)	District of Columbia.
Do	Iris sp. (5)	Do.
Do	Iris sp	New York.
Aphodius fimetarius (Scarabaeidae)	In case with astilbe roots	District of Columbia.
Araecerus fasciculatus (coffee-bean weevil).	Narcissus sp. (bulb)	Pennsylvania.
Archilithobius sp. (myriapod)	do	New York.
Arion hortensis (Mollusca)	Brassica oleracea (cabbage)	Pennsylvania.
Do	Lilium candidum (Madonna lily)	Do.
Athous niger (Elateridae)	Narcissus sp. (bulb)	Massachusetts.
Athous sp. (Elateridae)	In soil around azalea plant	Pennsylvania.
Borkhausenia pseudospretella (Oecophoridae).	Tulipa sp	New York.
Brachygeophilus truncorum (myriapod).	In soil around fern, palm, etc	Pennsylvania.
Brachyiulus pusillus (myriapod)	Narcissus sp	Do.
Brachyiulus sp. (myriapod)	In dust around narcissus bulbs	Do.
Brachyrhinus sulcatus (Curculionidae).	Begonia sp	New York.
Do	In case with astilbe roots	District of Columbia.
Brachyrhinus sp. (Curculionidae)	Astilbe ceres (astilbe)	Do.
Do	Astilbe sp. (root)	Do.
Bregmatothrips iridis (thrips)	Iris sp	Do.
Brevicoryne brassicae (aphid)	Brassica oleracea (cabbage)	Pennsylvania.
Cecidomyiid	Hyacinthus sp. (bulb) (4)	New York.
Do	Hyacinthus sp. (bulb)	Pennsylvania.
Do	Iris sp. (bulb)	Do.
Do	Narcissus jonquilla (jonquil)	Virginia.*
Do	Narcissus sp. (bulb)	Louisiana.
Do	Narcissus sp. (bulb) (6)	Massachusetts.
Do	Narcissus sp. (bulb) (5)	New York.
Do	Narcissus sp. (bulb) (2)	Oregon.
Do	Narcissus sp. (bulb) (14)	Pennsylvania.
Do	Narcissus sp. (bulb) (2)	Washington.
Do	Salix sp. (willow)	New York.
Do	Tulipa sp. (bulb)	Pennsylvania.
Do	do	Washington.
Ceutorhynchus pleurostigma (turnip gall weevil).	Brassica rapa (turnip)	South Carolina.
Chionaspis salicis (willow scale)	Salix sp. (willow)	New York.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
HOLLAND—continued		
Insects—Continued.		
Chrysomphalus dictyospermi (scale insect).	Citrus limonia (lemon)	Florida.*
Cladius sp. (sawfly)	Rosa sp. (rose)	New York.
Corizus conspersus (Coreidae)	Iris sp. (bulb)	District of Columbia.
Cryptorhynchus sp. (Curculionidae)	Brassica campestris (rutabaga)	New York.
Cylas formicarius (sweet-potato weevil).	Ipomoea batatas (sweet potato)	Pennsylvania.
Diplomus londonensis caeruleocinctus (myriapod).	Narcissus sp. (bulb)	Do.
Diplolulus fuscus (myriapod)	Hyacinthus sp. (bulb)	New York.
Do	Narcissus sp. (bulb)	Maryland.
Do	Narcissus sp. (bulb) (2)	Massachusetts.
Do	Narcissus sp. (bulb) (5)	Pennsylvania.
Diplolulus sp. (myriapod)	Begonia sp	New York.
Emphytus cintus (sawfly)	Rosa sp. (Manetti stock) (12)	Connecticut.*
Do	Rosa sp. (Manetti stock)	Illinois.*
Do	do	New York.*
Do	Rosa sp. (Manetti stock) (3)	Pennsylvania.*
Endrosis lacteella (Oecophoridae)	Hyacinthus sp. (bulb)	Virginia.*
Do	Narcissus sp. (bulb) (2)	New York.
Do	Unknown	Maryland.
Ephestia sp. (Pyralidae)	Ribes sp. (currant)	California.*
Do	Unknown	New York.
Eumerus strigatus (lesser bulb fly)	Allium cepa (onion)	South Carlolna.
Do	Hyacinthus sp. (bulb) (2)	New York.
Do	Iris hollandica (bulb)	District of Columbia.
Do	Narcissus sp. (bulb)	California.*
Do	Narcissus sp. (bulb) (2)	Maryland.
Do	Narcissus sp. (bulb) (30)	Massachusetts.
Do	Narcissus sp. (bulb) (109)	New York.
Do	Narcissus sp. (bulb) (11)	Oregon.
Do	Narcissus sp. (bulb) (61)	Pennsylvania.
Do	Narcissus sp. (bulb)	Virginia.*
Do	do	Washington.
Euxesta sp. (Ortalidae)	Narcissus sp. (bulb) (4)	New York.
Exechia sp. (Mycetophilidae)	Narcissus sp. (bulb)	Massachusetts.
Forficula auricularia (European earwig).	Astilbe sp.	District of Columbia.
Do	Crocus sp. (bulb)	New York.
Do	Hyacinthus sp. (bulb)	Massachusetts.
Do	Hyacinthus sp. (bulb) (3)	New York.
Do	In box with peony	District of Columbia.
Do	Iris sp. (bulb)	New York.
Do	Narcissus sp. (bulb) (12)	Do.
Do	Narcissus sp. (bulb) (3)	Pennsylvania.
Do	Solanum tuberosum (potato)	New York.
Do	Tulipa sp. (bulb)	Maryland.
Do	do	New York.
Do	Tulipa sp. (bulb) (3)	Pennsylvania.
Do	Undetermined bulb	New York.
Do	Unknown	Do.
Haplophthalmus sp. (isopod)	Soil around fern, palm, etc	Pennsylvania.
Hemerobiid	Hyacinthus sp. (bulb)	Maryland.
Histiostoma sp. (mite)	Allium cepa (onion)	South Carolina.
Do	Narcissus sp. (bulb)	New York.
Julus sp. (myriapod)	Hyacinthus sp. (bulb)	Do.
Do	Narcissus sp. (bulb)	Do.
Do	do	Pennsylvania.
Do	With narcissus bulbs	New York.
Do	Unknown	Do.
Lamyctes fulvicornis (myriapod)	Dahlia sp. (root)	Do.
Leemanum corni (scale insect)	Ilex crenata major	District of Columbia.
Lepidosaphes ulmi (oyster-shell scale)	Syringa sp. (lilac) (2)	Do.
Limonius sp. (Elateridae)	Narcissus sp. (bulb)	New York.
Lithobius forficatus (myriapod)	do	Do.
Ludius syedanicus (Elateridae)	do	Maryland.
Macrosiphum kaltenbachi (aphid)	Lactuca sativa (lettuce)	Pennsylvania.
Merodon equestris (narcissus fly)	Narcissus sp. (bulb)	California.*
Do	Narcissus sp. (bulb) (4)	Massachusetts.
Do	Narcissus sp. (bulb) (2)	New York.
Do	Narcissus sp. (bulb) (1)	Pennsylvania.
Merodon sp. (Syrphidae)	Narcissus pseudonarcissus (daffodil)	New York.
Do	Narcissus sp. (bulb)	District of Columbia.
Do	Narcissus sp. (bulb) (23)	Maryland.
Do	Narcissus sp. (bulb) (69)	Massachusetts.
Do	Narcissus sp. (bulb) (161)	New York.
Do	Narcissus sp. (bulb) (30)	Oregon.
Do	Narcissus sp. (bulb) (66)	Pennsylvania.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
HOLLAND—continued		
Insects—Continued.		
Merodan sp. (Syrphidae)	Narcissus sp. (bulb) (6)	Washington.
Do	Tulipa sp. (bulb)	Pennsylvania.
Metoponorthus pruinosus (isopod)	Narcissus sp. (bulb)	Maryland.
Metoponorthus sp. (isopod)	do	New York.
Mylabris sp. (Mylabridae)	Vicia faba (horse bean)	California.*
Noctuid	Fagopyrum esculentum (buckwheat) (chaff).	District of Columbia.
Do	Hyacinthus sp. (bulb)	New York.
Do	Narcissus sp. (bulb)	Maryland.
Do	Narcissus sp. (bulb) (17)	New York.
Do	Narcissus sp. (bulb)	Oregon.
Do	Narcissus sp. (bulb) (4)	Pennsylvania.
Do	With narcissus bulbs	New York.
Oecophorid	Moss	Do.
Olethreutid	Fagus sylvatica purpurea major (beech).	District of Columbia.
Do	Rosa sp. (rose)	Do.
Oniscus asellus (isopod)	Narcissus sp. (bulb)	Pennsylvania.
Orchesella sp. (Collembola)	do	Do.
Ortalid	Narcissus sp. (bulb) (2)	Do.
Parlatoria pergandii (chaff scale)	Citrus limonia (lemon)	Florida.*
Periphyllus sp. (aphid)	Acer palmatum (Japanese maple)	Disttict of Columbia.
Pheletes sp. (Elateridae)	Narcissus sp. (bulb)	Pennsylvania.
Philopedon plagiatus (Curculionidae)	In package with vegetable seed	District of Columbia.
Phyllaphis sp. (aphid)	Fagus sp. (beech)	Do.
Porcellio scaber (isopod)	Narcissus sp. (bulb)	Oregon.
Do	Narcissus sp. (bulb) (3)	Pennsylvania.
Do	Narcissus sp. (bulb)	New York.
Do	Paeonia sp. (peony)	Do.
Porcellionides pruinosus (isopod)	Hyacinthus sp. (bulb)	Do.
Do	Narcissus sp. (bulb)	Do.
Do	do	Pennsylvania.
Pseudococcus sp. (mealybug)	Cactus	District of Columbia.
Psilid	Daucus carota (carrot)	New York.
Pyralid (Pyraustinae)	Narcissus sp. (bulb)	Massachusetts.
Pyralid	In package with narcissus bulbs	California.*
Rhizoglyphus hyacinthi (bulb mite)	Begonia sp	New York.
Do	Chionodoxa luciliae (glory-of-the-snow)	Massachusetts.
Do	Crocus sp. (bulb)	Louisiana.
Do	do	New York.
Do	Crocus sp. (bulb) (2)	Pennsylvania.
Do	Hyacinthus sp. (bulb)	California.*
Do	do	Maryland.
Do	do	Massachusetts.
Do	Hyacinthus sp. (bulb) (21)	New York.
Do	Hyacinthus sp. (bulb)	Pennsylvania.
Do	do	Washington.
Do	Iris sp. (bulb)	District of Columbia.
Do	do	New York.
Do	Ixia sp	California.*
Do	Ixia sp. (bulb)	New York.
Do	Lilium sp. (lily)	Virginia.*
Do	Muscari sp. (grape-hyacinth) (bulb)	New York.
Do	Narcissus jonquilla (jonquil)	Virginia.*
Do	Narcissus sp. (bulb)	California.*
Do	do	Illinois.
Do	do	Louisiana.
Do	Narcissus sp. (bulb) (7)	Maryland.
Do	Narcissus sp. (bulb) (54)	Massachusetts.
Do	Narcissus sp. (bulb) (2)	Michigan.*
Do	Narcissus sp. (bulb) (69)	New York.
Do	Narcissus sp (bulb) (5)	Oregon.
Do	Narcissus sp. (bulb) (95)	Pennsylvania.
Do	Narcissus sp. (bulb)	Texas.
Do	Narcissus sp. (bulb) (2)	Virginia.*
Do	Narcissus sp. (bulb) (6)	Washington.
Do	Paeonia sp. (peony)	New York.
Do	Solanum tuberosum (potato)	Pennsylvania.
Do	do	South Carolina.
Do	Tulipa sp. (bulb) (3)	New York.
Do	Tulipa sp. (bulb) (5)	Pennsylvania.
Rhizoglyphus sp. (mite)	Allium cepa (onion)	New York.
Do	Crocus sp. (bulb)	Maryland.
Do	do	Virginia.*
Do	Hyacinthus sp. (bulb)	Maryland.
Do	do	Massachusetts.
Do	Hyacinthus sp. (bulb) (5)	New York.
Do	Narcissus sp. (bulb)	Maryland.

List, by countries, of pests collected and reported from January 1, 1924 to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
HOLLAND—continued		
Insects—Continued.		
Rhizoglyphus sp. (mite)	Narcissus sp. (bulb) (3)	Massachusetts.
Do	do	New York.
Do	Narcissus sp. (bulb) (5)	Pennsylvania.
Do	Scilla sp. (bulb)	Massachusetts.
Do	Syringa sp. (lilac)	District of Columbia.
Sciara sp. (Mycetophilidae)	Allium cepa (onion)	Pennsylvania.
Do	do	South Carolina.
Do	Apium graveolens (celery)	Pennsylvania.
Do	Fagus sp. (beech)	District of Columbia.
Do	Hyacinthus sp. (bulb)	Maryland.
Do	do	Massachusetts.
Do	Hyacinthus sp. (bulb) (5)	New York.
Do	Hyacinthus sp. (bulb) (2)	Washington.
Do	Iris sp. (bulb)	District of Columbia.
Do	do	New York.
Do	Muscari sp. (grape-hyacinth)	Do.
Do	Narcissus jonquilla (jonquil)	Virginia.*
Do	Narcissus sp (bulb) (2)	Maryland.
Do	Narcissus sp (bulb) (18)	Massachusetts.
Do	Narcissus sp. (bulb) (14)	New York
Do	Narcissus sp. (bulb) (7)	Oregon.
Do	do	Pennsylvania.
Do	Narcissus sp. (bulb) (4)	Virginia.*
Do	Narcissus sp. (bulb) (5)	Washington.
Do	Tulipa sp. (bulb)	Maryland.
Do	do	New York.
Do	do	Pennsylvania.
Do	do	Washington.
Do	Unknown	New York.
Sericoderus sp. (Orthoperidae)	Narcissus sp. (bulb) (2)	Pennsylvania.
Sericothrombium sp. (mite)	Astilbe sp. (root)	District of Columbia.
Sitona sp. (Curculionidae)	With narcissus bulbs	New York.
Solenopsis geminata rufa (ant)	Lactuca sativa (lettuce)	Pennsylvania.
Taeniothrips frontalis (thrips)	Iris sp	New York.
Tineid	Fagopyrum sp. (buckwheat)	Pennsylvania.
Do	Leucojum sp. (snowflake)	New York.
Do	Narcissus sp. (bulb) (2)	Do.
Do	Narcissus sp. (bulb)	Pennsylvania.
Tortricid	Fagus sylvatica purpurea major (beech)	District of Columbia.
Tracheoniscus rathkei (isopod)	Hyacinthus sp. (bulb)	New York.
Do	Narcissus sp. (bulb) (2)	Pennsylvania.
Tritoxa sp. (Ortalidae)	Solanum tuberosum (potato)	Do.
Tyroglyphus farinae (mite)	Daucus carota (carrot)	South Carolina.
Tyroglyphus sp. (mite)	Solanum tuberosum (potato)	Do.
Diseases:		
Actinomyces scabies	Solanum tuberosum (potato) (9)	Florida.*
Aphelenchus apiculatus	Paeonia officinalis (peony)	District of Columbia
Aphelenchus longicaudatus	Paeonia sp. (peony)	Do.
Bacterium tumefaciens	Prunus cerasus (cherry)	Do.
Do	Rosa multiflora (Japanese rose)	Ohio.*
Do	Rosa rugosa (rugosa rose)	New Jersey *
Do	Rosa sp. (Manetti stock)	District of Columbia.
Do	do	Illinois.
Do	do	Ohio.*
Do	do	Pennsylvania.
Botrytis cinerea	Rhododendron sp	District of Columbia.
Botrytis parasitica	Narcissus sp	Pennsylvania.
Cephalobus oxyuroides (nematode)	Paeonia sp. (peony)	District of Columbia.
Cephalobus substriatus (nematode)	do	Do
Diplogaster sp. (nematode)	Hyacinthus sp. (5)	New York.
Fusarium sp	Solanum tuberosum (potato) (2)	Florida.*
Hendersonia sp	Syringa sp. (lilac)	District of Columbia.
Nectria cinnabarina	Acer atropurpureum novum (maple)	Do.
Phoma sp	do	Do.
Phyllosticta solitaria	Malus sylvestris (apple)	Florida.*
Puccinia phragmitis	Phragmites communis (packing) (2)	District of Columbia.
Rhabditis sp. (nematode)	Hyacinthus sp	New York.
Sclerotium semen	Iris formosa	District of Columbia.
Do	Iris tingitana (Morocco iris)	Do.
Sclerotium sp	Gladiolus sp	Do.
Spondylocladium atrovirens	Solanum tuberosum (potato) (2)	Florida.*
Tylenchus bryophilus (nematode)	Paeonia officinalis (peony)	District of Columbia.
Tylenchus dipsaci (bulb nematode)	Chionodoxa luciliae (glory-of-the-snow).	New York.
Do	Hyacinthus sp. (bulb)	Massachusetts.
Do	do	New York.
Do	Narcissus sp	Maryland.

List, by countries, of pests collected and reported from January 1, 1924 to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
HOLLAND—continued		
Diseases—Continued.		
Tylenchus dipsaci (bulb nematode)	Narcissus sp. (3)	Massachusetts.
Do	Narcissus sp. (10)	New York.
Do	Narcissus sp	Oregon.
Do	Narcissus sp. (2)	Pennsylvania.
Do	Narcissus sp	Washington.
Do	Tulipa sp	New York.
Tylenchus pallidus (nematode)	Paeonia sp. (peony)	District of Columbia.
Tylenchus penetrans (nematode)	Paeonia officinalis (peony)	Do.
Tylenchus tessellatus (nematode)	do	Do.
Venturia inaequalis	Malus sylvestris (apple)	Florida.*
HONDURAS		
Insects:		
Alegoria dilatata (Tenebrionidae)	Musa sp. (banana) (leaf)	Massachusetts.
Anastrepha sp. (Trypetidae)	Mangifera indica (mango)	Louisiana.
Do	do	Pennsylvania.
Camponotus abdominalis stercorarius (ant).	Musa sp. (banana) (2)	Louisiana.
Do	Musa sp. (banana)	Massachusetts.
Camponotus maculatus var. (ant)	do	Louisiana.
Do	do	Massachusetts.
Capaneus vates (Coreidae)	do	Louisiana.
Cerambycid	Swietenia sp. (mahogany) (log)	Maryland.
Ceramidia butleri (Syntomidae)	Musa sp. (banana)	Louisiana.
Chelymorpha comata smithi (Chrysomelidae).	Musa sp. (banana) (2)	Massachusetts.
Cryptops sp. (myriapod)	Musa sp. (banana) (leaf)	New York.
Dinocoris tripterus (Pentatomidae)	do	Louisiana.
[illegible]	do	Do.
Heilipus sp. (Curculionidae)	Persea americana (avocado) (2)	Do.
Hemichionaspis aspidistrae (aspidistra scale).	Palm	Florida.*
Hemichionaspis minor (scale insect)	Manihot esculenta (cassava)	Do.*
Hypera punctata (clover leaf weevil)	Banak log	Maryland.
Lepidosaphes beckii (purple scale)	Citrus sinensis (orange) (2)	Louisiana.
Lygaeus bicrucis (Lygaeidae)	Musa sp. (banana)	Massachusetts.
Metamasius sericeus (silky cane weevil).	do	Louisiana.
Do	Musa sp. (banana) (2)	Massachusetts.
Neoponera villosa (ant)	Musa sp. (banana)	Louisiana.
[illegible]	Annona muricata (sour sop)	Do.
Prenolepis longicornis (crazy ant)	Banak log	Maryland.
Pseudaonidia articulatus (rufous scale)	Citrus limonia (lemon)	Louisiana.
Pseudococcus brevipes (pineapple mealybug).	Ananas sativus (pineapple)	Florida.*
Pseudoparlatoria parlatorioides (scale insect).	Palm	Florida.*
Saissetia hemisphaerica (hemispherical scale).	Codiaeum sp. (croton)	Louisiana.
Stelidota strigosa (Nitidulidae)	Musa sp. (banana) (leaf)	Massachusetts.
Tetramorium guineense (ant)	Annona muricata (sour sop)	Louisiana.
Diseases:		
Colletotrichum falcatum	Saccharum officinarum (sugar cane)	Florida.*
HUNGARY		
Insects:		
Ceutorhynchus cochelariae (Curculionidae).	Radicula armoracia (horseradish)	District of Columbia.
Hylemyia cilicrura (Anthomyiidae)	do	Do.
Pyrausta nubilalis (European corn borer).	Holcus sorghum var. (broomcorn) (3)	New York.
INDIA		
Insects:		
Anthomyiid	Aconitum palmatum (seed)	District of Columbia.
Buliminus quadridens (Mollusca)	In soil around century plant	Pennsylvania.
Callimomid	Ficus indica (seed)	District of Columbia.
Do	Ficus infectoria (dotted fig)	Do.
Cheletoides sp. (mite)	Ficus hookeri (seed)	Do.
[illegible]	Tephrosia candida (seed)	Do.
Earias fabia (Noctuidae)	Gossypium sp. (cotton) (boll)	Do.
Do	do	New York
Helicella sp. (Mollusca)	In soil around century plant	Pennsylvania.
Mylabris sp. (Mylabridae)	Acacia catecha (seed)	District of Columbia.
Do	Albizzia procera (seed)	Do.
Do	Albizzia stipulata (2)	Do.
Do	Cicer arietinum (chickpea) (3)	Do.
Do	Desmodium cephalotes (seed)	Do.
Do	Phaseolus calcaratus (rice bean)	Do.

List, by countries, of pests collected and reported from January 1, 1924 to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
INDIA—continued		
Insects—Continued.		
Mylabris sp. (Mylabridae)	Phaseolus sp. (bean)	California.*
Do	Tephrosia candida (seed)	District of Columbia.
Phthorimaea operculella (potato-tuber moth).	Solanum tuberosum (potato) (2)	Massachusetts.
Do	do	Pennsylvania.
Sciara sp. (Mycetophilidae)	In soil around century plant	Do.
Spermophagus sp. (Mylabridae)	Hibiscus cannabinus (seed) (2)	District of Columbia.
Do	Unknown seed	Do.
Tortricid	Erythrina arborescens	Do.
Vallonia pulchella (Mollusca)	In soil around century plant	Pennsylvania.
Diseases:		
Actinomyces scabies	Solanum tuberosum (potato)	Florida.*
Ustilago nuda	Hordeum vulgare (barley) (5)	District of Columbia.
IRELAND		
Insects:		
Agriolimax agrestis (Mollusca)	In soil around roots of shamrock	Pennsylvania.
Arion hortensis (Mollusca)	Rosa sp. (Manetti stock)	Do.
Ceutorhynchus sp. (Curculionidae)	do	Do.
Clusiid	Daucus carota (carrot)	New York.
Emphytus cinctus (sawfly)	Rosa sp. (Manetti stock) (4)	Pennsylvania.*
Hygromia rufescens (Mollusca)	In soil around plants	Massachusetts.
Hypera punctata (clover leaf weevil)	Moss	Alabama.*
Myzaphis rosarum (aphid)	Rosa sp. (rose) (stem)	Massachusetts.
Otiorhynchus laevigatus (Curculionidae).	Trifolium sp. (shamrock)	Pennsylvania.
Philoscia muscorum (isopod)	In soil around miscellaneous plants	Massachusetts.
Porcellio scaber (isopod)	In soil around roots of shamrock	Pennsylvania.
Sciara sp. (Mycetophilidae)	Narcissus sp. (bulb)	Massachusetts.
Diseases:		
Bacterium tumefaciens	Rosa sp. (Manetti stock)	Iowa.*
Do	do	Pennsylvania.*
Do	do	Pennsylvania.
Do	Rosa sp. (rose) (stock)	California.*
Coniosporium shirarianum	Bambusa sp. (bamboo)	District of Columbia.
Phomopsis sp	Rosa sp. (rose)	Do.
Phragmidium sp	Rosa sp. (Manetti stock)	Pennsylvania.*
ISLAND OF GUERNSEY		
Insects:		
Eumerus strigatus (lesser bulb fly)	Narcissus sp. (bulb)	New York.
Merodon sp. (Syrphidae)	do	Do.
Rhizoglyphus hyacinthi (bulb mite)	do	Do.
Sciara sp. (Mycetophilidae)	do	Do.
ISLE OF CRETE		
Insects:		
Mylabris sp. (Mylabridae)	Pisum sativum (pea)	Illinois.
ISLE OF MAN		
Insects:		
Euxesta sp. (Ortalidae)	In package with green plants and plant cuttings.	Massachusetts.
Myzus sp. (aphid)	Green plants	Do.
Sciara sp. (Mycetophilidae)	In package with green plants and plant cuttings.	Do.
ISLE OF PINES		
Insects:		
Aleurodothrips fasciapennis (thrips)	Cocos nucifera (coconut)	Florida.*
Chauliognathus pennsylvanicus (Cantharidae).	Citrus grandis (grapefruit)	Ohio.*
Chrysomphalus aonidum (Florida red scale).	Citrus grandis (grapefruit) (2)	California.*
Do	do	Illinois.
Chrysomphalus aurantii (California red scale).	Citrus grandis (grapefruit)	California.*
Do	Citrus sinensis (orange)	Do.*
Diaspis boisduvalii (Boisduval's scale)	Cocos nucifera (coconut)	Florida.*
Euxesta sp. (Ortalidae)	Citrus sinensis (orange)	Louisana
Heliothrips haemorrhoidalis (greenhouse thrips).	Cocos nucifera (coconut)	Florida.*
Lecaniodiaspis sp. (scale insect)	Citrus limonia (lemon)	Do.*
Lepidosaphes beckii (purple scale)	Citrus grandis (grapefruit) (4)	California.*
Do	Citrus grandis (grapefruit)	Florida.*
Do	Citrus grandis (grapefruit) (6)	Illinois.
Do	Citrus grandis (grapefruit)	Ohio.*
Do	do	South Carolina.
Do	Citrus limonia (lemon)	Florida.*
Do	Fortunella japonica (kumquat)	Do.*

List of countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
ISLE OF PINES—continued		
Insects—Continued.		
Lepidosaphes gloverii (Glover's scale)	Citrus grandis (grapefruit) (2)	California.*
Do	Citrus grandis (grapefruit)	Illinois.
Do	Citrus limonia (lemon)	Florida.*
Parlatoria pergandii (chaff scale)	Citrus grandis (grapefruit)	Illinois.
Pieris rapae (imported cabbage worm)	Brassica oleracea (cabbage)	Do.
Pseudaonidia articulatus (rufous scale)	Citrus grandis (grapefruit)	Do.
Pseudococcus brevipes (pineapple mealybug).	Ananas sativus (pineapple))	New York.
Do	Solanum melongena (eggplant)	Do.
Scolytid	Citrus grandis (grapefruit)	Illinois.
ITALY		
Insects:		
Acronycta rumicis (sorrel cutworm)	Prunus sp. (Myrobalan seedling)	Pennsylvania.*
Agriotes sp. (Elateridae)	Solanum tuberosum (potato)	Pennsylvania.
Aleyrodes sp. (whitefly)	Laurus nobilis (Grecian laurel)	Florida.*
Anarsia lineatella (peach twig borer)	Amygdalus persica (peach)	New York.
Do	Prunus domestica (plum)	Massachusetts.
Anisolabis annulipes (earwig)	Sorbus domestica (service tree)	Do.
Anisolabis sp. (earwig)	Citrus limonia (lemon)	Pennsylvania.
Anthomyiid	Brassica oleracea botrytis (cauliflower)	Do.
Do	Ficus sp. (fig)	New York.
Do	Solanum tuberosum (potato)	Pennsylvania.
Anuraphis tulipae (aphid)	Iris sp	Massachusetts.
Aonidia lauri (scale insect)	Laurus nobilis (Grecian laurel)	Florida.*
Do	do	Massachusetts
Do	Laurus sp. (laurel)	New York.
Aphis sp. (aphid)	Malus sylvestris (apple)	Michigan.*
Apion sp. (Curculionidae)	Apple and pear stock	New York.
Do	Packing material	District of Columbia.
Do	Pith of unknown plant	New York
Armadillidium vulgare (isopod)	In soil around rose cuttings	Pennsylvania.
Aspidiotus britannicus (scale insect)	Laurus nobilis (Grecian laurel)	Massachusetts.
Do	Laurus sp. (laurel)	New York.
Aspidiotus camelliae (greedy scale)	do	Do.
Aspidiotus hederae (ivy scale)	Ceratonia siliqua (carob)	District of Columbia.
Do	Citrus limetta (sweet lime) (3)	Massachusetts.
Do	Citrus limetta (sweet lime) (4)	New York.
Do	Citrus limonia (lemon) (31)	California.*
Do	Citrus limonia (lemon) (4)	Florida.*
Do	Citrus limonia (lemon) (10)	Louisiana.
Do	Citrus limonia (lemon)	Maine.*
Do	Citrus limonia (lemon) (37)	Massachusetts.
Do	Citrus limonia (lemon) (80)	New York.
Do	Citrus limonia (lemon) (14)	Pennsylvania.
Do	Citrus limonia (lemon)	South Carolina.
Do	Citrus medica (citron)	New York.
Do	Citrus sinensis (orange) (2)	California.*
Do	Citrus sp	Pennsylvania.
Do	Codiaeum sp. (croton)	New York.
Do	Laurus sp. (laurel)	Do.
Do	Nerium oleander (oleander)	Do.
Do	Palm (2)	Do.
Aspidiotus lataniae (scale insect)	Palm	Massachusetts.
Aspidiotus sp. (scale insect)	Citrus limonia (lemon)	California.*
Aulacaspis pentagona (West Indian peach scale.)	Amygdalus persica (peach) (stock)	New York.
Aulacaspis rosae (rose scale)	Rosa sp. (rose) (cutting)	Illinois.
Do	Rosa sp. (rose) (2)	New York.
Do	Rosa sp. (rose) (cutting)	Pennsylvania.
Balaninus elephas (Curculionidae)	Castanea sp. (chestnut)	California.*
Balaninus sp. (Curculionidae)	Castanea sp. (chestnut) (8)	Do.*
Do	Castanea sp. (chestnut) (6)	Massachusetts.
Do	Castanea sp. (chestnut) (11)	New York.
Do	Corylus sp. (filbert)	California.*
Do	do	New York.
Bdella sp. (mite)	Packing material	District of Columbia.
Blastodacna sp. (Cosmopterygidae)	Malus sylvestria (apple)	New York.
Brachycerus albidentatus (Brachyceridae).	Allium sativum (garlic)	Louisiana.
Do	do	New York.
Brachycerus undatus (Brachyceridae)	do	Pennsylvania.
Brachycerus sp. (Brachyceridae)	do	New York.
Brachyrhinus sulcatus (Curculionidae.)	Prunus cerasus(cherry) (stock)	Do.
Brevicoryne brassicae (aphid)	Brassica oleracea botrytis (cauliflower)	Do.
Do	do	Pennsylvania.
Do	Brassica oleracea (cabbage)	New York.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1926, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
ITALY—continued		
Insects—Continued.		
Carpocapsa pomonella (codling moth)	Juglans sp. (walnut)	Pennsylvania.
Do	Malus sylvestris (apple)	Massachusetts.
Do	Pyrus communis (pear)	New York.
Carpocapsa sp. (Olethreutidae)	Castanea sp. (chestnut) (3)	California.*
Do	Castanea sp. (chestnut)	Massachusetts.
Do	Castanea sp. (chestnut) (26)	New York.
Do	Malus sylvestris (apple)	Do.
Cecidomyiid	Allium cepa (onion)	Pennsylvania.
Ceratitis capitata (Mediterranean fruit fly).	Citrus aurantium (sour orange) (7)	New York.
Do	Citrus nobilis (tangerine) (2)	Do.
Do	Ficus sp. (fig)	Do.
Do	Olea europaea (olive)	Do.
Do	On box of sour oranges	Do.
Do	Prunus domestica (plum) (2)	Massachusetts.
Ceratitis sp. (Trypetidae)	Citrus aurantium (sour orange) (2)	New York.
Do	Cydonia oblonga (quince)	Massachusetts.
Do	On paper wrapping of orange	New York.
Centorhynchus sp. (Curculionidae)	Brassica rapa (turnip)	Do.
Chilocorus sp. (Coccinellidae)	Citrus limonia (lemon)	Do.
Chrysomphalus aurantii (California red scale).	Citrus limonia (lemon) (6)	California.*
Do	Citrus limonia (lemon)	Pennsylvania.
Do	Citrus sinensis (orange)	California.*
Do	Do	New York.
Chrysomphalus dictyospermi (scale insect).	Aucuba japonica (Japanese aucuba)	Do.
Do	Aucuba japonica variegata (goldflecked aucuba)	Do.
Do	Citrus limonia (lemon) (10)	California.*
Do	Citrus limonia (lemon) (3)	Hawaii.*
Do	Citrus limonia (lemon)	Massachusetts.
Do	Citrus limonia (lemon) (3)	New York.
Do	Citrus limonia (lemon)	South Carolina.
Do	Citrus nobilis (tangerine) (2)	New York.
Do	Citrus sinensis (orange) (1)	Massachusetts.
Do	Citrus sinensis (orange) (7)	New York.
Do	Cordyline sp. (cordyline)	Do.
Do	Laurus sp. (laurel)	Do.
Do	Nerium oleander (oleander)	Do.
Do	Palm (4)	Massachusetts.
Do	Palm (6)	New York.
Chrysomphalus dictyospermi var. (scale insect).	Citrus aurantium (sour orange)	Do.
Do	Citrus limonia (lemon) (5)	Louisiana.
Do	Citrus limonia (lemon) (7)	Massachusetts.
Do	Citrus limonia (lemon) (1)	New York.
Do	Citrus nobilis (tangerine)	Do.
Do	Citrus sinensis (orange) (2)	Do.
Do	Citrus sp.	Dominican Republic.
Chrysomphalus ficus (scale insect)	Citrus limonia (lemon)	California.*
Chrysomphalus sp. (scale insect)	Citrus limonia (lemon) (2)	Louisiana.
Do	Citrus limonia (lemon)	New York.
Cleonus sp. (Curculionidae)	Brassica rapa (turnip)	Do.
Coccinae (scale insect)	Citrus limonia (lemon)	Do.
Coccus hesperidum (soft brown scale)	Citrus limonia (lemon)	Pennsylvania.
Do	Citrus sp.	South Carolina.
Do	Laurus nobilis (Grecian laurel)	Massachusetts.
Do	Laurus sp. (laurel)	New York.
Do	Laurus sp. (laurel)	Massachusetts.
Do	Laurus sp. (laurel) (2)	New York.
Do	Nerium oleander (oleander)	Do.
Coccus sp. (scale insect)	Citrus limonia (lemon)	Pennsylvania.
Crematogaster scutellaris (ant)	Pyrus communis (pear)	New York.
Cryptorhynchid	Soil used as packing for artichokes	South Carolina.
Curculionid	Castanea sp. (chestnut)	New York.
Do	Cynara scolymus (artichoke)	South Carolina.
Do	Dahlia sp.	New York.
Do	Ribes sp. (currant)	Do.
Dermestes sp. (Dermestidae)	Citrus limonia (lemon)	Do.
Do	Corylus sp. (filbert)	California.*
Do	Vicia faba (fava bean)	New York.
Diaspis echinocacti cacti (scale insect).	Opuntia compressa (prickly pear)	Do.
Diaspis zamiae (scale insect)	Cycas revoluta (sago cycas)	Do.
Endrosis lacteella (Oecophoridae)	Medicinal root	Massachusetts.
Epiphestia figulilella (Pyralidae)	Ficus sp. (fig)	Illinois.
Do	Juglans sp. (walnut)	Do.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
ITALY—continued		
Insects—Continued.		
Ephestia sp. (Pyralidae)	Amygdalus communis (almond)	Pennsylvania.
Do	Corylus sp. (filbert)	California.*
Do	Cydonia oblonga (quince)	New York.
Do	Ficus sp. (fig)	Pennsylvania.
Do	Juglans sp. (walnut)	New York.
Do	Malus sylvestris (apple)	Do.
Do	Ceratonia siliqua (St. John's bread)	Do.
Do	Unknown	Do.
Epidapus scabiei (Mycetophilidae)	Solanum tuberosum (potato)	Pennsylvania.
Ephidapus sp. (Mycetophilidae)	do	Do.
Eriosoma lanigerum (wholly apple aphid).	Malus sylvestris (apple) (stock) (2)	Michigan.*
Do	Pyrus communis (pear) (stock)	Do.*
Do	do	Pennsylvania.*
Eucosma sp. (Olethreutidae)	Cynara scolymus (artichoke)	South Carolina.
Eumerus sp. (Syrphidae)	Muscari comosum (cipollino)	New York.
Gelechiid	Cynara cardunculus (cardoon)	Massachusetts.
Glyciphagus domesticus (mite)	Solanum tuberosum (potato)	Pennsylvania.
Glyciphagus sp. (mite)	Straw used as packing for prickly pears	Do.
Helicella maritima (Mollusca)	Allium porrum (leek)	New York.
Helicella sp. (Mollusca)	Vitis sp. (grape)	Massachusetts.
Helix aperta (Mollusca)	Unknown	Pennsylvania.
Helix vermiculata (Mollusca)	In parcel post package	Illinois.
Hemichionaspis aspidistrae (aspidistra scale).	Aspidistra sp	New York.
Histiostoma sp. (mite)	Solanum tuberosum (potato)	South Carolina.
Hydroecia leucographa (Noctuidae)	Undertermined root	New York.
Icerya purchasi (scale insect)	Citrus limonia (lemon)	Florida.*
Laemophloeus sp. (Cucujidae)	do	Louisiana.
Laspeyresia sp. (Olethreutidae)	Castanea sp. (chestnut) (2)	California.*
Lepidosaphes beckii (purple scale)	Citrus aurantium (sour orange) (3)	New York.
Do	Citrus limetta (sweet lime) (4)	Massachusetts.
Do	Citrus limetta (sweet lime) (2)	New York.
Do	Citrus limonia (lemon) (20)	California.*
Do	Citrus limonia (lemon) (5)	Florida.*
Do	Citrus limonia (lemon) (7)	Louisiana.
Do	Citrus limonia (lemon) (24)	Massachusetts.
Do	Citrus limonia (lemon) (44)	New York.
Do	Citrus limonia (lemon) (10)	Pennsylvania.
Do	Citrus limonia (lemon)	South Carolina.
Do	do	Washington.
Do	Citrus nobilis (tangerine)	Massachusetts.
Do	Citrus nobilis (tangerine) (4)	New York.
Do	Citrus sinensis (orange) (3)	California.*
Do	Citrus sinensis (orange)	Florida.*
Do	do	Illinois.
Do	do	Louisiana.
Do	Citrus sinensis (orange) (4)	Massachusetts.
Do	Citrus sinensis (orange) (13)	New York.
Do	Citrus sp	District of Columbia.
Do	Citrus sp. (stem and leaf)	Pennsylvania.
Lepidosaphes ficus (scale insect)	Ficus sp. (fig)	New York.
Lepidosaphes gloverii (Glover's scale)	Citrus sinensis (orange) (3)	Do.
Lepidosaphes ulmi (oyster-shell scale)	Ribes sp. (cuttings) (2)	District of Columbia.
Lepidosaphes sp. (scale insect)	Citrus limonia (lemon)	New York.
Leucaspis sp. (scale insect)	Pinus sp. (pine)	Do.
Lonchoptera sp. (Lonchopteridae)	On barrel of chestnuts	Do.
Macrocheles sp. (mite)	Muscari comosum (cipollino)	Pennsylvania.
Macrosiphum sp. (aphid)	Rosa sp. (rose)	New York.
Monomorium pharaonis (Pharaoh's ant).	Juglans sp. (walnut)	Do.
Do	Packing material	District of Columbia.
Mycetophilid	Vitis sp. (grape)	New York.
Mylabris lentis (Mylabridae)	Lentil seed	Pennsylvania.
Mylabris sp. (Mylabridae)	Phaseolus sp. (bean)	District of Columbia.
Myrmica sp. (ant)	Abies sp. (fir)	Pennsylvania.
Noctuid	Holcus sorghum var. (broomcorn) (2)	Massachusetts.
Do	Holcus sorghum var. (broomcorn)	Pennsylvania.
Do	Lycopersicum esculentum (tomato)	New York.
Do	Zea mays (corn)	Do.
Olethreutid	Castanea sp. (chestnut) (3)	California.*
Do	Castanea sp. (chestnut) (2)	Massachusetts.
Do	Castenea sp. (chestnut) (11)	New York.
Do	Citrus sinensis (orange)	New York.
Do	Ficus sp. (fig)	Do.
Do	Malus sylvestris (apple)	Massachusetts.
Do	Pyrus communis (pear) (2)	New York.
Do	Sorbus sp. (sorbe)	Do.
Do	Vitis sp. (grape) (2)	Do.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
ITALY—continued		
Insects—Continued.		
Ortalid	Solanum tuberosum (potato)	Pennsylvania.
Paratetranychus pilosus (European red mite).	Citrus limonia (lemon)	New York.
Parlatoria oleae (scale insect)	Amygdalus communis (almond)	Do.
Do	Mespilus germanicus (medlar)	Massachusetts.
Do	Olea sp. (olive) (cutting)	District of Columbia.
Parlatoria pergandii (chaff scale)	Citrus limetta (sweet lime) (2)	New York.
Do	Citrus limonia (lemon) (6)	California.*
Do	Citrus limonia (lemon) (2)	Florida.*
Do	Citrus limonia (lemon) (8)	Louisiana.
Do	Citrus limonia (lemon) (6)	Massachusetts.
Do	Citrus limonia (lemon) (7)	New York.
Do	Citrus nobilis (tangerine)	Massachusetts.
Do	Citrus nobilis (tangerine) (3)	New York.
Do	Citrus sinensis (orange)	Illinois.
Do	Citrus sinensis (orange) (4)	New York.
Do	Palm	Massachusetts.
Parlatoria pergandii camelliae (scale insect).	Citrus limonia (lemon)	Do.
Do	do	New York.
Parlatoria ziziphus (scale insect)	Citrus aurantium (sour orange)	Do.
Do	Citrus limonia (lemon) (4)	California.*
Do	Citrus limonia (lemon) (2)	Florida.*
Do	Citrus limonia (lemon) (3)	Louisiana.
Do	Citrus limonia (lemon) (7)	Massachusetts.
Do	Citrus limonia (lemon) (10)	New York.
Do	Citrus limonia (lemon)	Pennsylvania.
Do	Citrus nobilis (tangerine)	Massachusetts.
Do	do	New York.
Do	Citrus sinensis (orange)	Massachusetts.
Do	do	New York.
Parlatoria sp. (scale insect)	Citrus limonia (lemon) (2)	Do.
Do	Palm	Do.
Pheidole flavens var. (ant)	Topinambouro girasole tuberoso (tuber).	District of Columbia.
Pheidole sp. (ant)	In packing around olive plant	Do.
Pieris sp. (Pieridae)	Brassica oleracea botrytis (cauliflower)	New York.
Do	Brassica oleracea (cabbage)	Do.
Plinthisus brevipennis (Lygaeidae)	Packing material	District of Columbia.
Plinthisus flavipes (Lygaeidae)	do	Do.
Polychrosis sp. (Olethreutidae)	Vitis sp. (grape)	New York.
Porcellio laevis (isopod)	Citrus limonia (lemon)	Do.
Porcellio sp. (isopod)	Muscari comosum (cipollino)	Do.
Do	Phaseolus sp. (bean)	California.*
Pseudococcus citri (citrus mealybug)	Citrus limetta (sweet lime)	New York.
Do	Citrus limonia (lemon)	Louisiana.
Do	Citrus limonia (lemon) (2)	Massachusetts.
Do	Citrus limonia (lemon) (5)	New York.
Do	Citrus limonia (lemon)	Pennsylvania.
Do	Citrus sp	District of Columbia.
Pseudococcus maritimus (mealybug)	Colocasia sp	New York.
Pseudococcus sp. (mealybug)	Citrus limonia (lemon) (2)	Do.
Do	Laurus sp. (laurel)	Do.
Pyralid (Phycitinae)	Allium sativum (garlic)	Do.
Pyralid (Pyraustinae)	Brassica rapa (turnip)	Do.
Pyralid (Phycitinae)	Ficus sp. (fig.)	Do.
Do	Herb (dried)	Illinois.
Do	Juglans regia (English walnut)	New York.
Do	Juglans sp. (walnut)	Do.
Pyralid (Pyralinae)	Moss used as packing	District of Columbia.
Pyralid (Pyraustinae)	Rosa sp. (rose)	Do.
Pyralid (Phycitinae)	Vitis sp. (grape)	New York.
Pyralid	Capsicum annuum (pepper)	Illinois.
Do	Ceratonia siliqua (St. John's bread)	New York.
Do	Ficus sp. (fig) (8)	Do.
Do	Sand used as packing for artichoke	South Carolina.
Do	Sorbus sp. (sorbe apple)	New York.
Pyrausta nubilalis (European corn borer).	Holcus sorghum var. (broomcorn)	Massachusetts.
Do	do	Pennsylvania.
Rhizoglyphus hyacinthi (bulb mite)	Allium cepa (onion) (2)	New York.
Do	Allium cepa (onion) (4)	Pennsylvania.
Do	Allium sativum (garlic)	New York.
Do	do	Pennsylvania.
Do	Hyacinthus sp. (bulb)	New York.
Do	Muscari comosum (cipollino)	Do.
Do	Solanum tuberosum (potato) (2)	Pennsylvania.
Rhizoglyphus tarsalis (mite)	Malus sylvestris (apple)	Massachusetts.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
ITALY—continued		
Insects—Continued.		
Rhizoglyphus sp. (mite)	Citrus limonia (lemon)	Louisiana.
Do	Cynara scolymus (artichoke)	South Carolina.
Do	Solanum tuberosum (potato)	Pennsylvania.
Salssetia oleae (black scale)	Citrus limonia (lemon)	California.*
Do	do	Florida.*
Do	do	New York.
Do	do	Pennsylvania.
Do	Citrus sp. (leaf and stem)	New York.
Do	Citrus sp. (leaf)	Florida.*
Do	Olea europaea (olive) (2)	District of Columbia.
Do	Olea europaea (olive)	New York.
Sciara sp. (Mycetophilidae)	Allium cepa (onion)	Pennsylvania.
Do	Citrus limonia (lemon)	Do.
Do	Muscari comosum (cipollino)	New York.
Do	Solanum tuberosum (potato)	Do.
Do	Solanum tuberosum (potato) (3)	Pennsylvania.
Do	Zea everta (popcorn)	New York.
Sesamia cretica (durra stem borer)	Holcus sorghum var. (broomcorn)	Massachusetts.
Scolopostethus brevis (Lygaeidae)	Soil	Do.
Spermophagus sp. (Mylabridae)	Lupinus sp. (lupine) (seed)	Pennsylvania.
Syrphid	Lactuca sativa (lettuce)	New York.
Taphropeltus contractus (Lygaeidae)	On package containing grapes	Do.
Tapinoma sp. (ant)	Pisum sativum (pea)	Pennsylvania.
Targionia vitis (scale insect)	Vitis sp. (grape) (vine)	New York.
Tetranychus sp. (mite)	Citrus limonia (lemon) (10)	Do.
Thrips communis (thrips)	Allium cepa (onion)	Pennsylvania.
Thrips tabaci (onion thrips)	do	Do.
Tineid	Allium sativum (garlic)	New York.
Tortricid	Vitis sp. (grape)	Massachusetts.
Trioza alacris (Chermidae)	Laurus nobilis (Grecian laurel)	New York.
Trypetid	Citrus nobilis (tangerine)	Pennsylvania.
Do	Ficus sp. (fig)	Do.
Do	Prunus cerasus (cherry)	New York.
Tyroglyphus sp. (mite)	Allium cepa (onion) (3)	Pennsylvania.
Do	Citrus limonia (lemon)	New York.
Do	Malus sylvestris (apple)	Massachusetts.
Do	Solanum tuberosum (potato) (2)	Pennsylvania.
Do	Zea mays (corn) (stalk)	New York.
Diseases:		
Actinomyces scabies	Solanum tuberosum (potato) (6)	Florida.*
Ascochyta pisi	Pisum sativum (pea)	New York.
Bacterium tumefaciens	Malus sylvestris (apple) (stock) (2)	Michigan.*
Do	do	Pennsylvania.*
Do	Malus sp	New York.
Cladosporium oryzae	Oryza sativa (rice)	Do.
Fusarium sp	Solanum tuberosum (potato) (3)	Florida.*
Phyllosticta solitaria	Malus sp	Do.*
Phyllosticta sp	Citrus sp	Pennsylvania.
Puccinia allii	Allium sativum (garlic)	Louisiana.*
Do	Allium sativum (garlic) (3)	New York.
Puccinia malvacearum	Lavatera sp	Do.
Rhizoctonia sp	Solanum tuberosum (potato)	Florida.*
Sclerotium rolfsii	Allium cepa (onion)	Pennsylvania.
Spondylocladium atrovirens	Solanum tuberosum (potato) (3)	Florida.*
Tilletia foetans	Triticum aestivum (wheat)	New York.
Uromyces betae	Beta vulgaris cicla (chard)	Do.
Ustilago nuda	Hordeum vulgare (barley)	Massachusetts.
JAMAICA		
nsects:		
Aleurocanthus woglumi (citrus blackfly).	Citrus aurantifolia (lime)	Massachusetts.
Do	Citrus grandis (grapefruit)	Pennsylvania.
Do	Citrus nobilis (tangerine)	New York.
Do	Citrus sinensis (orange) (2)	Pennsylvania.
Do	Citrus sp. (leaf) (2)	Florida.*
Do	Citrus sp. (leaf)	Massachusetts.
Do	do	Pennsylvania.
Aleurocanthus sp. (whitefly)	Citrus nobilis (tangerine)	New York.
Do	Citrus sinensis (orange) (2)	Do.
Anastrepha fraterculus (West Indian fruit fly).	Achras sapota (sapodilla) (4)	Pennsylvania
Do	Mangifera indica (mango)	Louisiana.
Do	do	Maryland.
Do	Mangifera indica (mango) (11)	New York.
Do	Mangifera indica (mango) (15)	Pennsylvania.
Do	On paper in basket of mangoes	New York.
Anastrepha sp. (Trypetidae)	Achras sapota (sapodilla) (3)	Pennsylvania.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
JAMAICA—continued		
Insects—Continued.		
Anastrepha sp. (Trypetidae)	Annona cherimola (cherimoya)	Massachusetts.
Do	Mangifera indica (mango) (4)	New York.
Aphis torticauda (aphid)	Wedelia trilobata	Pennsylvania.
Aspidiotus cocotiphagus (scale insect)	Cocos nucifera (coconut)	Florida.*
Aspidiotus cyanophylli (scale insect)	Annona reticulata (custard apple)	New York.
Aspidiotus lataniae (scale insect)	Achras sapota (sapodilla)	Do.
Do	Chrysophyllum cainito (star apple)	Do.
Do	Vitis sp. (grape)	Pennsylvania.
Asterolecanium pustulans (scale insect)	Momordica balsamina (balsam apple)	Massachusetts.
Aulacaspis pentagona (West Indian peach scale).	Bryophyllum calycinum	Do.
Do	Bryophyllum pinnatum	Maryland.
Do	do	Pennsylvania.
Do	Bryophyllum sp.	Florida.*
Do	Carica papaya (papaya) (5)	New York.
Bephrata cubensis (Chalcididae)	Annona muricata (sour sop)	Pennsylvania.
Bephrata sp. (Chalcididae)	Annona muricata (sour sop) (2)	Do.
Do	Annona reticulata (custard apple)	Maryland.
Brachymyrmex heeri obscurior (ant)	Cymbopogon sp. (citronella grass)	Pennsylvania.
Camponotus abdominalis stercorarius (ant).	Musa sp. (banana)	Massachusetts.
Camponotus abdominalis var. (ant)	Haematoxylon campechianum (logwood) (2).	Pennsylvania.
Camponotus maculatus wiburdi (ant)	Musa sp. (banana) (2)	Massachusetts.
Do	Banana rubbish	Do.
Do	Musa sp. (banana)	Maryland.
Camponotus sp. (ant)	Mangifera indica (mango)	New York.
Do	Musa sp. (banana)	Maryland.
Do	do	Massachusetts.
Do	do	Pennsylvania.
Cecidomyiid	Ananas sativus (pineapple)	Pennsylvania.
Do	Citrus sinensis (orange)	New York.
Ceroplastes sp. (scale insect)	Mangifera indica (mango)	Pennsylvania.
Chionaspis citri (orange chionaspis)	Citrus aurantifolia (lime)	Louisiana.
Do	Citrus grandis (grapefruit)	Florida.*
Do	Citrus sinensis (orange)	Massachusetts.
Do	Citrus sp. (leaf)	Pennsylvania.
Do	Citrus sp. (stem)	Do.
Chlorops sp. (Oscinidae)	Musa sp. (banana)	Massachusetts.
Chrysomphalus aonidum (Florida: red scale).	Citrus grandis (grapefruit)	Florida.*
Do	Citrus grandis (grapefruit) (2)	Pennsylvania.
Do	Citrus sinensis (orange)	California.*
Do	do	Pennsylvania.
Do	Citrus sp. (leaf)	Do.
Chrysomphalus aurantii (California red scale).	Chrysophyllum cainito (star apple)	New York.
Do	Mangifera indica (mango)	Do.
Do	Vitis sp. (grape)	Pennsylvania.
Chrysomphalus dictyospermi (scale insect).	Artocarpus incisa (breadfruit)	New York.
Do	Citrus grandis (grapefruit)	Florida.*
Do	Mangifera indica (mango)	Maryland.
Do	do	New York.
Do	Musa sp. (banana)	Massachusetts.
Chrysomphalus sp. (scale insect)	Citrus grandis (grapefruit)	Pennsylvania.
Coccotrypes sp. (Scolytidae)	Areca sp. (seed)	District of Columbia.
Do	Copernicia cerifera (seed)	Do.
Do	Dictyosperma album (seed)	Do.
Do	Livistona sp. (palm)	Do.
Coccus hesperidum (soft brown scale)	Carica papaya (papaya)	Pennsylvania.
Do	Citrus sp.	Do.
Crematogaster victima steinhellii (ant)	Musa sp. (banana) (leaf)	Maryland.
Curculio	do	Massachusetts.
Curculionid	Dioscorea sp. (yam)	New York.
Cycloptilum antillarum (Gryllidae)	Musa sp. (banana)	Maryland.
Do	Musa sp. (banana) (2)	Massachusetts.
Dialeurodes sp. (whitefly)	Citrus sinensis (orange)	New York.
Diaprepes amabilis (Otiorhynchidae)	Musa sp. (banana)	Massachusetts.
Diaspis bromeliae (scale insect)	Selenicereus grandiflorus (queen-of-the-night).	District of Columbia.
Diaspis sp. (scale insect)	Musa sp. (banana)	New York.
Diatraea saccharalis (sugar-cane borer)	Saccharum officinarum (sugar cane)	Maryland.
Edessa cornuta (Pentatomidae)	Musa sp. (banana)	Pennsylvania.
Emporius signatus (Silvanidae)	Cymbopogon sp. (citronella grass)	Do.
Eupterygid	Wedelia trilobata	Do.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
JAMAICA—continued		
Insects—Continued.		
Euscepes batatae (West Indian sweet-potato weevil).	Dioscorea sp. (yam)	New York.
Do	do	Pennsylvania.
Do	Ipomoea batatas (sweet potato) (2)	New York.
Euxesta notata (Ortalidae)	Musa sp. (banana)	Maryland.
Euxesta sp. (Ortalidae)	Citrus sinensis (orange)	Pennsylvania.
Do	Mangifera indica (mango)	Do.
Do	Zea mays (corn)	New York.
Hemichionaspis minor (scale insect)	Annona muricata (sour sop)	Do.
Do	do	Pennsylvania.
Do	Annona reticulata (custard apple)	New York.
Do	Momordica balsamina (balsam apple)	Massachusetts.
Do	Thea sinensis (tea)	Pennsylvania.
Howardia biclavis (mining scale)	Achras sapota (sapodilla)	New York.
Do	Achras sapota (sapodilla) (2)	Pennsylvania.
Hypothenemus sp. (Scolytidae)	Dioscorea sp. (yam)	New York.
Do	Musa sp. (banana) (leaf)	Do.
Ischnaspis longirostris (thread scale)	Mangifera indica (mango) (2)	Pennsylvania.
Do	Unknown	Florida.*
Jamaicana subguttata (Tettigoniidae)	Musa sp. (banana) (2)	Massachusetts.
Lepidosaphes beckii (purple scale)	Citrus aurantifolia (lime)	Do.
Do	Citrus aurantifolia (lime) (2)	New York.
Do	Citrus aurantifolia (lime) (6)	Pennsylvania.
Do	Citrus grandis (grapefruit) (3)	Florida.*
Do	Citrus grandis (grapefruit) (4)	Massachusetts.
Do	Citrus grandis (grapefruit) (8)	New York.
Do	Citrus grandis (grapefruit) (14)	Pennsylvania.
Do	Citrus sinensis (orange)	California.*
Do	Citrus sinensis (orange) (2)	Florida.*
Do	Citrus sinensis (orange)	Maryland.
Do	Citrus sinensis (orange) (3)	Massachusetts.
Do	Citrus sinensis (orange)	New York.
Do	Citrus sinensis (orange) (10)	Pennsylvania.
Do	Citrus sp. (plant) (2)	Massachusetts.
Do	Citrus sp. (plant) (4)	Pennsylvania.
Lepidosaphes sp. (scale insect)	Citrus aurantifolia (lime)	Louisiana.
Do	Codiaeum sp. (croton)	Maryland.
Leucotermes sp. (termite)	Dioscorea sp. (yam)	New York.
Monomorium destructor (ant)	Citrus nobilis (tangerine)	Do.
Do	Dioscorea sp. (yam)	Do.
Do	Musa sp. (banana)	Pennsylvania.
Do	Palm	New York.
Monomorium pharaonis (Pharaoh's ant).	Allium sativum (garlic)	Maryland.
Do	Musa sp. (banana)	New York.
Do	Tea bush	Pennsylvania.
Monomorium sp. (ant)	Musa sp. (banana)	Do.
Mycetophilid	Carica papaya (papaya)	New York.
Myelois sp. (Pyralidae)	Tamarindus indica (tamarind)	Do.
Mylabris sp. (Mylabridae)	Cajanus indicus (pigeon pea) (2)	California.*
Myrmica sp. (ant)	Haematoxylon campechianum (logwood).	Pennsylvania.
Notophallus sp. (mite)	Musa sp. (banana)	Pennsylvania.
Nymphalid	Tea bush	Do.
Oecophorid	Musa sp. (banana) (stalk)	Do.
Pachymerus tamarindi (Mylabridae)	Tamarindus indica (tamarind) (2)	New York.
Parlatoria crotonis (scale insect)	Codiaeum sp. (croton)	Do.
Parlatoria pergandii (chaff scale)	Citrus sinensis (orange)	Pennsylvania.
Parlatoria sp. (scale insect)	Bryophyllum pinnatum	Maryland.
Pentalonia nigronervosa (aphid)	Musa sp. (banana)	Pennsylvania.
Pentatomid	do	Massachusetts.
Phenolia sp. (Nitidulidae)	Mangifera indica (mango)	Pennsylvania.
Prenolepis longicornis (crazy ant)	do	New York.
Do	Musa sp. (banana)	Massachusetts.
Do	Saccharum officinarum (sugar cane)	Pennsylvania.
Prenolepis vividula (ant)	Dioscorea sp. (yam)	Do.
Prenolepis sp. (ant)	Musa sp. (banana)	Do.
Pseudaonidia articulatus (rufous scale)	Chrysophyllum cainito (star apple)	New York.
Do	do	Pennsylvania.
Do	Citrus grandis (grapefruit)	Florida.*
Do	do	Pennsylvania.
Do	Citrus sinensis (orange)	Florida.*
Do	do	Pennsylvania.
Do	Citrus sp. (leaf) (2)	Massachusetts.
Do	Citrus sp. (leaf)	Pennsylvania.
Do	Mangifera indica (mango) (3)	New York.
Do	Mangifera indica (mango)	Pennsylvania.
Do	Vitis sp. (grape)	Do.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
JAMAICA—continued		
Insects—Continued.		
Pseudococcus adonidum (long-tailed mealybug).	Citrus sp. (stem)	Pennsylvania.
Do	Punica granatum (pomegranate)	New York.
Pseudococcus brevipes (pineapple mealybug).	Ananas sativus (pineapple)	Maryland.
Do	Ananas sativus (pineapple) (4)	Pennsylvania.
Pseudococcus citri (citrus mealybug)	Chayota edulis (chayote)	Maryland.
Pseudococcus maritimus (mealybug)	Carica papaya (papaya)	New York.
Do	Punica granatum (pomegranate)	Pennsylvania.
Pseudococcus virgatus (mealybug)	Vitis sp. (grape)	Do.
Pseudococcus sp. (mealybug)	Citrus grandis (grapefruit) (leaf and stem).	Do.
Do	Citrus sinensis (orange)	New York.
Do	Jew berry	Pennsylvania.
Do	Mangifera indica (mango)	Do.
Pterophorus sp. (Pterophoridae)	Unknown	Maryland.
Pulvinaria sp. (scale insect)	Bryophyllum pinnatum	Do.
Pyralid (Phycitinae)	Caryota mitis (caryota)	District of Columbia.
Do	Citrus aurantifolia (lime)	Louisiana.
Do	do	Pennsylvania.
Do	Mangifera indica (mango)	Do.
Do	Tea bush	Do.
Pyralid (Pyraustinae)	Wedelia trilobata	Do.
Pyralid	Herb	Maryland.
Rhizoglyphus sp. (mite)	Dioscorea sp. (yam)	Pennsylvania.
Do	Tea bush	Do.
Saissetia oleae (black scale)	Mangifera indica (mango)	New York.
Do	do	Pennsylvania.
Do	Momordica balsamina (balsam apple)	Massachusetts.
Do	Vitis sp. (grape)	Pennsylvania.
Sclara sp. (Mycetophilidae)	Citrus sinensis (orange)	Do.
Sitophilus linearis (tamarind pod-borer).	Tamarindus indica (tamarind)	New York.
Do	do	Pennsylvania.
Solenopsis geminata (ant)	Musa sp. (banana)	New York.
Solenopsis geminata rufa (ant)	Dioscorea sp. (yam)	Pennsylvania.
Do	Punica granatum (pomegranate)	Do.
Subulina octona (Mollusca)	In basket of oranges	Do.
Tapinoma melanocephalum (ant)	Banana rubbish	Massachusetts.
Do	Codiaeum sp. (croton)	Pennsylvania.
Do	Musa sp. (banana)	Maryland.
Do	do	Massachusetts.
Do	Punica granatum (pomegranate)	Pennsylvania.
Tapinoma sp. (ant)	Musa sp. (banana)	Maryland.
Targionia hartii (scale insect)	Dioscorea sp. (yam)	New York.
Tenuipalpus lineola (spinning mite)	Zingiber officinale (ginger)	Pennsylvania.
Termitid	Ananas sativus (pineapple)	Massachusetts.
Tetramorium guineense (ant)	Saccharum officinarum (sugar cane)	Pennsylvania.
Tineid	Dioscorea sp. (yam)	New York.
Do	do	Pennsylvania.
Do	Musa sp. (banana)	Massachusetts.
Do	Musa sp. (banana) (2)	New York.
Do	Musa sp. (banana) (4)	Pennsylvania.
Tisiphone mexicanus (Monotomidae)	Musa sp. (banana)	Do.
Trypetid	Mangifera indica (mango)	Do.
Veroniella sp. (Mollusca)	Musa sp. (banana)	Do.
Wasmannia auropunctata (ant)	Wormia burbidgei (plant)	District of Columbia.
Zabrotes pectoralis (Mylabridae)	Phaseolus sp. (bean)	Pennsylvania.
Diseases:		
Actinomyces scabies	Solanum tuberosum (potato)	Florida.*
Diplodia natalensis	Citrus aurantifolia (lime)	Louisiana.*
Leptothyrium sp	Blighia sapida (akee)	New York.
Phomopsis citri	Citrus aurantifolia (lime)	Florida.*
Do	do	Pennsylvania.
Rhizoctonia sp	Solanum tuberosum (potato)	Florida.*
Spondylocladium atrovirens	do	Do.*
Thielaviopsis paradoxa	Saccharum officinarum (sugar cane)	Maryland.
JAPAN		
Insects:		
Aiolomorphus rhopaloides (Chalcididae).	Bamboo (broom) (3)	Hawaii.*
Alphitobius diaperinus (Tenebrionidae).	Glycine soja (soybean)	Washington.
Anaglyptus sp. (Cerambycidae)	Quercus sp. (oak) (log) (2)	California.*
Ancylomia chrysographella (Pyralidae).	Oryza sativa (rice) (straw)	Massachusetts.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
JAPAN—continued		
Insects—Continued.		
Anisolabis marginalis (earwig)	Lilium sp. (lily) (bulb)	Washington.
Do	Oryza sativa (rice) (straw)	California.*
Anisolabis sp. (earwig)	Lilium sp. (lily) (bulb) (2)	Georgia.*
Do	Lilium sp. (lily) (bulb)	New York.
Do	do	Pennsylvania.
Do	Oryza sativa (rice) (straw)	California.*
Aphis sp. (aphid)	Amygdalus persica (flowering peach) (2).	Do.*
Aspidiotus camelliae (greedy scale)	Camellia sp. (2)	Do.*
Aspidiotus hederae (ivy scale)	Ardisia sp	Do.*
Aspidiotus perniciosus (San Jose scale).	Malus sylvestris (apple)	Do.*
Do	do	Washington.
Do	Prunus serrulata (oriental cherry) (seedling).	District of Columbia.
Do	Pyrus serotina (sand pear)	Hawaii.*
Aspidiotus sp. (scale insect)	Aspidistra sp	Washington.
Do	Camellia sp	California.*
Do	Citrus sinensis (orange)	Washington.
Ataenius sp. (Scarabaeidae)	Lilium longiflorum (Easter lily)	Georgia.*
Aulacaspis pentagona (West Indian peach scale).	Amygdalus persica (peach) (scion)	California.*
Do	Amygdalus persica (flowering peach)	Do.*
Do	Flowering shrub	Hawaii.*
Do	Prunus armeniaca (apricot)	California.*
Do	Prunus serrulata (oriental cherry)	District of Columbia.
Do	Prunus sp. (cherry) (seedling)	Do.
Do	Prunus sp. (cherry)	New York.
Do	Prunus sp. (plum)	Massachusetts.
Do	Undetermined plant	Hawaii.*
Do	Unknown plant	California.*
Do	Unknown	Do.*
Do	do	Washington.
Balaninus sp. (Curculionidae)	Castanea pumila (chinquapin)	District of Columbia.
Do	Castanea sp. (chestnut) (5)	California.*
Bucculatrix sp. (Lyonetiidae)	Camellia sp	Do.*
Buprestid	Quercus sp. (oak) (log)	Do.*
Calendrid	Lilium japonicum (Japanese lily)	Washington.
Calobata sp. (Micropezidae)	Lilium longiflorum (Easter lily)	Georgia.*
Camponotus marginatus var. (ant)	Bamboo (broom) (2)	Hawaii.*
Camponotus sp. (ant)	Paulownia sp. (log) (4)	Do.*
Cecidomyiid	Lilium rubrum (lily)	Pennsylvania.
Cerambycid	Quercus sp. (oak) (log)	California.*
Cercopid	Pittosporum sp	Do.*
Ceroplastes ceriferus (scale insect)	Camellia sp. (4)	Do.*
Do	Daphne sp	Do.*
Do	Undetermined plant (4)	Do.*
Ceroplastes floridensis (Florida wax scale).	Aspidistra sp	Washington.
Do	Euonymus japonicus (evergreen burning bush).	California.*
Do	Ilex cornuta (Chinese holly)	Washington.
Do	Undetermined plant (2)	California.*
Ceroplastes rubens (scale insect)	Camellia sp	Do.*
Ceroplastes sp. (scale insect)	Daphne sp	Do.*
Chionaspis citri (orange chionaspis)	Citrus sinensis (orange)	Do.*
Chionaspis euonymi (euonymus scale)	Euonymus japonicus (evergreen euonymus).	Do.*
Do	Ornamental plant	Washington.
Chionaspis yanonensis (scale insect)	Citrus sinensis (orange)	Do.
Chrysomelid	Quercus sp. (oak) (log)	California.*
Chrysomphalus aonidum (Florida red scale).	Ardisia sp	Do.*
Do	Cinnamomum zeylanicum (cinnamon)	Do.*
Do	Citrus sinensis (orange)	Do.*
Do	Euonymus japonicus (evergreen burning bush).	Do.*
Chrysomphalus aurantii (California red scale).	Aucuba sp	Washington.
Chrysomphalus dictyospermi var. (scale insect).	Aspidistra sp	Do.
Do	Palm	Do.
Coccinae (scale insect)	Diospyros sp. (persimmon)	District of Columbia.
Coccus hesperidum (soft brown scale)	Lilium sp. (lily)	Oregon.
Do	Palm	Washington.
Do	Undetermined plant	California.*
Crematogaster laboriosa (ant)	Paulownia sp. (log) (2)	Hawaii.*
Crematogaster sp. (ant)	Prunus armeniaca (apricot)	California.*

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
JAPAN—continued		
Insects—Continued.		
Cucujid	Quercus sp. (oak) (log)	California.
Curculionid	Lilium sp. (lily)	New York.
Do	Unknown seed	District of Columbia.
Dermestes sp. (Dermestidae)	Castanea sp. (chestnut)	California.*
Do	Juglans sp. (walnut)	Do.*
Dermestid	Capsicum annuum (chili pepper)	Do.*
Diaspinae (scale insect)	Grass	Washington.
Dinoderus sp. (Bostrichidae)	Ginkgo biloba (seed)	California.*
Elaterid	Lilium sp. (lily) (bulb)	Do.*
Do	Quercus sp. (oak) (log)	Do.*
Emporius signatus (Silvanidae)	Lilium sp. (lily) (bulb)	Pennsylvania.
Ephestia sp. (Pyralidae)	Capsicum annum (chili pepper) (4)	California.*
Florinia floriniae (scale insect)	Undetermined plant (2)	Do.*
Galerucella sp. (Chrysomelidae)	Quercus sp. (oak) (log) (2)	California.*
Halticinae (Chrysomelidae)	Lilium sp. (lily) (bulb)	New York.
Do	In soil around lily bulbs	District of Columbia.
Hemichionaspis aspidistrae (aspidistra scale).	Aspidistra sp. (2)	California.*
Do	Aspidistra sp	Oregon.
Do	Citrus nobilis (tangerine)	California.*
Do	do	Hawaii.*
Do	Citrus sinensis (orange) (4)	California.*
Do	Citrus sinensis (orange)	Washington.
Do	Citrus sp	Hawaii.*
Do	Undertermined plant	California.*
Icerya sp. (scale insect)	Paeonia sp. (peony)	Hawaii.*
Do	Undetermined plant	Do.*
Lasius niger (ant)	Lilium sp. (lily) (2)	California.*
Do	Quercus sp. (oak) (log)	Do.*
Lasius sp. (ant)	Lilium sp. (lily) (bulb)	Washington.
Laspeyresia molesta (oriental peach moth)	Pyrus sp. (pear)	California.*
Lepidosaphes beckii (purple scale)	Citrus aurantium (sour orange)	Hawaii.*
Do	Citrus grandis (grapefruit)	California.*
Do	Citrus limonia (lemon)	Do.*
Do	Citrus sinensis (orange)	Do.*
Do	do	Hawaii.*
Lepidosaphes conchiformis (scale insect).	Pyrus communis (pear)	Washington.
Lepidosaphes ficus (scale insect)	do	California.*
Do	Pyrus communis (pear) (2)	Washington.
Do	Pyrus serotina (sand pear) (8)	Hawaii.*
Lepidosaphes gloverii (Glover's scale)	Citrus nobilis (tangerine)	California.*
Do	Citrus sinensis (orange)	Do.*
Lepidosaphes lasianthi (scale insect)	Camellia sp. (2)	Do.*
Lepidosaphes pallida (scale insect)	Undetermined plant	Do.*
Lepidosaphes sp. (scale insect)	Euonymus japonicus (evergreen burning bush)	Do.*
Do	Pyrus serotina (sand pear)	Hawaii.*
Do	Undetermined plant	Do.*
Leucaspis bambusae (scale insect)	Bamboo	California.*
Librodor japonicus (Nitidulidae)	Paulownia sp. (log)	Hawaii.*
Lobopoda fuliginosa (Alleculidae)	do	Do.*
Lymantriid	Quercus sp. (oak) (log)	California.*
Macrosiphoniella sanborni (aphid)	Chrysanthemum sp. (plant)	Hawaii.*
Do	do	Washington.
Melanotus sp. (Elateridae)	Lilium sp. (lily) (bulb)	Illinois.
Do	do	Pennsylvania.
Do	do	Washington.
Microclytus sp. (Cerambycidae)	Quercus sp. (oak) (log)	California.*
Mirid	do	Do.*
Monomorium pharaonis (Pharaoh's ant).	Soil	Do.*
Mylabris sp. (Mylabridae)	Ipomoea sp. (morning glory) (seed)	Hawaii.*
Myzus persicae (green peach aphid)	Primula sp. (primrose)	Washington.
Olethreutes sp. (Olethreutidae)	"Gumi" plant	California.*
Olethreutid	Lilium sp. (lily) (bulb)	Illinois.
Do	Sapindus sp. (soapberry)	District of Columbia.
Do	Unknown seed	Do.
Ortalid	Lilium longiflorum (Easter lily)	Georgia.*
Parlatoria pergandii (chaff scale)	Camellia sp. (2)	California.*
Do	Citrus nobilis (tangerine)	Do.*
Do	Citrus sinensis (orange) (6)	Do.*
Do	Citrus sinensis (orange) (2)	Washington.
Do	Citrus sp	Oregon.
Do	Mahonia sp. (holly grape)	California.*
Do	Pyrus serotina (sand pear) (2)	Hawaii.*
Parlatoria proteus (scale insect)	Mahonia sp. (holly grape)	California.*

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
JAPAN—continued		
Insects—Continued.		
Parlatoria theae (scale insect)	Acer sp. (maple)	Florida.*
Do	Aucuba sp	Washington.
Do	Poinsettia pulcherrima (poinsettia)	Massachusetts.
Parlatoria theae viridis (scale insect)	Acer sp. (maple)	Washington.
Do	Pyrus communis (pear)	Do.
Parlatoria ziziphus (scale insect)	Citrus grandis (grapefruit)	California.*
Do	Citrus sinensis (orange) (3)	Do.*
Phenacaspis sp. (scale insect)	Palm	Washington.
Do	Undetermined plant	California.*
Poliaspis pini (scale insect)	Pinus sp. (pine)	Do.*
Ponerid (ant)	Lilium sp. (lily) (bulb)	Do.*
Porcellio sp. (isopod)	do	Pennsylvania.
Porthetria dispar (gipsy moth)	Evergreen plant	California.*
Do	Quercus sp. (oak) (log)	Do.*
Prenolepis flavipes (ant)	Lilium sp. (lily)	Do.*
Prenolepis sp. (ant)	Castanea sp. (chestnut) (2)	Hawaii.*
Do	Paulownia sp. (log)	Do.*
Pseudaonidia clavigera (scale insect)	Cinnamomum zeylanicum (cinnamon)	California.*
Pseudaonidia duplex (scale insect)	Citrus sinensis (orange)	Do.*
Do	Citrus sinensis (orange) (2)	Washington.
Do	Cuttings	California.*
Pseudaonidia paeoniae (scale insect)	Aspidistra sp	Washington.
Do	Azalea sp	California.*
Pseudaonidia trilobitiformis (scale insect).	Citrus sinensis (orange) (3)	Do.*
Do	Citrus sinensis (orange)	Washington.
Pseudococcus adonidum (long-tailed mealybug).	Euonymus sp	California.*
Do	Undetermined plant (2)	Do.*
Pseudococcus citri (citrus mealybug)	Citrus nobilis deliciosa (mandarin orange).	Do.*
Do	Citrus sinensis (orange)	Do.*
Do	Coleus sp	Washington.
Do	Cucurbita maxima (squash)	California.*
Pseudococcus pini (mealybug)	Pinus sp. (pine)	New York.
Pseudococcus sp. (mealybug)	Aucuba sp	Washington.
Do	Pyrus serotina (sand pear)	Hawaii.*
Do	Pyrus sp. (pear)	California.*
Do	Sciadopitys verticillata (umbrella-pine) (2).	Do.*
Do	Undetermined plant (2)	Do.*
Do	Undetermined plant	Hawaii.*
Psychid	Aspidistra sp	Washington.
Do	Juniperus sp. (juniper)	Do.
Pteromalid	Bamboo (broom)	Hawaii.*
Pulvinaria sp. (scale insect)	Camellia sp. (2)	California.*
Do	Pittosporum sp	Do.*
Pyralid (Crambinae)	Sagittaria sp. (arrowhead)	Washington.
Do	Straw (2)	Florida.*
Pyralid (Phycitinae)	Pyrus ussuriensis (Ussurian pear)	Washington.
Do	Sapindus sp. (soapberry)	District of Columbia.
Pyralid	Capsicum annuum (chili pepper)	Washington.
Do	Diospyros sp. (persimmon)	California.*
Rhizoglyphus hyacinthi (bulb mite)	Allium cepa (onion)	New York.
Do	do	Washington.
Do	Lilium auratum (goldband lily) (2)	Pennsylvania.
Do	Lilium rubrum (lily) (bulb) (2)	Do.
Do	Lilium tigrinum (tiger lily)	New York.
Do	Lilium sp. (lily) (bulb)	California.*
Do	do	Illinois.
Do	Lilium sp. (lily) (bulb) (4)	New York.
Do	Lilium sp. (lily) (bulb) (8)	Pennsylvania.
Do	Lilium sp. (lily) (bulb) (5)	Washington.
Rhizoglyphus phylloxerae (mite)	Allium cepa (onion)	Do.
Rhizoglyphus sp. (mite)	Colocasia esculenta (taro)	Oregon.
Do	Lilium japonicum (Japanese lily)	Pennsylvania.
Do	Lilium longiflorum (Easter lily)	Georgia.*
Rhopalosiphum pseudobrassicae (aphid).	Beta sp. (chard)	Washington.
Sciara sp. (Mycetophilidae)	Lilium sp. (lily) (bulb) (2)	New York.
Scolytid	Quercus sp. (oak) (log)	California.*
Sigibius sp. (myriapod)	Lilium sp. (lily) (bulb)	Illinois.
Silvanid	Quercus sp. (oak)	California.*
Stephanitis sp. (Tingididae)	Azalea sp	Washington.
Syrphid	Rosa sp. (rose)	California.*
Tarsonemus sp. (mite)	Diospyros sp. (persimmon)	Massachusetts.
Tenuipalpus sp. (mite)	Poinsettia pulcherrima (poinsettia)	Do.
Tetramorium sp. (ant)	In soil around plants (2)	Hawaii.*
Tetranychus sp. (mite)	Prunus sp. (plum)	Massachusetts.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
JAPAN—continued		
Insects—Continued.		
Trichoniscus sp. (isopod)	Lilium sp. (lily) (bulb)	Illinois.
Tyroglyphus sp. (mite)	Cactus plant	Pennsylvania.
Diseases:		
Bacterium citri	Citrus sinensis (orange)	Washington.
Cladosporium citri	Citrus nobilis (tangerine)	Do.
Do	Citrus sinensis (orange)	Hawaii.*
Do	do	Oregon.
Cladosporium sp	Citrus sinensis (orange)	California.*
Colletotrichum sp	Liriope sp	District of Columbia.
Helminthosporium sp	do	Do.
Heterodera radicicola	Dahlia sp. (tuber)	California.*
Penicillium digitatum	Citrus nobilis (tangerine)	Washington.
Phoma citricarpa	Citrus sinensis (orange)	California.*
Phomopsis citri	Citrus aurantium (sour orange)	Hawaii.*
Do	do	Washington.
Do	Citrus nobilis (tangerine)	Hawaii.*
Do	Citrus sinensis (orange)	Washington.
Puccinia sp	Arundinaria japonica (arrow bamboo)	District of Columbia.
Sclerotinia libertiana	Allium cepa (onion)	Washington.
Ustilaginoidea virens	Oryza sativa (rice)	District of Columbia.
JAVA		
Insects:		
Araecerus fasciculatus (coffee-bean weevil).	Coffea sp. (coffee)	Hawaii.*
Do	In husk of Ptychoraphis augusta (palm) (seed).	District of Columbia.
Chelifer sp. (mite)	Colocasia monorrhiza (tuber)	Do.
Chrysomphalus dictyospermi (scale insect).	Castanea argentea (chestnut)	Do.
Curculionid	In husk of Ptychoraphis augusta (palm) (seed).	Do.
Do	Oncosperma filamentosa	Do.
Drepanaphis sp. (aphid)	Castanea sp. (chestnut)	Do.
Prenolepis sp. (ant)	Kaempferia galanga (root)	Do.
Targionia sp. (scale insect)	do	Do.
Tenebrionid	Coffea sp. (coffee)	Hawaii.*
LESSER ANTILLES		
Insects:		
Diaspis echinocacti opuntiae (scale insect).	Opuntia sp. (prickly pear)	District of Columbia.
MADEIRA ISLANDS		
Insects:		
Aspidiotus hederae (ivy scale)	Citrus limonia (lemon)	Massachusetts.
Aulacaspis rosae (rose scale)	Rosa sp. (rose) (bush)	Do.
Ceratitis capitata (Mediterranean fruit fly).	Malus sylvestris (apple)	Do.
Diaspis echinocacti (scale insect)	Opuntia sp. (prickly pear)	Do.
Orhtomorpha sp. (myriapod)	In soil around roots of summer savory)	Do.
Polydesmus sp. (myriapod)	Satureia hortensis (summer savory)	Do.
Porcellio sp. (isopod)	In soil around roots of summer savory	Do.
Pseudococcus adonidum (long-tailed mealybug).	Chayota edulis (chayote)	Do.
Pseudococcus citri (citrus mealybug)	Annona cherimola (cherimoya)	Do.
Do	Chayota edulis (chayote)	Do.
Do	Malus sylvestris (apple)	Do.
Do	Punica granatum (pomegranate)	Do.
Pseudococcus maritimus (mealybug)	Chayota edulis (chayote)	Do.
Do	Satureia hortensis (summer savory)	Do.
Pseudococcus sp. (mealybug)	Chayota edulis (chayote)	Do.
Pyralid (Phycitinae)	Punica granatum (pomegranate)	Do.
Saissetia hemisphaerica (hemispherical scale).	Annona cherimola (cherimoya)	Do.
Saissetia nigra (scale insect)	do	Do.
Saissetia oleae (black scale)	do	Do.
Sciara sp. (Mycetophilidae)	In soil around potted plant	Do.
Do	In soil around summer savory	Do.
Do	Satureia hortensis (summer savory)	Do.
Tyroglyphus sp. (mite)	Malus sylvestris (apple)	Do.
MALTA		
Insects:		
Olethreutid	Solanum tuberosum (potato)	New York.
Phthorimea operculella (potato-tuber moth).	do	Florida.*
Do	Solanum tuberosum (potato) (3)	New York.
Pyralid (Pyraustinae)	Solanum melongena (egg plant)	Massachusetts.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
MANCHURIA		
Insects:		
Ephestia sp. (Pyralidae)	Juglans sp. (walnut)	California.*
Gymnetron sp. (Curculionidae)	Legume (seed and pod)	District of Columbia.
MARTINIQUE		
Insects:		
Lepidosaphes beckii (purple scale)	Citrus sinensis (orange) (2)	California.*
Parlatoria pergandii (chaff scale)	Citrus nobilis (tangerine)	Do.*
Pseudaonidia articulatus (rufous scale)	do	Do.*
Do	Citrus sinensis (orange)	Do.*
MESOPOTAMIA		
Insects:		
Rhizoglyphus sp. (mite)	Allium cepa (onion)	Pennsylvania.
MEXICO		
Insects:		
Anarsia lineatella (peach-twig borer)	Amygdalus persica (peach)	Texas.
Anastrepha fraterculus (West Indian fruit fly).	Mangifera indica (mango) (2)	Do.
Do	Psidium guajava (guava) (3)	Do.
Anastrepha ludens (Mexican fruit fly)	Amygdalus persica (peach)	Do.
Do	Citrus grandis (grapefruit)	Florida.*
Do	Citrus limetta (sweet lime)	Texas.
Do	Citrus sinensis (orange)	Florida.*
Do	Citrus sinensis (orange) (5)	Texas.
Do	Cydonia oblonga (quince)	Do.
Do	Lucuma mammosa (sapote)	Do.
Do	Malus sylvestris (apple)	Do.
Do	Mammea americana (mamey)	Do.
Do	Mangifera indica (mango)	California.*
Do	Mangifera indica (mango) (25)	Texas.
Do	Pyrus communis (pear) (2)	Do.
Anastrepha serpentina (Trypetidae)	Annona cherimola (cherimoya)	Do.
Anastrepha striata (Trypetidae)	Psidium guajava (guava)	Do.
Anastrepha sp. (Trypetidae)	Cydonia oblonga (quince) (2)	Do.
Anisolabis annulipes (earwig)	Ipomoea batatas (sweet potato)	New York.
Anisolabis sp. (earwig)	Mangifera indica (mango)	Do.
Anthomyiid	Capsicum annuum (pepper)	Do.
Do	Lactuca sativa (lettuce)	Texas.
Do	Persea americana (avocado)	New York.
Anthonomus eugenii (pepper weevil)	Capsicum annuum (pepper)	Do.
Do	Capsicum annuum (pepper) (6)	Texas.
Anthonomus grandis (boll weevil)	Gossypium sp. (cotton) (seed)	Arizona.
Do	Gossypium sp. (cotton) (seed and boll)	Texas.
Anuraphis tulipae (aphid)	Iris sp	Texas.
Aphis nerii (aphid)	Nerium oleander (oleander)	Do.
Araecerus fasciculatus (coffee-bean weevil).	Agave sisalana (sisal) (fiber)	New York.
Do	Coffea sp. (coffee)	California.*
Do	Phaseolus sp. (bean)	Do.*
Aspidiotus camelliae (greedy scale)	Citrus aurantium (sour orange)	New York.
Do	Persea americana (avocado)	Texas.
Do	Psidium guajava (guava)	Do.
Aspidiotus cyanophylli (scale insect)	Citrus aurantifolia (lime)	California.*
Aspidiotus diffinis (scale insect)	Bromeliaceous plant	District of Columbia.
Aspidiotus hederae (ivy scale)	Citrus aurantifolia (lime)	California.*
Do	Citrus limetta (sweet lime)	Texas.
Do	Nerium oleander (oleander)	Do.
Aspidiotus lataniae (scale insect)	Citrus sinensis (orange)	California.*
Do	Cocos nucifera (coconut)	Do.*
Do	Lucuma mammosa (sapote)	Do.*
Do	Mangifera indica (mango)	Texas.
Do	Musa sp. (banana) (stem)	California.*
Do	Unknown twig	Texas.
Aspidiotus sp. (scale insect)	Achras sapota (sapodilla)	Do.
Balaninus sp. (Curculionidae)	Quercus sp. (oak) (acorn)	Do.
Bephrata cubensis (Chalcididae)	Annona sp. (seed)	District of Columbia.
Brevicoryne brassicae (aphid)	Brassica oleracea botrytis (cauliflower)	Pennsylvania.
Brochymena arborea (Pentatomidae)	Musa sp. (banana)	Louisiana.
Callimomid	Stem of grass used for packing	California.*
Carpocapsa pomonella (codling moth)	Cydonia oblonga (quince)	Texas.
Do	Malus sylvestris (apple)	Do.
Do	Pyrus communis (pear) (4)	Do.
Carpocapsa sp. (Olethreutidae)	Pyrus communis (pear)	Do.
Catorama sp. (Anobiidae)	Capsicum annuum (pepper)	New York.
Do	Ceiba sp	District of Columbia.
Centrinus sp. (Curculionidae)	Echinochloa sp	Do.
Cerambycid	Mammillaria sp. (plant)	Do.
Chion cinctus (belted chion)	Unknown	Texas.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
MEXICO—continued		
Insects—Continued.		
Chloridea obsoleta (corn earworm)	Lycopersicum esculentum (tomato) (13).	California *
Do	Lycopersicum esculentum (tomato) (3).	Massachusetts.
Do	Lycopersicum esculentum (tomato)	Missouri.
Do	do	Texas.
Do	do	Washington.
Chloridea sp. (Noctuidae)	Capsicum annuum (pepper) (2)	Texas.
Do	Cucurbita maxima (squash)	Do.
Do	Lathyrus odoratus (sweet pea)	Do.
Do	Phaseolus sp. (bean)	Do.
Do	Pisum sativum (pea)	Do.
Chrysomphalus aonidum (Florida red scale).	Citrus aurantifolia (lime) (6)	California.*
Do	Citrus sinensis (orange) (3)	California.*
Do	Citrus sinensis (orange)	Louisiana.
Do	Citrus sinensis (orange) (2)	Texas.
Do	Sword plant	California.*
Chrysomphalus aurantii (California red scale).	Citrus aurantifolia (lime)	Arizona.
Do	Citrus aurantifolia (lime) (3)	California.*
Do	Citrus limonia (lemon)	Arizona.
Do	Citrus sinensis (orange)	California.*
Do	do	Texas.
Do	Rosa sp. (rose) (cutting)	Arizona.
Chrysomphalus dictyospermi (scale insect).	Citrus aurantifolia (lime)	California.*
Do	Citrus sinensis (orange) (2)	Florida.*
Do	Citrus sinensis (orange)	Texas.
Chrysomphalus personatus (scale insect).	do	California.*
Chrysomphalus scutiformis (scale insect).	Citrus aurantifolia (lime) (3)	Do.*
Do	Citrus limetta (sweet lime)	Do.*
Chrysomphalus sp. (scale insect)	Citrus aurantifolia (lime)	Do.*
Do	Citrus limetta (sweet lime)	Texas.
Coccus hesperidum (soft brown scale)	Citrus sinensis (orange)	California.*
Coccus sp. (scale insect)	Aucuba sp	Do.*
Conotrachelus aguacatae (Curculionidae).	Persea americana (avocado) (11)	Texas.
Do	In soil around avocado	Do.
Conotrachelus sp. (Curculionidae)	Persea americana (avocado) (11)	Do.
Crematogaster sp. (ant)	Citrus sinensis (orange)	Louisiana.
Do	In rubbish with bananas	Texas.
Curculionid	Capsicum annuum (chili pepper)	Do.
Do	Capsicum annuum (pepper)	Do.
Do	Chamaedorea sp. (seed)	District of Columbia.
Do	Psidium guajava (guava)	Texas.
Cylas sp. (Curculionidae)	Capsicum annum (pepper)	Do.
Cynipid	Quercus sp. (oak) (acorn)	Arizona.
Diaspis echinocacti cacti (scale insect)	Echinofossulocactus sp. (plant)	District of Columbia.
Do	Opuntia sp. (prickly pear) (2)	Do.
Do	Phyllocactus sp. (cactus)	Do.
Diaspis echinocacti opuntiae (scale insect).	Phyllocactus latifrons (cactus)	Do.
Diaspis sp. (scale insect)	Orchid leaf	Do.
Diatraea saccharalis (sugar-cane borer)	Saccharum officinarum (sugar cane)	Texas.
Diatraea sp. (Pyralidae)	Holcus sorghum var. (broomcorn)	Do.
Do	Saccharum officinarum (sugar cane)	Arizona.
Do	do	California.*
Dicymolomia sp. (Pyralidae)	Gossypium sp. (cotton) (seed)	Texas.
Dinoderus truncatus (Bostrichidae)	Zea mays (corn)	California.*
Endomychid	Citrus sinensis (orange)	Texas.
Ephestia sp. (Pyralidae)	Cucurbita maxima (squash)	Do.
Do	Ficus sp. (fig)	Do.
Do	Gossypium sp. (cotton) (seed) (3)	Do.
Do	Quercus sp. (oak) (acorn)	Arizona.
Do	Theobroma cacao (cacao bean)	California.*
Do	Unknown	Texas.
Do	Zea mays (corn) (husk)	Do.
Epicaerus cognatus (Curculionidae)	Solanum tuberosum (potato)	Louisiana.
Euxesta sp. (Ortalidae)	Chamaedorea sp. (seed)	District of Columbia.
Do	Citrus sinensis (orange)	Texas.
Do	Lucuma mammosa (sapote) (seed)	District of Columbia.
Do	Musa sp. (banana)	Louisiana.
Do	Persea americana (avocado)	Texas.
Do	Psidium guajava (guava)	Do.
Do	Zea mays (corn)	Do.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
MEXICO—continued		
Insects—Continued.		
Furcaspis sp. (scale insect)	Kentia sp	Texas
Gelechiid	Cedar (seed)	Do.
Do	Lycopersicum esculetum (tomato)	Arizona.
Gerstaeckeria sp. (Curculionidae)	Cactus	District of Columbia.
Do	Mammillaria candida (cactus)	Texas.
Heilipus lauri (avocado weevil)	Persea americana (avocado) (12)	Do.
Heilipus perseae (Curculionidae)	Persea americana (avocado)	Arizona.
Do	Persea americana (avocado) (7)	Texas.
Heilipus sp. (Curculionidae)	Persea americana (avocado) (2)	Do.
Hemichionaspis minor (scale insect)	Cocos nucifera (coconut)	California.*
Hemichionaspis sp. (scale insect)	Smilax sp. (greenbrier)	Do.*
Hesperiid	Kentia sp	Texas.
Icerya purchasi (cottony-cushion scale).	Ivy	Arizona.
Ischnaspis longirostris (thread scale)	Coffea sp. (coffee) (plant)	California.*
Lasioderma sp. (Ptinidae)	Capsium annuum (pepper)	New York.
Laspeyresia sp. (Olethreutidae)	Amygdalus persica (peach)	Texas.
Do	Cydonia oblonga (quince)	Do.
Lepidosaphes beckii (purple scale)	Citrus aurantifolia (lime) (8)	California.*
Do	Citrus aurantifolia (lime) (2)	Florida.*
Do	Citrus grandis (grapefruit)	Do.*
Do	Citrus limetta (sweet lime)	California.*
Do	Citrus limonia (lemon)	Do.*
Do	do	Louisiana.
Do	Citrus nobilis (tangerine)	Texas.
Do	Citrus sinensis (orange) (6)	California.*
Do	Citrus sinensis (orange) (4)	Florida.*
Do	Citrus sinensis (orange)	Louisiana.
Do	do	New York.
Lepidosaphes gloverii (Glover's scale)	Citrus aurantifolia (lime) (14)	California.*
Do	Citrus limetta (sweet lime)	Do.*
Do	Citrus sinensis (orange) (3)	Do.*
Do	Citrus sinensis (orange)	New York.
Do	do	Texas.
Lepidosaphes sp. (scale insect)	Kentia sp	Do.
Lygaeus lateralis (Lygaeidae)	Capsicum annuum (pepper)	Do.
Do	Lactuca sativa (lettuce)	Do.
Metamasius sericeus carbonarius (Curculionidae).	Unknown	Alabama.
Microtrobidium sp. (mite)	Forest moss	Louisiana.
Mirosternus sericatus (Anobiidae)	Capsicum annuum (pepper)	Illinois.
Monomorium pharaonis (Pharaoh's ant).	Citrus aurantifolia (lime)	California.*
Mormidea tetra (Pentatomidae)	Oryza sativa (rice) (paddy)	Louisiana.
Mylabris amicus (Mylabridae)	Prosopis juliflora (mesquite)	Texas.
Mylabris limbatus (Mylabridae)	Pithecollobium dulce (guamuchil) (seed).	California.*
Mylabris protractus (Mylabridae)	Prosopis juliflora (mesquite)	Texas.
Mylabris sp. (Mylabridae)	Caesalpinia coriaria (divi-divi)	Do.
Do	Prosopis juliflora (mesquite)	Do.
Noctuid	Brassica oleracea botrytis (cauliflower)	Pennsylvania.
Do	Holcus halepensis (Johnson grass)	Arizona.
Do	Lycopersicum esculentum (tomato)	Do.
Olethreutid	Amygdalus persica (peach) (2)	Texas.
Do	Annona cherimola (cherimoya)	Do.
Do	Cydonia oblonga (quince) (2)	Do.
Do	Holcus sorghum var. (broomcorn)	Do.
Do	In box car carrying alfalfa	Do.
Do	Pyrus communis (pear) (3)	Do.
Do	Tejocote	Do.
Ortalid	Forest moss	Louisiana.
Oscinis sp. (Oscinidae)	Persea americana (avocado)	Texas.
Ostomid	In R. R. car near cotton seed	Do.
Pachymerus bactris (Mylabridae)	Chamaedorea sp. (seed)	District of Columbia.
Pangaeus sp. (Cydnidae)	Forest moss (2)	Louisiana.
Paragus sp. (Syrphidae)	Psidium guajava (guava)	Texas.
Paratenetus sp. (Tenebrionidae)	Jocote seed	District of Columbia.
Parlatoria cinerea (scale insect)	Citrus aurantifolia (lime) (2)	California.*
Do	Citrus sinensis (orange)	Do.*
Parlatoria pergandii (chaff scale)	Citrus aurantium (sour orange)	New York.
Do	Citrus grandis (grapefruit)	Florida.*
Do	Citrus limonia (lemon)	Louisiana.
Do	do	Texas.
Do	Citrus nobilis (tangerine)	Florida.*
Do	do	Texas.
Do	Citrus sinensis (orange)	California.*
Do	Citrus sinensis (orange) (2)	Florida.*
Do	Citrus sinensis (orange)	Louisiana.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
MEXICO—continued		
Insects—Continued.		
Parlatoria pergandii (chaff scale)	Citrus sinensis (orange) (2)	New York.
Do	Citrus sinensis (orange) (3)	Texas.
Parlatoria sp. (scale insect)	Rosa sp. (rose) (cutting)	Arizona.
Pectinophora gossypiella (pink bollworm).	Gossypium sp. (cotton) (seed) (64)	Texas.
Do	Near cotton seed	Do.
Do	Railroad car hauling cotton seed (5)	Do.
Phalantha intricata (Endomychidae)	Musa sp. (banana) (leaf)	Louisiana.
Phenacoccus sp. (mealybug)	Neomammillaria sp. (plant)	District of Columbia.
Phthorimaea operculella (potato-tuber moth).	Solanum tuberosum (potato) (3)	Arizona.
Do	Solanum tuberosum (potato)	South Carolina.
Do	do	Texas.
Phytometra brassicae (Noctuidae)	Lactuca sativa (lettuce)	Do.
Phytometra sp. (Noctuidae)	do	Do.
Pieris sp. (Pieridae)	Capsicum annuum (pepper)	California.*
Polyphylla subvittata (Scarabaeidae)	Persea americana (avocado)	Texas.
Porcellionides pruinosus (isopod)	In crate with oranges	New York.
Prenolepis sp. (ant)	Log	California.*
Prolabia arachidis (earwig)	Solanum tuberosum (potato)	Texas.
Pseudaonidia articulatus (rufous scale)	Citrus aurantifolia (lime)	California.*
Do	Citrus sinensis (orange)	Florida.*
Do	Cocos nucifera (coconut)	California.*
Do	Coffea sp. (coffee) (berry)	Do.*
Pseudococcus citri (citrus mealybug)	Chayota edulis (chayote)	District of Columbia.
Do	Citrus sinensis (orange)	New York.
Pseudococcus sp. (mealybug)	Cactus	District of Columbia.
Do	Punica granatum (pomegranate)	California.*
Pseudomyrma sp. (ant)	Acacia sp	Texas.
Pyralid (Phycitinae)	Acorus sp. (sweet flag)	Do.
Do	Gossypium sp. (cotton) (seed) (3)	Do.
Do	Huamuchil fruit	Arizona.
Do	Near cotton seed (2)	Texas.
Pyralid (Pyraustinae)	Phaseolus lunatus macrocarpus (lima bean).	Do.
Pyralid (Phycitinae)	Punica granatum (pomegranate)	Arizona.
Do	Quercus emoryi (oak) (acorn)	Do.
Pyralid (Crambinae)	Saccharum officinarum (sugar cane)	Texas.
Pyralid (Phycitinae)	Zea mays (corn)	Do.
Rhizoglyphus sp. (mite)	Persea americana (avocado)	Arizona.
Saissetia hemisphaerica (hemispherical scale).	Bryophyllum crenata	Texas.
Do	Colocasia sp	California.*
Saissetia nigra (scale insect)	Bryophyllum crenata	Texas.
Do	Mangifera indica (mango)	Do.
Sciara sp. (Mycetophilidae)	Forest moss	Louisiana.
Do	Psidium guajava (guava)	Texas.
Do	Solanum tuberosum (potato)	Arizona.
Do	do	Louisiana.
Sitophilus linearis (tamarind podborer).	Tamarindus indica (tamarind)	Arizona.
Do	do	Texas.
Solenopsis geminata rufa (ant)	In package with plants and seeds	Louisiana.
Spermophagus pectoralis (Mylabridae).	Phaseolus sp. (bean) (2)	California.*
Spiraxis sp. (Mollusca)	Forest moss	Louisiana.
Stenoma sp. (Stenomidae)	Persea americana (avocado)	Arizona.
Stenomid	Jacquinia aurantiaca	Do.
Syrphus sp. (Syrphidae)	Brassica oleracea botrytis (cauliflower)	Pennsylvania.
Tetraleurodes ursorum (whitefly)	Rosa sp. (rose) (leaf)	Texas.
Thecla sp. (Lycaenidae)	Unknown bark	District of Columbia.
Tomocerus sp. (Collembola)	Forest moss	Louisiana.
Tortricid	Capsicum annum (pepper)	Texas.
Do	Psidium guajava (guava)	Do.
Trialeurodes sp. (whitefly)	Unknown leaves	Do.
Volucella fasciata (Syrphidae)	Cactus	District of Columbia.
Volucella sp. (Syrphidae)	Astrophytum asterias (cactus)	Do.
Zygaenid	Phaseolus sp. (bean)	Texas.
Diseases:		
Actinomyces scabies	Solanum tuberosum (potato) (5)	Florida.*
Alternaria solani	Lycopersicum esculentum (tomato)	Arizona.
Do	do	California.*
Colletotrichum sp	do	Do.*
Fusarium sp	do	Do.*
Do	Solanum tuberosum (potato) (2)	Florida.*
Macrosporium solani	Lycopersicum esculentum (tomato)	California.*
Pestalozzia guepini	Psidium guajava (guava)	Texas.
Phomopsis citri	Citrus grandis (grapefruit)	Florida.*
Rhizoctonia sp	Solanum tuberosum (potato)	Do.*
Ustilago tritici	Triticum sp	Texas.

List; by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
MOROCCO		
Insects:		
Brachycerus sp. (Brachyceridae)	Ornithogallum unifolium (bulb)	District of Columbia.
Mylabris tristiculus (Mylabridae)	Vicia sp. (seed)	Do.
Mylabris sp. (Mylabridae)	Medicago orbicularis	Do.
Do	Medicago sp. (seed)	Do.
Do	Vicia sp. (seed)	Do.
Tyroglyphus sp. (mite)	Solanum tuberosum (potato)	Pennsylvania.
NEW BRUNSWICK		
Insects:		
Mycetophilid	Brassica oleracea (cabbage)	Pennsylvania.
NEW SOUTH WALES		
Insects:		
Aphis sp. (aphid)	Asystasia sp. (plant)	Hawaii.*
NEW ZEALAND		
Insects:		
Atherigona pulvinata (Anthomyiidae)	Solanum tuberosum (potato)	Massachusetts.
Atherigona sp. (Anthomyiidae)	do	Do.
Chelisoches morio (earwig)	In soil around fruit trees	District of Columbia.
Icerya purchasi (cottony-cushion scale)	Acacia baileyana (cootamundra wattle)	Hawaii.*
Lecanium persicae (scale insect)	Amygdalus persica (peach)	District of Columbia.
Lepidosaphes sp. (scale insect)	Pittosporum umbellatum	California.*
Phthorimaea operculella (potato-tuber moth).	Solanum tuberosum (potato) (3)	Massachusetts.
Do	Solanum toberosum (potato)	New York.
Pseudococcus lilacinus (mealybug)	Eucharis grandiflora (great Amazon lily).	Hawaii.*
Saissetia hemisphaerica (hemispherical scale).	Sideroxylon costatum	California.*
Saissetia nigra (scale insect)	Pseudopanax ferox	Do.*
Do	Pseudopanax passifolia	Do.*
Saissetia sp. (scale insect)	Undetermined plant (2)	Hawaii.*
Somatidia sp. (Cerambycidae)	Dead wood	California.*
Trionymus phormii (scale insect)	Phormium tenax rubrum (New Zealand flax lily).	Hawaii.*
NICARAGUA		
Insects:		
Anasa sp. (Coreidae)	Log	Louisiana.
Anastrepha ludens (Mexican fruit fly)	Mangifera indica (mango)	Do.
Eurosta sp. (Ortalidae)	Allium cepa (onion)	Pennsylvania.
Hemichionaspis minor (scale insect)	Cocos nucifera (coconut)	California.*
Iridomyrmex humilis (Argentine ant)	Log	Do.*
Lepidosaphes beckii (purple scale)	Citrus limetta (sweet lime)	Do.*
Do	Citrus sinensis (orange)	Do.*
Pheidole sp. (ant)	Musa sp. (banana) (stem)	Louisiana.
Pseudaonidia articulatus (rufous scale)	Cocos nucifera (coconut)	California.*
Solenopsis geminata rufa (ant)	Theobroma cacao (cacao bean)	Louisiana.
NORWAY		
Insects:		
Anthomyiid	In soil around bulbs	Pennsylvania.
Brachyleptus quadratus (Nitidulidae)	Unknown	New York.
Chionaspis salicis (willow scale)	Vaccinium myrtillus (European whortle berry).	Do.
Hylemyia cilicrura (Anthomyiidae)	Brassica rapa (turnip)	Massachusetts.
Do	do	South Carolina.
Hylemyia sp. (Anthomyiidae)	do	New York.
Lepidosaphes gloverii (Glover's scale)	Citrus sinensis (orange)	Do.
Olethreutid	Malus sylvestris (apple)	Do.
Rhizoglyphus sp. (mite)	Brassica rapa (turnip)	Massachusetts.
Diseases:		
Actinomyces scabies	Solanum tuberosum (potato)	Florida.*
Melampsoridium betulae	Betula, sp. (birch)	New York.
Microsphaera alni	do	Do.
Rhizoctonia sp	Solanum tuberosum (potato)	Florida.*
NOVA SCOTIA		
Insects:		
Agriolimax agrestis (Mollusca)	In soil around white spruce	Pennsylvania.
Aphodius sp. (Scarabaeidae)	Picea canadensis (white spruce)	Do.
Cytilus alternatus (Byrrhidae)	Pinus banksiana (jack pine)	Do.
Escaryus urbicus (myriapod)	In soil around rhubarb	Massachusetts.
Geometrid	Abies balsamea (balsam fir)	Pennsylvania.
Lachnid (aphid)	Picea glauca	Massachusetts.
Lachnus sp. (aphid)	Abies balsamea (balsam fir)	Pennsylvania.
Do	Picea canadensis (white spruce)	Do.
Lasius niger americana (ant.)	Rosa sp. (rose) (bush)	Massachusetts.
Lepidosaphes ulmi (oyster-shell scale)	Malus sylvestris (apple) (scion)	Do.
Pheletes sp. (Elateridae)	Soil around spruce	Do.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
NOVA SCOTIA—continued		
Insects—Continued.		
Pilophorus amoenus (Miridae)	Picea canadensis (white spruce)	Pennsylvania.
Sycid	Soil around balsam fir	Do.
Syrphus sp. (Syrphidae)	Picea canadensis (white spruce)	Do.
Tetramorium caespitum (ant)	Soil around balsam fir	Do.
OCEANIA		
Insects:		
Hemichionaspis minor (scale insect)	Cocos nucifera (coconut) (2)	California.*
ORIENT		
Insects:		
Chrysomphalus dictyospermi (scale insect).	Citrus sinensis (orange)	California.*
Diaspis zamiae (scale insect)	Cycas revoluta (sago cycas)	Do.*
Lepidosaphes gloverii (Glover's scale)	Citrus sinensis (orange)	Hawaii.*
Lepidosaphes sp. (scale insect)	Citrus grandis (grapefruit)	Do.*
Do	Undetermined plant	California.*
Parlatoria pergandii (chaff scale)	Citrus sinensis (orange)	Hawaii.*
Parlatoria ziziphus (scale insect)	Citrus grandis (grapefruit)	Do.*
Pseudaonidia trilobitiformis (scale insect).	do	Do.*
Do	Citrus sinensis (orange)	Do.*
Pseudococcus sp. (mealybug)	Citrus grandis (grapefruit)	Do.*
Tenebrodes sp. (Ostomidae)	Cannabis sp. (hemp)	California.*
PAGO PAGO		
Insects:		
Chelisoches morio (earwig)	Cocos nucifera (coconut)	California.*
Ephestia sp. (Pyralidae)	Theobroma cacao (cacao bean) (2)	Do.*
Hemichionaspis minor (scale insect)	Cocos nucifera (coconut) (2)	Do.*
Lepidosaphes mcgregori (scale insect)	Cocos nucifera (coconut)	Do.*
Ripersia palmarum (scale insect)	do	Do.*
Solenopsis sp. (ant)	Prunus armeniaca (apricot)	Do.*
Spongovostox sp. (earwig)	Cocos nucifera (coconut)	Do.*
Telephanus insularis (Cucujidae)	do	Do.*
PALESTINE		
Insects:		
Aspidiotus hederae (ivy scale)	Citrus medica (citron)	California.*
Chrysomphalus aurantii (California red scale).	Citrus limonia (lemon) (2)	District of Columbia.
Do	Citrus medica (citron)	California.*
Do	do	Georgia.*
Do	do	Missouri.
Do	Citrus medica (citron) (2)	Pennsylvania.
Do	Citrus sinensis (orange)	Massachusetts.
Do	do	New York.
Chrysomphalus dictyospermi (scale insect).	Citrus medica (citron) (2)	California.*
Chrysomphalus dictyospermi var. (scale insect).	do	Pennsylvania.
Parlatoria pergandii (chaff scale)	Citrus grandis (grapefruit)	New York.
Do	Citrus limonia (lemon)	District of Columbia.
Do	do	Illinois.
Do	Citrus medica (citron)	California.*
Do	do	Pennsylvania.
Do	Citrus sinensis (orange)	Massachusetts.
Do	Citrus sinensis (orange) (2)	New York.
Parlatoria sp. (scale insect)	Citrus limonia (lemon)	District of Columbia
PANAMA		
Insects:		
Alegoria dilatata (Tenebrionidae)	Musa sp. (banana)	Louisiana.
Anisolabis annulipes (earwig)	On potato bin	South Carolina.
Aspidiotus hederae (ivy scale)	Annona sp	New York.
Aspidiotus lataniae (scale insect)	Persea americana (avocado)	California.*
Aspidiotus sp. (scale insect)	Citrus limonia (lemon)	Do.*
Do	Citrus sinensis (orange)	Do.*
Camponotus abdominalis stercorarius (ant).	Musa sp. (banana) (2)	Louisiana.
Camponotus sp. (ant)	Musa sp. (banana) (stem)	South Carolina.
Cecidomyiid	Guzmania sp	Maryland.
Chionaspis citri (orange chionaspis)	Citrus grandis (grapefruit) (3)	Pennsylvania.
Chrysomphalus aonidum (Florida red scale).	Citrus sinensis (orange)	New York.
Chrysomphalus dictyospermi (scale insect).	Cocos nucifera (coconut) (2)	Florida.*
Chrysomphalus sp. (scale insect)	Citrus sinensis (orange)	California.*

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
PANAMA—continued		
Insects—Continued.		
Curculionid	Ipomoea batatas (sweet potato)	Louisiana.
Do	do	New York.
Do	Solanum tuberosum (potato)	Massachusetts.
Cylas formicarius (sweet-potato weevil).	Ipomoea batatas (sweet potato)	California.*
Dermestes sp. (Dermestidae)	do	Louisiana.
Diaphania nitidalis (pickle worm)	Cucumis sativus (cucumber)	South Carolina.
Diaspis echinocacti opuntiae (scale insect).	Weberocereus panamensis	District of Columbia.
Discocephala humilis (Pentatomidae)	Musa sp. (banana)	Massachusetts.
Ephestia sp. (Pyralidae)	Theobroma cacao (cacao bean)	California.*
Eriophyes sp. (mite)	Citrus sinensis (orange)	Do.*
Euxesta sp. (Ortalidae)	Plantago major (plantain)	New York.
Heilipus sp. (Curculionidae)	Persea americana (avocado)	Do.
Hemichionaspis minor (scale insect)	Cocos nucifera (coconut) (2)	Florida.*
Do	Cucurbita pepo (pumpkin)	South Carolina.
Do	Palm	Florida.*
Hylemyia sp. (Anthomyiidae)	Allium cepa (onion)	Pennsylvania.
Laemophloeus sp. (Cucujidae)	Guzmania sp.	Maryland.
Lepidosaphes beckii (purple scale)	Citrus grandis (grapefruit) (3)	California.*
Do	Citrus sinensis (orange) (8)	Do.*
Do	Citrus sinensis (orange) (3)	Florida.*
Do	Citrus sinensis (orange)	Massachusetts.
Do	Citrus sinensis (orange) (2)	New York.
Do	do	South Carolina.
Lepidosaphes gloverii (Glover's scale)	Citrus aurantifolia (lime)	California.*
Do	Citrus sinensis (orange)	Do.*
Monomorium destructor (ant)	Dioscorea sp. (yam)	New York.
Monomorium pharaonis (Pharaoh's ant).	Carica papaya (papaya)	South Carolina.
Pachycondyla sp. (ant)	Musa sp. (banana)	Massachusetts.
Parlatoria cinerea (scale insect)	Citrus aurantifolia (lime)	California.*
Do	Citrus grandis (grapefruit (2)	Do.*
Parlatoria pergandii (chaff scale)	Citrus grandis (grapefruit)	Pennsylvania.
Pheidole sp. (ant)	Musa sp. (banana)	California.*
Prenolepis longicornis (crazy ant)	Ananas sativus (pineapple)	South Carolina.
Prolabia arachidis (earwig)	On potato bin	Do.
Pseudaonidia articulatus (rufous scale)	Citrus grandis (grapefruit)	Pennsylvania.
Pseudopachymerus brasiliensis (Mylabridae).	Mucuna urens	District of Columbia.
Pseudococcus adonidum (long-tailed mealybug).	Aerial tuber	California.*
Pseudococcus brevipes (pineapple mealybug).	Ananas sativus (pineapple)	South Carolina.
Rhizoglyphus sp. (mite)	Ipomoea batatas (sweet potato)	Do.
Sciara sp. (Mycetophilidae)	Brassica rapa (turnip)	Do.
Solenopsis geminata rufa (ant)	Saccharum officinarum (sugar cane)	Louisiana.
Syrphid	Solanum tuberosum (potato)	South Carolina.
Tenebrionid	Guzmania sp.	District of Columbia.
Diseases:		
Cladosporium citri	Citrus grandis (grapefruit)	Pennsylvania.
PARAGUAY		
Insects:		
Monomorium destructor (ant)	Orchid	New York.
Opeas gracilis (Mollusca)	Orchid and fern roots	Do.
Pectinophora gossypiella (pink bollworm).	Gossypium sp. (cotton) (seed)	District of Columbia.
Sciara sp. (Mycetophilidae)	Orchid and fern roots	New York.
PERU		
Insects:		
Anastrepha sp. (Trypetidae)	Annona cherimola (cherimoya) (2)	New York.
Do	Mangifera indica (mango) (2)	Do.
Anisolabis sp. (earwig)	Vitis sp. (grape)	Do.
Bostrichid	Dried tree root	Do.
Catorama sp. (Anobiidae)	Gossypium sp. (cotton) (seed)	Do.
Chloridea obsoleta (corn earworm)	Zea mays (corn)	Do.
Chloridea sp. (Noctuidae)	do	Do.
Diaspis sp. (scale insect)	Opuntia pascoensis plant	District of Columbia.
Euxesta sp. (Ortalidae)	Zea mays (corn)	New York.
Lygaeid	Asclepias sp. (milkweed)	Do.
Olethreutid	Phaseolus sp. (string bean)	Do.
Do	Phaseolus sp. (bean)	Do.
Phthorimaea operculella (potato-tuber moth).	Solanum tuberosum (potato)	District of Columbia.
Do	do	South Carolina.
Do	Solanum sp.	District of Columbia.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
PERU—continued		
Insects—Continued.		
Plutella maculipennis (diamond-back moth).	Brassica oleracea (cabbage) (2)	New York.
Porcellio laevis (isopod)	Lactuca sativa (lettuce)	Do.
Porcellio sp. (isopod)	Brassica oleracea (cabbage)	Do.
Pseudaonidia articulatus (rufous scale)	Citrus sinensis (orange)	New York.
Pseudococcus maritimus (mealybug)	Annona cherimola (cherimoya)	Do.
Pseudococcus sp. (mealybug)	Annona reticulata (custard apple)	Do.
Pyralid (Pyraustinae)	Brassica oleracea (cabbage)	Do.
Rhigopsidius tucumanus (Argentine potato weevil).	In package with poattoes	District of Columbia.
Do	Solanum tuberosum (potato)	New York.
Rhizoglyphus sp. (mite)	Allium cepa (onion)	Do.
Rhopalosiphum pseudobrassicae (aphid).	Raphanus sativus (radish) (leaf)	Do.
PHILIPPINE ISLANDS		
Insects:		
Araecerus fasciculatus (coffee-bean weevil).	Phaseolus sp. (bean)	Hawaii.*
Aspidiotus destructor (scale insect)	Cocos nucifera (coconut)	California.*
Aspidiotus lataniae (scale insect)	Averrhoa carambola (carambola) (plant).	District of Columbia.
Do	Citrus sp	Hawaii.*
Do	Cocos nucifera (coconut)	Washington.
Aspidiotus sp. (scale insect)	do	Hawaii.*
Do	Zingiber officinale (ginger)	Do.*
Camponotus sp. (ant)	Soil around plants (2)	Do.*
Chrysomphalus aonidum (Florida red scale).	Citrus sinensis (orange)	California.*
Chrysomphalus dictyospermi (scale insect).	Cocos nucifera (coconut)	Washington.
Chrysomphalus rossi (scale insect)	Orchid (2)	California.*
Chrysomphalus sp. (scale insect)	Mangrove seeds	District of Columbia.
Coptosoma cribrarium (Coptosomatidae).	Ornamental palm	Washington.
Corcyra cephalonica (Pyralidae)	Dioscorea sp. (yam)	California.*
Cosmopolites sordidus (banana root borer).	Musa sp. (banana)	District of Columbia.
Cylas formicarius (sweet-potato weevil).	Ipomoea batatas (sweet potato)	California.*
Do	do	Oregon.
Diaspis boisduvalii (Boisduval's scale)	Cocos nucifera (coconut)	California.*
Emporius signatus (Silvanidae)	do	Pennsylvania.
Ephestia sp. (Pyralidae)	Theobroma cacao (cacao bean)	California.*
Hemichionaspis aspidistrae (aspidistra scale).	Citrus sinensis (orange) (2)	Do.*
Hemichionaspis minor (scale insect)	Cocos nucifera (coconut)	Do.*
Hypolycaena ithna (Lycaenidae)	Orchid	Do.*
Icerya aegyptiaca (Egyptian mealybug).	Cocos nucifera (coconut)	Washington.
Icerya seychellarum (mealybug)	Ornamental palm	Do.
Kalotermes logunensis (termite)	Tree limb on which orchids were growing.	District of Columbia.
Lepidosaphes sp. (scale insect)	Citrus grandis (grapefruit)	Hawaii.*
Lophocateres pusillus (Ostomidae)	Coix lacryma-jobi (Jobs-tears)	District of Columbia.
Monomorium sp. (ant)	Phalaenopsis schilleriana (moth orchid).	California.*
Nicobium hirtum (Anobiidae)	Coix lacryma-jobi (Jobs-tears)	District of Columbia.
Palorus ratzeburgi (Tenebrionidae)	do	Do.
Parlatoria pergandii (chaff scale)	Citrus sinensis (orange) (2)	California.*
Do	Orchid	Do.*
Parlatoria ziziphus (scale insect)	Citrus grandis (grapefruit)	Hawaii.*
Phenacaspis sp. (scale insect)	Mangrove seeds	District of Columbia.
Plagiolepis longipes (ant)	Musa sp. (banana)	Do.
Pseudaonidia trilobitiformis (scale insect).	Citrus grandis (grapefruit)	Hawaii.*
Do	Citrus sinensis (orange)	California.*
Pseudococcus lilacinus (mealybug)	Citrus medica (citron)	Hawaii.*
Pseudococcus sp. (mealybug)	Citrus grandis (grapefruit)	Do.*
Solenopsis geminata (ant)	Areca catechu (betel palm)	Do.*
Stenamma sp. (ant)	Orchid	California.*
Targionia hartii (scale insect)	Zingiber officinale (ginger)	Hawaii.*
Tyroglyphus sp. (mite)	Citrus grandis (grapefruit)	District of Columbia.
Xyleborus sp. (Scolytidae)	Swietenia sp. (mahogany) (log)	California.*
Diseases:		
Diplodia cacaoicola	Mangifera odorata	District of Columbia.
Gloeosporium musarum	Musa textilis (Manila hemp)	Do.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
POLAND		
Insects:		
Anobium sp. (Anobiidae)	Crataegus sp. (hawthron) (seed)	District of Columbia.
Arion hortensis (Mollusca)	Fragaria sp. (strawberry) (plant)	New York.
Histiostoma sp. (mite)	Unknown root	Massachusetts.
Otiorhynchus sp. (Curculionidae)	Pinus pumila (2)	District of Columbia.
Rhizoglyphus hyacinthi (bulb nite)	Unknown root	Massachusetts.
POLYNESIA		
Insects:		
Ephestia sp. (Pyralidae)	Theobroma cacao (cacao bean) (5)	California.*
Hemichionaspis aspidistrae (aspidistra scale).	Citrus sinensis (orange)	Do.*
Hemichionaspis minor (scale insect)	do	Do.*
Lepidosaphes beckii (purple scale)	Citrus sinensis (orange) (2)	Do.*
Parlatoria cinerea (scale insect)	Citrus aurantifolia (lime)	Do.*
Parlatoria pergandii (chaff scale)	Citrus sinensis (orange)	Do.*
Phenacaspis inday (scale insect)	Palm	Do.*
Ripersia palmarum (scale insect)	Cocos nucifera (coconut)	Do.*
Diseases:		
Cladosporium citri	Citrus sinensis (orange)	Do.*
Cladosproium sp	do	Do.*
PORTO RICO		
Insects:		
Anastrepha fraterculus (West Indian fruit fly).	Mangifera indica (mango) (3)	New York.
[illegible]	Psidium guajava (guava)	Do.
Anastrepha sp. (Trypetidae)	Mangifera indica (mango)	Do.
Anisolabis annulipes (earwig)	Cycas revoluta (sago cycas)	Do.
Aspidiotus cocotiphagus (scale insect)	Cocos nucifera (coconut)	California.*
Do	Cocos nucifera (coconut) (3)	New York.
Aspidiotus cyanophylli (scale insect)	Jobos	Do.
Aspidiotus destructor (scale insect)	Cocos nucifera (coconut)	Florida.*
Do	Pandanus sp. (screw pine)	Do.*
Aspidiotus herculeanus (scale insect)	Jobos fruit (2)	New York.
Aspidiotus lataniae (scale insect)	Achras sapota (sapodilla)	Do.
Do	Pandanus sp. (screw pine)	Florida.*
Aulacaspis pentagona (West Indian peach scale).	Carica papaya (papaya)	Do.*
Cecidomyiid	Ananas sativus (pineapple)	Massachusetts.
Ceroplastes sp. (scale insect)	Citrus sp. (leaf)	New York.
Chloridea sp. (Noctuidae)	Cajanus indicus (pigeon pea) (3)	Do.
Do	Cicer arietinum (chick pea) (7)	Do.
Chrysomphalus aonidum (Florida red scale).	Citrus sinensis (orange)	California.*
Cosmopterygid	Ipomoea batatas (sweet potato)	South Carolina.
Cucujid	Dioscorea sp. (yam)	Do.
Cylas formicarius (sweet-potato weevil)	Ipomoea batatas (sweet potato) (4)	New York.
Diaspis boisduvalii (Boisduval's scale)	Cocos nucifera (coconut)	Do.
Diatraea saccharalis (sugar-cane borer)	Saccharum officinarum (sugar cane)	Do.
Discocephala humilis (Pentatomidae)	Musa sp. (banana)	Louisiana.
Ephestia sp. (Pyralidae)	Tamarindus indica (tamarind)	New York.
Eriophyes oleivorus (mite)	Citrus sinensis (orange)	California.*
Etiella zinckenella (Pyralidae)	Cajanus indicus (pigeon pea)	New York.
Euscepes batatae (West Indian sweet potato weevil).	Ipomoea batatas (sweet potato) (8)	Do.
Euxesta sp. (Ortalidae)	Chayota edulis (chayote)	Do.
Do	Citrus sinensis (orange)	Do.
Do	Dioscorea sp. (yam)	Do.
Do	Musa sp. (banana)	Do.
Gonopaschia protomis (Pyralidae)	Ananas sativus (pineapple)	Massachusetts.
Heliothis virescens (Noctuidae)	Cajanus indicus (pigeon pea)	New York.
Heliothis sp. (Noctuidae)	do	Do.
Heliothrips haemorrhoidalis (greenhouse thrips).	Cocos nucifera (coconut)	Florida.*
Hemichionaspis aspidistrae (aspidistra scale).	Fern	Pennsylvania.
Hemichionaspis minor (scale insect)	Annona muricata (sour sop)	New York.
Do	Annona sp	Do.
Hemichionaspis minor strachani (scale insect).	Phoenix dactylifera (date)	Do.
Hemerobiid	Citrus sinensis (orange)	Do.
Howardia bielavis (mining scale)	Achras sapota (sapodilla)	Do.
Do	Mammea americana (mamey)	Do.
Ischnaspis longirostris (thread scale)	[illegible]	Do.
Do	Unknown	Do.
Lepidosaphes beckii (purple scale)	Citrus aurantifolia (lime) (2)	Pennsylvania.
Do	Citrus grandis (grapefruit) (15)	California.*
Do	Citrus grandis (grapefruit)	Massachusetts.
Do	do	New York.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
PORTO RICO—continued		
Insects—Continued.		
Lepidosaphes beckii (purple scale)	Citrus grandis (grapefruit)	South Carolina.
Do	Citrus limetta (sweet lime)	New York.
Do	Citrus sinensis (orange) (8)	California.*
Do	Citrus sinensis (orange)	Louisiana.
Do	do	Mississippi.*
Do	Citrus sinensis (orange) (5)	New York.
Do	Citrus sinensis (orange) (3)	Pennsylvania.
Do	Citrus sp. (leaf)	New York.
Lepidosaphes gloverii (Glover's scale)	Citrus grandis (grapefruit)	California.*
Do	Citrus sinensis (orange)	Do.*
Do	do	Louisiana.
Lepidosaphes sp. (scale insect)	Codiaeum sp. (croton)	New York.
Metamasius sericeus (silky cane weevil).	Musa sp. (banana)	Louisiana.
Mirid	Citrus sp. (leaf)	New York.
Nasutitermes morio (termite)	Mangifera indica (mango)	Do.
Pariatoria pergandii (chaff scale)	Citrus grandis (grapefruit) (2)	California.*
Do	Citrus grandis (grapefruit)	Massachusetts.
Do	Citrus sinensis (orange) (2)	California.*
Pentatomid	Cicer arietinum (chick pea)	New York.
Pheidole megacephala (ant)	Annona muricata (sour sop)	Do.
Do	Annona sp	Do.
Pinnaspis buxi (scale insect)	Palm (2)	Do.
Platynota rostrana (Tortricidae)	Plantago major (plantain)	Do.
Prenolepis longicornis (crazy ant)	Dioscorea sp. (yam)	Do.
Do	Musa sp. (banana) (leaf)	Do.
Do	Plantago major (plantain)	Do.
Prenolepis sp. (ant)	Musa sp. (banana)	Do.
Pseudaonidia articulatus (rufous scale)	Citrus grandis (grapefruit) (3)	California.*
Do	Citrus grandis (grapefruit)	Massachusetts.
Do	Citrus grandis (grapefruit) (2)	New York.
Do	Citrus sinensis (orange)	Louisiana.
Do	Citrus sinensis (orange) (2)	New York.
Do	Citrus sinensis (orange)	Pennsylvania.
Do	Musa sp. (banana)	New York.
Pseudaonidia clavigera (scale insect)	Citrus grandis (grapefruit)	California.*
Pseudococcus adonidum (long-tailed mealybug).	Fern	Pennsylvania.
Do	Flower	New York.
Do	Phoenix dactylifera (date)	Do.
Pseudococcus brevipes (pineapple mealybug).	Ananas sativus (pineapple)	Massachusetts.
Pseudococcus citri (citrus mealybug)	Citrus sp.	New York.
Do	Dioscorea sp. (yam)	Do.
Do	Musa sp. (banana)	Do.
Do	Saccharum officinarum (sugar cane)	Do.
Pseudococcus maritimus (mealybug)	Cocos nucifera (coconut)	New York.
Pseudococcus sacchari (mealybug)	Java cane cutting	District of Columbia.
Do	Saccharum officinarum (sugar cane)	Pennsylvania.
Pseudococcus sp. (mealybug)	Agave fourcroydes (henequen) (plant)	District of Columbia.
Do	Saccharum officinarum (sugar cane)	New York.
Pyralid (Pyraustinae)	Chayota edulis (chayote) (2)	Do.
Do	Pisum sativum (pea)	Do.
Pyralid	Cajanus indicus (pigeon pea) (2)	Do.
Do	Cicer arietinum (chick pea) (2)	Do.
Rhizoglyphus sp. (mite)	Dioscorea sp. (yam)	Do.
Saissetia olea (black scale)	Annona muricata (sour sop)	Pennsylvania.
Do	Mangifera indica (mango)	New York.
Sciara sp. (Mycetophilidae)	Cycas revoluta (sago cycas) (2)	Do.
Scolytid	Citrus sinensis (orange)	Do.
Scutigera immaculata (myriapod)	In soil around palm	Pennsylvania.
Sitophilus linearis (tamarind pod-borer).	Tamarindus indica (tamarind) (2)	New York.
Sphenophorus sp. (Curculionidae)	Dioscorea sp. (yam)	Do.
Subulina octona (Mollusca)	In soil around fern	Pennsylvania.
Symphythrips punctatus (thrips)	Cocos nucifera (coconut)	Florida.*
Targionia sp. (scale insect)	Saccharum officinarum (sugar cane)	New York.
Telephanus sp. (Cucujidae)	Plantago major (plantain)	Do.
Tetramorium guineense (ant)	Chayota edulis (chayote)	Do.
Tineid	Dioscorea sp. (yam)	Do.
Do	Punica granatum (pomegranate)	Do.
Do	Saccharum officinarum (sugar cane)	Do.
Diseases:		
Colletotrichum cajani	Cajanus indicus (pigeon pea)	Do.
Colletotrichum nigrum	Capsicum annuum (pepper)	Do.
Phomopsis citri	Citrus grandis (grapefruit) (2)	California.*
Sphaeronema fimbriatum	Ipomoea batatas (sweet potato)	New York.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
PORTUGAL		
Insects:		
Anthomyiid	Allium cepa (onion)	Pennsylvania.
Aspidiotus camelliae (greedy scale)	Citrus sinensis (orange)	Massachusetts.
Balaninus sp. (Curculionidae)	Castanea sp. (chestnut)	New York.
Brevicoryne brassicae (aphid)	Brassica oleracea (cabbage)	Pennsylvania.
Ceratitis sp. (Trypetidae)	Amygdalus persica (peach)	Do.
Ceutorhynchus sp. (Curculionidae)	Brassica rapa (turnip)	New York.
Chrysomphalus aonidum (Florida red scale).	Citrus sinensis (orange)	Massachusetts.
Chrysomphalus aurantii (California red scale).	Citrus limonia (lemon)	Do.
Iridomyrmex humilis (Argentine ant)	Dioscorea sp. (yam)	New York.
Lepidosaphes beckii (purple scale)	Citrus limetta (sweet lime) (2)	Massachusetts.
Do	Citrus limonia (lemon) (2)	Do.
Do	Citrus sinensis (orange) (4)	Do.
Do	Citrus sinensis (orange) (2)	New York.
Do	Citrus sinensis (orange)	Pennsylvania.
Parlatoria pergandii (chaff scale)	Citrus limonia (lemon) (2)	Massachusetts.
Do	Citrus sinensis (orange)	Do.
Phthorimaea operculella (potato-tuber moth).	Solanum tuberosum (potato)	New York.
Pseudococcus citri (citrus mealybug)	Vitis sp. (grape)	Do.
Pyralid (Phycitinae)	Punica granatum (pomegranate)	Massachusetts.
Rhizoglyphus hyacinthi (bulb mite)	Allium cepa (onion)	Pennsylvania.
Do	Solanum tuberosum (potato)	Maryland.
Rhizoglyphus sp. (mite)	Dioscorea sp. (yam)	Pennsylvania.
ROUMANIA		
Insects:		
Rhizoglyphus sp. (mite)	Allium cepa (onion)	Pennsylvania.
RUSSIA		
Insects:		
Eurytomid	Medicago sativa (alfalfa seed)	District of Columbia.
Mylabris sp. (Mylabridae)	Eversmania subspinosa (seed)	Do.
Do	Gossypium sp. (cotton) (seed)	Do.
Do	Halimodendron argenteum	Do.
Do	Onobrychis sativa (seed)	Do.
Pheidole sp. (ant)	Gossypium sp. (cotton) (seed)	Do.
Ptinus sp. (Ptinidae)	Setaria italica (millet) (seed)	Do.
Diseases:		
Claviceps purpurea	Hordeum vulgare (barley)	District of Columbia
Do	Triticum aestivum (wheat)	Do.
Ustilago nuda	Hordeum vulgare (barley)	Do.
ST. LUCIA ISLAND		
Insects:		
Lepidosaphes beckii (purple scale)	Citrus aurantifolia (lime)	Florida.*
Pseudaonidia articulatus (rufous scale)	do	Do.*
ST. THOMAS ISLAND		
Insects:		
Coccus sp. (scale insect)	Agave rigida variegata	District of Columbia.
SALVADOR		
Insects:		
Lepidosaphes beckii (purple scale)	Citrus sinensis (orange)	California.*
Tetralicia sp. (whitefly)	Asclepias sp. (milkweed)	New York.
SAMOA		
Insects:		
Ephestia sp. (Pyralidae)	Copra (2)	California.*
Do	Theobroma cacao (cacao bean) (3)	Do.*
Hemichionaspis minor (scale insect)	Cocos nucifera (coconut)	Do.*
Silvanus sp. (Cucujidae)	do	Do.*
SCOTLAND		
Insects:		
Anthomyiid	Brassica rapa (turnip)	New York.
Lepidosaphes beckii (purple scale)	Citrus sinensis (orange)	California.*
Macrosiphum kaltenbackii (aphid)	Lactuca sativa (lettuce)	Pennsylvania.
Monomorium pharaonis (Pharaoh's ant).	Solanum tuberosum (potato)	New York.
Prostemma guttula (Nabidae)	Digitalis sp. (fox glove) (seed)	Do.
SERBS, CROATS AND SLOVENES, KINGDOM OF		
Insects:		
Lecanium corni (scale insect)	Rosa sp. (rose) (cutting)	Illinois.
Lepidosaphes gloverii (Glover's scale)	Citrus sinensis (orange)	New York.
Parlatoria pergandii (chaff scale)	do	Do.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
SIAM		
Diseases:		
Sclerotium sp	Mangifera oppositifolia	District of Columbia.
SOUTH AFRICA		
Insects:		
Aeolothrips sp. (thrips)	Ornithogalum thyrsoides (chinke-richee).	New York.
Araecerus fasciculatus (coffee-bean-weevil).	Ipomoea batatas (sweet potato)	Pennsylvania.
Aspidiotus lataniae (scale insect)	Entada scandens	Do.
Chrysomphalus aurantii (California red scale).	Citrus sinensis (orange)	California.*
Curculionid	Ipomoea batatas (sweet potato)	Pennsylvania.
Ephestia sp. (Pyralidae)	Theobroma cacao (cacao bean)	California.*
Euxesta sp. (Ortalidae)	Solanum tuberosum (potato)	Pennsylvania.
Mylabris sp. (Mylabridae)	Acacia giraffe (seed)	District of Columbia.
Do	Phaseolus sp. (bean)	Do.
Noctuid	Grass	Louisiana.
Olethreutid	Malus sylvestris (apple)	South Carolina.
Do	Solanum tuberosum (potato)	Pennsylvania.
Phthorimaea operculella (potato-tuber moth).	Solanum tuberosum (potato) (4)	Do.
Do	Solanum tuberosum (potato)	South Carolina.
Phthorimaea sp. (Gelechiidae)	Do	Pennsylvania.
Pseudaonidia articulatus (rufous scale)	Citrus grandis (grapefruit)	Massachusetts.
Rhizoglyphus hyacinthi (bulb mite)	Solanum tuberosum (potato) (2)	Pennsylvania.
Tineid	Solanum tuberosum (potato)	Do.
Diseases:		
Aphelenchus sp. (nematode)	Ornithogalum thyrsoides (chinke-richee).	District of Columbia.
Dorylaimus sp. (nematode)	do	Do.
Puccinia kalchbrenneriana	do	South Carolina.
Rhabditis sp. (nematode)	do	District of Columbia.
Tylenchus sp. (nematode)	do	Do.
SOUTH AMERICA		
Insects:		
Chrysomphalus aonidum (Florida red scale).	Citrus aurantifolia (lime)	California.*
Chrysomphalus sp. (scale insect)	do	Do.*
Dermestes sp. (Dermestidae)	Theobroma cacao (cacao bean)	Do.*
Ephestia sp. (Pyralidae)	Arachis hypogaea (peanut)	Do.*
Do	Myristica fragrans (nutmeg)	Do.*
Do	Theobroma cacao (cacao bean) (2)	Do.*
Lepidosaphes beckii (purple scale)	Citrus aurantifolia (lime)	Do.*
Lepidosaphes gloverii (Glover's scale)	do	Do.*
SPAIN		
Insects:		
Agriotes lineatus (Elateridae)	Solanum tuberosum (potato)	Pennsylvania.
Anisolabis annulipes (earwig)	do	Do.
Aonidia lauri (scale insect)	Laurus sp. (laurel)	Florida.*
Aspidiotus camelliae (greedy scale)	Citrus limonia (lemon)	Massachusetts.
Do	Citrus sinensis (orange)	Do.
Aspidiotus hederae (ivy scale)	Citrus limonia (lemon) (2)	Florida.*
Do	Citrus limonia (lemon)	Louisiana.
Do	Citrus limonia (lemon) (3)	Massachusetts
Do	Citrus limonia (lemon)	Pennsylvania.
Do	Palm	Florida.*
Aspidiotus lataniae (scale insect)	Euonymus sp	Do.*
Aspidiotus ostreaeformis (scale insect)	Olea europaea (olive) (scion)	District of Columbia
Aspidiotus sp. (scale insect)	Citrus sinensis (orange)	California.*
Balaninus sp. (Curculionidae)	Castanea sp. (chestnut)	New York.
Carp capsa pomonella (codling moth).	Malus sylvestris (apple) (2)	Do.
Ceratitis capitata (Mediterranean fruit fly).	Amygdalus persica (peach)	Do.
Do	Citrus aurantium (sour orange) (5)	Do.
Do	Citrus sinensis (orange)	Florida.*
Do	Malus sylvestris (apple)	New York.
Do	Punica granatum (pomegranate)	Porto Rico.
Do	Vitis sp. (grape)	Massachusetts.
Do	Vitis sp. (grape) (9)	New York.
Ceratitis sp. (Trypetidae)	Vitis sp. (grape) (2)	Do.
Ceroplastes rusci (scale insect)	Ficus sp. (fig) (scion)	District of Columbia.
Chionaspis citri (orange chionaspis)	Citrus sinensis (orange)	Florida.*
Chrysomphalus aonidum (Florida red scale).	Citrus limonia (lemon)	Massachusetts.
Do	Citrus sinensis (orange)	California.*
Chrysomphalus aurantii (California red scale).	Citrus sinensis (orange) (2)	Do.*

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
SPAIN—continued		
Insects—Continued.		
Chrysomphalus dictyospermi (scale insect).	Citrus limonia (lemon)	Florida.*
Do	do	Massachusetts.
Do	do	Pennsylvania.
Do	Citrus sinensis (orange)	California.*
Do	Citrus sinensis (orange) (2)	Florida.*
Do	Citrus sinensis (ornage) (7)	New York.
Do	Citrus sinensis (orange) (2)	Pennsylvania
Do	Euonymus sp	Florida.*
Do	Laurus sp. (laurel) (leaf)	New York.
Do	Palm (4)	Florida.*
Do	Unknown	Do.*
Chrysomphalus dictyospermi var. (scale insect).	Citrus aurantium (sour orange)	New York.
Do	Citrus limonia (lemon)	Louisiana.
Do	Citrus sinensis (orange)	New York.
Chrysomphalus sp. (scale insect)	Citrus limonia (lemon)	Massachusetts.
Do	Citrus sinensis (orange)	California.*
Do	do	New York
Coccus hesperidum (soft brown scale)	do	Louisiana.
Do	Euonymus sp	Florida.*
Curculionid	Allium cepa (onion)	New York.
Do	Quercus sp. (cork acorn)	District of Columbia
Eriococcus araucariae (scale insect)	Araucaria excelsa (Norfolk-Island pine).	Florida.*
Ephestia sp. (Pyralidae)	Allium cepa (onion) (2)	New York.
Do	Allium sativum (garlic) (2)	Do.
Do	Corylus avellana (filbert)	California.*
Fucellia maritima (Anthomyiidae)	Allium cepa (onion)	New York.
Laspeyresia splendana reaumurana (Olethreutidae).	Castanea sp. (chestnut)	Do.
Lepidosaphes beckii (purple scale)	Citrus limonia (lemon) (4)	Massachusetts.
Do	Citrus limonia (lemon) (2)	New York.
Do	do	Pennsylvania.
Do	Citrus sinensis (orsnge) (4)	California.*
Do	Citrus sinensis (orange) (5)	Florida.*
Do	Citrus sinensis (orange) (2)	Massachusetts.
Do	Citrus sinensis (orange) (3)	New York.
Do	do	Pennsylvania.
Lepidosaphes gloverii (Glover's scale)	Citrus limonia (lemon)	Do.
Do	Citrus nobilis (tangerine)	New York.
Do	Citrus sinensis (orange)	California.*
Do	Citrus sinensis (orange) (5)	Florida.*
Do	Citrus sinensis (orange) (7)	Massachusetts.
Do	Citrus sinensis (orange) (18)	New York.
Do	Citrus sinensis (orange) (6)	Pennsylvania.
Lepidosaphes sp. (scale insect)	Olea europaea (olive) (scion)	District of Columbia.
Mycetophilid	Allium cepa (onion)	Pennsylvania.
Mylabrid	Medicago echinus (seed and burr)	District of Columbia.
Mylabris sp. (Mylabridae)	Ornithopus sp. (seed)	Do.
Do	Scorpiurus vemiculata (seed)	Do.
Noctuid	Ocimum basilicum (basil)	Pennsylvania
Olethreutid	Castanea sp. (chestnut) (8)	New York.
Do	Solanum tuberosum (potato)	Pennsylvania.
Do	Unknown	New York.
Parlatoria pergandii (chaff scale)	Citrus grandis (grapefruit)	Florida.*
Do	Citrus limonia (lemon) (2)	Do.*
Do	Citrus limonia (lemon) (3)	Massachusetts.
Do	Citrus limonia (lemon)	Pennsylvania.
Do	Citrus nobilis (tangerine)	New York.
Do	Citrus sinensis (orange) (5)	California.*
Do	Citrus sinensis (orange) (6)	Florida.*
Do	Citrus sinensis (orange) (7)	Massachusetts.
Do	Citrus sinensis (orange) (21)	New York.
Do	Citrus sinensis (orange) (4)	Pennsylvania.
Parlatoria ziziphus (scale insect)	Citrus limonia (lemon)	Massachusetts.
Do	Citrus sinensis (orange)	Florida.*
Do	do	Massachusetts.
Do	Citrus sinensis (orange) (7)	New York.
Phthorimaea operculella (potato-tuber moth).	Solanum tuberosum (potato) (3)	Pennsylvania.
Prolabia arachidis (earwig)	Solanum tuberosum (potato)	Do.
Pseudaonidia articulatus (rufous scale)	Citrus sinensis (orange)	Florida.*
Pseudococcus citri (citrus mealybug)	Citrus aurantium (sour orange)	New York.
Do	Citrus limonia (lemon) (2)	Do.
Do	Citrus sinensis (orange) (leaf)	Louisiana.
Do	Citrus sinensis (orange)	New York.
Do	do	Pennsylvania.
Do	Vitis sp. (grape)	New York.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
SPAIN—continued		
Insects—Continued.		
Pyralid (Phycitinae)	Citrus aurantium (sour orange) (2)	New York.
Do	Cork	Maryland.
Rhizoglyphus hyacinthi (bulb mite)	Allium cepa (onion) (4)	New York.
Do	do	Pennsylvania.
Do	Solanum tuberosum (potato)	South Carolina.
Rhizoglyphus sp. (mite)	Allium cepa (onion) (2)	New York.
Do	Allium cepa (onion)	Pennsylvania.
Scarabaeid	Ocimum basilicum (basil)	Do.
Sciara sp. (Mycetophilidae)	Allium cepa (onion)	Illinois.
Do	do	New York.
Do	Solanum tuberosum (potato) (2)	Pennsylvania.
Tetranorium caespitum (ant)	Capsicum annuum (pepper)	New York.
Do	Persea americana (avocado)	Do.
Thrips tabaci (onion thrips)	Allium cepa (onion)	Florida.*
Valvata piscinalis (Mollusca)	Cactus plant	Pennsylvania.
Diseases:		
Actinomyces scabies	Solanum tuberosum (potato) (5)	Florida.*
Botrytis cinerea	Vitis vinifera (European grape)	Maryland.
Fusarium sp	Solanum tuberosum (potato) (3)	Florida.*
Penicillium sp	Citrus sinensis (orange)	Do.*
Phytophthora infestans	Solanum tuberosum (potato)	Do.*
Rhizoctonia sp	do	Do.*
Spondylocladium atrovirens	Solanum tuberosum (potato) (5)	Do.*
STRAITS SETTLEMENTS		
Insects:		
Araecerus fasciculatus (coffee-bean weevil).	Undetermined seeds	California.*
Lepidosaphes gloverii (Glover's scale)	Citrus nobilis (tangerine)	Massachusetts.
Parlatoria ziziphus (scale insect)	do	Do.
Rhizoglyphus sp. (mite)	Solanum tuberosum (potato)	Pennsylvania.
SWEDEN		
Insects:		
Agriotes lineatus (Elateridae)	Solanum tuberosum (potato)	Pennsylvania.
Agriotes sp. (Elateridae)	Dahlia sp. (root)	New York.
Balaninus nucum (Curculionidae)	Corylus sp. (hazelnut)	Illinois.
Corymbites sp. (Elateridae)	In soil around dwarf spruce	Pennsylvania.
Euxesta sp. (Ortalidae)	In soil around potted plant	Do.
Gracilaria syringella (Gracilariidae)	In package with rose and lilac	New York.
Gracilaria sp. (Gracilariidae)	do	Do.
Histiostoma sp. (mite)	Solanum tuberosum (potato)	Massachusetts.
Myrmica laevinodis (ant)	In soil around wild plants	New York.
Neodiprion sp. (sawfly)	In soil around dwarf spruce	Pennsylvania.
Sciara sp. (Mycetophilidae)	In soil around potted plant	Do.
Do	Radicula armoracia (horseradish)	Do.
Tetranorium ruginodis (ant)	In soil around plant roots	New York.
Tyroglyphus lintneri (mite)	Solanum tuberosum (potato)	South Carolina.
Diseases:		
Actinomyces scabies	do	Florida.*
Rhizoctonia sp	do	Do.*
Spondylocladium atrovirens	do	Do.*
SWITZERLAND		
Insects:		
Baccha sp. (Syrphidae)	Rhododendron sp	Massachusetts.
Endrosis lacteella (Oecophoridae)	In package with dahlias	District of Columbia.
Epidiaspis piricola (scale insect)	Malus sylvestris (apple)	Do.
Lecanium corni (scale insect)	Prunus cerasus (cherry)	Washington.
Olethreutid	Castanea sp. (chestnut)	Massachusetts.
Pieris rapae (imported cabbage worm)	Unknown	District of Columbia.
Psylla buxi (box psylla)	Rhododendron sp	Massachusetts.
Pyralid (Phycitinae)	Ceratonia sp. (carob) (pod)	District of Columbia.
Solenopsis sp. (ant)	Medicago sativa (alfalfa)	California.*
SYRIA		
Insects:		
Agromyzid	Cydonia oblonga (quince)	New York.
Cecidomyid	Olea europea (olive)	Do.
Chrysomphalus aurantii (California red scale).	Citrus sinensis (orange)	Do.
Crematogaster sp. (ant)	Cydonia oblonga (quince)	Do.
Lepidosaphes beckii (purple scale)	Citrus sinensis (orange)	Do.
Parlatoria pergandii (chaff scale)	Citrus nobilis (tangerine)	Massachusetts.
Do	Citrus sinensis (orange)	New York.
Pyralid	Cydonia oblonga (quince)	Do.
Rhizoglyphus hyacinthi (bulb mite)	do	Massachusetts.
Trypetid	Olea europea (olive)	New York.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
TAHITI		
Insects:		
Aleuroplatus sp. (whitefly)	Pimenta caryophyllata	California.*
Anisolabis annulipes (earwig)	Theobroma cacao (cacao bean)	Do.*
Aspidiotus cyanophylli (scale insect)	Cocos nucifera (coconut)	Do.*
Aspidiotus sp. (scale insect)	Cucurbita pepo (pumpkin)	Hawaii.*
Chrysomphalus aonidum (Florida red scale).	Cocos nucifera (coconut)	California.*
Cylas formicarius (sweet-potato weevil).	Ipomoea batatas (sweet potato)	Hawaii.*
Ephestia sp. (Pyralidae)	Theobroma cacao (cacao bean) (3)	California.*
Euscepes batatae (West Indian sweet-potato weevil).	Dioscorea sp. (yam)	Do.*
Hemichionaspis minor (scale insect)	Cocos nucifera (coconut) (4)	Do.*
Lecanium sp. (scale insect)	Cucurbita pepo (pumpkin)	Hawaii.*
Lepidosaphes beckii (purple scale)	Citrus aurantifolia (lime)	California.*
Do	Citrus sinensis (orange) (2)	Do.*
Do	Cocos nucifera (coconut)	Do.*
TRINIDAD		
Insects:		
Aleurodothrips fasciapennis (thrips)	Cocos nucifera (coconut)	Florida.*
Aleurotrachelus sp. (whitefly)	Cinnamomum camphora (camphor) (leaf).	Pennsylvania.
Anchastus sp. (Elateridae)	Barringtonia speciosa	District of Columbia.
Chrysomphalus aonidum (Florida red scale).	Citrus aurantifolia (lime)	Florida.*
Chrysomphalus dictyospermi (scale insect).	Mangifera indica (mango)	New York.
Diaspis boisduvalii (Boisduval's scale).	Cocos nucifera (coconut)	Florida.*
Diatraea sp. (Pyralidae)	Cymbopogon sp	Massachusetts.
Eupactus sp. (Anobiidae)	Unknown	New York.
Euscepes batatae (West Indian sweet-potato weevil).	Ipomoea batatas (sweet potato)	Florida.*
Hemichionaspis minor (scale insect)	Annona muricata (sour sop)	New York.
Lepidosaphes beckii (purple scale)	Citrus aurantifolia (lime)	Florida.*
Do	Citrus sinensis (orange) (7)	Do.*
Pachymerus sp. (Mylabridae)	Elaeis guineensis (African oil palm)	District of Columbia.
Parlatoria pergandii (chaff scale)	Citrus sinensis (orange) (2)	Florida.*
Parlatoria sp. (scale insect)	Citrus aurantifolia (lime)	Do.*
Pseudaonidia articulatus (rufous scale)	do	Do.*
Do	Citrus sinensis (orange)	Do.*
Do	do	New York.
Pseudococcus sp. (mealybug)	do	Do.
Sciara sp. (Mycetophilidae)	Barringtonia sp. (seed)	District of Columbia.
Targionia hartii (scale insect)	Dioscorea sp. (yam) (2)	New York.
Diseases:		
Diplodia cacaoicola	Theobroma cacao (cacao bean)	Pennsylvania.
TURKEY		
Insects:		
Aphis sp. (aphid)	Zea mays (corn) (stalk)	New York.
Callirhytis glandium (Cynipidae)	Quercus sp. (oak) (acorn)	Do.
Curculionid	Quercus aegilops (valonia)	Do.
Ephestia sp. (Pyralidae)	Corylus avellana (filbert)	California.*
Pectinophora gossypiella (pink bollworm).	Gossypium sp. (cotton) (boll)	District of Columbia.
Do	do	Massachusetts.
Do	do	New York.
Do	Gossypium sp. (cotton) (seed)	District of Columbia.
Pyralid (Phycitinae)	Ficus sp. (fig)	New York.
Tenebroides sp. (Ostomidae)	Corylus avellana (filbert)	California.*
TURKS ISLANDS		
Insects:		
Anisolabis annulipes (earwig)	Ipomoea batatas (sweet potato)	Pennsylvania.
Chondropoma biforme (Mollusca)	In soil around cactus plant	Do.
Chondropoma semilabre (Mollusca)	do	Do.
Cylas formicarius (sweet-potato weevil).	Ipomoea batatas (sweet potato)	Do.
Euscepes batatae (West Indian sweet-potato weevil).	do	Do.
Gastrocopta marginata (Mollusca)	In soil around cactus plant	Do.
Helicina sp. (Mollusca)	do	Do.
Hemitrochus gallopavonis (Mollusca)	do	Do.
Hylemyia ciliarura (Anthomyiidae)	do	Do.
Macrocentrus sp. (Mollusca)	do	Do.
Pectinophora gossypiella (pink bollworm).	Gossypium sp. (cotton) (seed)	New York.
Pheidole sp. (ant)	In soil around cactus plant	Pennsylvania.
Pyralid (Epipaschiinae)	Gossypium sp. (cotton) (seed)	New York.
Rhizoglyphus phylloxerae (mite)	Corm	Pennsylvania.
Targionia hartii (scale insect)	Dioscorea sp. (yam)	Do.
Tenebrionid	In soil around cactus plant	Do.
Trichoniscus sp. (isopod)	do	Do.
Varicella gracillima (Mollusca)	do	Do.

List, by countries, of pests collected and reported from January 1, 1924, to December 31, 1925, inclusive—Continued

Country of origin and name of pest	Host	Intercepted in—
URUGUAY		
Diseases:		
Actinomyces scabies	Solanum tuberosum (potato)	Florida.*
VENEZUELA		
Insects:		
Anastrepha sp. (Trypetidae)	Achras sapota (sapodilla) (2)	New York.
Do	Lucuma mammosa (sapote)	Do.
Bephrata cubensis (Chalcididae)	Annona muricata (sour sop) (2)	Do.
Chrysomphalus aonidum (Florida red scale).	Palm leaf	Do.
Curculionid	Achras sapota (sapodilla) (2)	Do.
Dermestes sp. (Dermestidae)	Solanum tuberosum (potato)	Do.
Diaspis sp. (scale insect)	Orchid plant	District of Columbia.
Ephestia sp. (Pyralidae)	Theobroma cacao (cacao bean)	California.*
Hemichionaspis minor (scale insect)	Annona muricata (sour sop)	New York.
Do	Citrus aurantifolia (lime)	Do.
Lepidosaphes beckii (purple scale)	Citrus grandis (grapefruit)	Do.
Do	Citrus sinensis (orange)	Do.
Monomorium floricola (ant)	In package with orchid plants	District of Columbia.
Mylabris sp. (Mylabridae)	Caesalpinia coriaria (divi-divi) (pod)	New York.
Pseudococcus brevipes (pineapple mealybug).	Ananas sativus (pineapple)	Do.
Pseudococcus sp. (mealybug)	Orchid plant	District of Columbia.
Pseudoparlatoria ostreata (scale insect)	Orchid	New York.
Rhizoglyphus sp. (mite)	Unknown tuber	Do.
Saissetia hemisphaerica (hemispherical scale).	Annona muricata (sour sop)	Do.
Sciara sp. (Mycetophilidae)	Citrus sinensis (orange)	Do.
Zabrotes pectoralis (Mylabridae)	Phaseolus sp. (bean)	District of Columbia.
Diseases:		
Actinomyces scabies	Solanum tuberosum (potato)	Florida.*
Spondylocladium atrovirens	do	Do.*
VIRGIN ISLANDS		
Insects:		
Asterolecanium pustulans (scale insect)	Bougainvillea sp	District of Columbia.
Cylas sp. (Curculionidae)	Ipomoea batatas (sweet potato)	New York.
Diaspis echinocacti (scale insect)	Cactus	Florida.*
Phenacoccus sp. (scale insect)	Ipomoea batatas (sweet potato)	New York.
Pseudaonidia tesserata (scale insect)	Bougainvillea sp. (cutting)	District of Columbia.
Pseudococcus citri (citrus mealybug)	Ipomoea batatas (sweet potato)	New York.
Pyralid (Pyraustinae)	Solanum melongena (eggplant)	Do.
Saissetia hemisphaerica (hemispherical scale).	Unknown dried plant	Massachusetts.
WALES		
Diseases:		
Actinomyces scabies	Solanum tuberosum (potato)	Florida.*
WEST INDIES		
Insects:		
Asterolecanium miliaris (scale insect)	Bamboo	California.*
Crematogaster sp. (ant)	Orchid	Do.*
Diaspis echinocacti opuntiae (scale insect).	Cactus	District of Columbia.
Emporius signatus (Silvanidae)	do	Do.
Formica sp. (ant)	Orchid	California.*
Lepidosaphes beckii (purple scale)	Citrus aurantifolia (lime)	Do.*
Do	do	New York.
Do	Citrus grandis (grapefruit)	California.*
Do	Citrus sinensis (orange)	New York.
Do	Citrus sp. (foliage)	South Carolina.
Monomorium destructor (ant)	Lactuca sativa (lettuce)	New York.
Parlatoria pergandii (chaff scale)	Citrus limonia (lemon)	California.*
Pheidole sp. (ant)	Orchid	Do.*
Prolabia arachidis (earwig)	Packing with cactus plant	District of Columbi
Pseudaonidia articulatus (rufous scale)	Citrus aurantifolia (lime)	California.*
Do	do	New York.
Pseudococcus virgatus (mealybug)	Cactus	District of Columbia.
Pseudococcus sp. (mealybug)	do	Do.
Do	Theobroma cacao (cacao bean)	New York.
Pyralid (Pyraustinae)	Apium graveolens (celery)	South Carolina.
Do	Cucumis sp. (melon)	Do.
Solenopsis geminata rufa (ant)	Packing with cactus plant	District of Columbia.
Do	Unknown	New York.
Targionia hartii (scale insect)	Dracaena sp. (yam)	Do.
Tineola uterella (Tineidae)	Cactus	District of Columbia.
Diseases:		
Colletotrichum gloeosporioides	Citrus aurantifolia (lime)	Florida.*
Colletotrichum sp	Dracaena sandriana	District of Columbia.

WASHINGTON : GOVERNMENT PRINTING OFFICE : 1926

United States Department of Agriculture

FEDERAL HORTICULTURAL BOARD

C. L. MARLATT, *Chairman;* R. A. OAKLEY, *Vice Chairman;* GEORGE B. SUDWORTH, W. D. HUNTER, and M. B. WAITE. E. R. SASSCER, *Entomologist and Executive Officer;* R. C. ALTHOUSE, *Assistant to the Chairman.*

SERVICE AND REGULATORY ANNOUNCEMENTS

INDEX, 1925

Page

Almeria grapes, exclusion to be continued ---- 101, 102
Argentina, fruit-fly survey, report of ---- 43, 44
Arkansas exempts succulent plants from terminal inspection ---- 18
Bean-pod borer, investigation in Cuba ---- 103, 104
Beans, green, from Cuba, permits for entry at southern ports canceled ---- 102
Blister-rust quarantines, public hearing, notice of ---- 41–43, 100, 101
Bulbs. *See* Nursery stock, plant, and seed quarantine.
Burlap, restricted, undisinfected, 60-day limitation on conversion or treatment removed (HB–191) ---- 69, 70
California provides additional terminal inspection point ---- 52, 53
Ceylon, restrictions on entry of nursery stock ---- 74, 75
Chili, fruit-fly survey, report of ---- 43, 44
Conferences:
  Bulb, notice of ---- 91
  Fruit and rose stocks, notice of ---- 39, 40
  Japanese beetle quarantine, re movement of nursery stock with soil, report of ---- 5, 6
  Pink bollworm, at El Paso, reports of ---- 65, 66
  Pink bollworm, at New Orleans, report of ---- 66
Corn borer, European. *See* European corn borer.
Cotton regulations:
  Burlap, restricted, undisinfected, 60-day limitation on conversion or treatment removed (HB–191) ---- 69, 70
  Mexican cotton and cotton-waste samples, mail, provision for disinfection at border ---- 91, 91
Cottonseed-products regulations, greater freedom of entry from Mexico provided for (Amendment No. 1) ---- 72, 73
Cuba:
  Bean-pod borer, investigation of ---- 103, 104
  Fruit-fly survey, report of ---- 102, 103
  Green beans, permits for entry at southern ports canceled ---- 102
Czechoslovakia, restrictions on entry of potatoes (HB–189) ---- 54, 55
District of Columbia exempts succulent plants from terminal inspection ---- 18
European corn-borer quarantine (domestic):
  Instructions to postmasters ---- 2
  Notice to transportation companies ---- 1
Flag-smut quarantine:
  Proposed extension, public hearing, notice of ---- 105
  Extension of ---- 106
Florida exempts succulent plants from terminal inspection ---- 18
France, report of pest conditions by chairman ---- 73
Fruit and vegetable quarantine (foreign):
  Bean-pod borer in Cuba, investigation of ---- 103, 104
  Dried, cured, or processed fruits and vegetables, provision for bringing entry under permit and regulation (Amendment No. 3) ---- 2–4
  Fruit-fly surveys in Argentina, Chili, and Peru ---- 43, 44
  Fruit-fly survey in Cuba ---- 102, 103
  Fruit-fly survey in Italy ---- 20
  Fruit-fly surveys in Spain ---- 18, 19, 73, 74
  Fruits and vegetables, explanation of restrictions on entry (HB–171) ---- 44
  Green beans from Cuba, permits for entry at southern ports canceled ---- 102
  Permits, issuance conditioned on evidence that fruits and vegetables are not attacked in country of origin by injurious insects (Amendment No. 4) ---- 3–5
  Spanish grapes, exclusion to be continued ---- 101, 102
Fruit-fly surveys:
  Argentina ---- 43, 44
  Chili ---- 43, 44
  Cuba ---- 102, 103
  Italy ---- 20
  Peru ---- 43, 44
  Portugal ---- 19, 20
  Spain ---- 18, 19, 73, 74
Fumigation plants, vacuum, in Texas ---- 67, 86
Garbage from foreign vessels, safeguarding of ---- 20

Page

Georgia provides additional terminal inspection point and exempts succulent plants from inspection 18
Gypsy-moth and brown-tail moth quarantine:
Modification of regulations, towns of Cheshire and Wallingford, Conn., released from quarantine (Amendment No. 1) 94–97
Instruction to postmasters 97
Grapes, Spanish, exclusion to be continued 101, 102
Hawaii, inspection authorized at Honolulu of plants and plant products imported by mail (T. D. 40753) 21
Hearings, public, notice of:
Blister-rust quarantine 41–43, 100, 101
Flag-smut quarantine, proposed extension 105
Porto Rican fruits and vegetables 17, 18
Satin-moth quarantine, proposed extension 71
Hunter, Walter David, death of 83
Idaho exempts succulent plants from terminal inspection 18
Italy, fruit-fly survey, report of 20
Japanese beetle quarantine:
Amendment of regulations to include additional territory (Amendment No. 1) 104, 105
Conference re movement of nursery stock with soil, report of 5, 6
Revision of regulations 6–14
Instructions to postmasters 41
Notice to transportation companies 40
Louisiana:
Pink-bollworm conference at New Orleans, report of 66
Pink bollworm, present status 29–32, 84–91
Pink-bollworm quarantine zones to be released 66
State pink-bollworm regulations amended 89
Mail importations:
Cotton and cotton-waste samples, Mexican, provision for disinfection at border 21, 91
Plants and plant products, inspection authorized at Honolulu, Hawaii (T. D. 40753) 21
Plants and seeds, restrictions on (HB–141) 15, 16
Mediterranean fruit fly:
Grapes, Spanish, exclusion to be continued 101, 102
Surveys in Italy and Portugal 19, 20
Surveys in Spain 18, 19, 73, 74
Mexico:
Cotton and cotton-waste samples, mail, provision for disinfection at border 21, 91
Laguna cotton, pink-bollworm damage in 1925 85
Pink-bollworm regulations 67
Mississippi provides additional terminal inspection point 53
Montana exempts succulent plants from terminal inspection 18
Naval vessels, commanding officers instructed by Secretary of Navy to guard against entry of prohibited plants and plant products 74
New Mexico:
Pink-bollworm infestation 84, 85
Pink bollworm, present status 29–32, 63–69, 84–91
Nursery stock, plant, and seed quarantine:
Bulb conference, notice of 91
Bulbs, foreign, not all to be excluded 34–37
Bulbs, restrictions on entry of certain classes effective January 1 (HB–188) 33, 34
Fruit and rose stocks, conference, notice of 39, 40
Fruit and rose stocks, exclusion postponed 93, 94
Narcissus-bulb restrictions, decision to be announced shortly by Secretary of Agriculture 70
Narcissus quarantine to stand 92, 93
Plant products capable of propagation imported for medicinal, food, or manufacturing purposes, and field, vegetable, and flower seeds, provision for entry under permit (Amendment No. 3) 15
Plants and plant products imported into Hawaii by mail, inspection authorized at Honolulu (T. D. 40753) 21
Plants and seeds, restrictions on mail importations (HB–141) 15, 16
Oklahoma provides for terminal inspection of plants and plant products 107, 108
Oregon provides additional inspection point and exempts succulent plants from inspection 51
Oriental fruit moth, distribution in United States 53, 54
Peru, fruit-fly survey, report of 43, 44
Pink bollworm:
Burlap, restricted, undisinfected, 60-day limitation on conversion or treatment removed (HB–191) 69, 70
Damage to Laguna (Mexico) cotton in 1925 85
El Paso conferences, reports of 65, 66
Ennis and Marilee zones, released from restrictions by Texas 63, 64
Federal regulations amended to provide for disinfection of baled cotton lint and linters (Amendment No. 5) 89, 90
Instructions to postmasters 90, 91
Notice to transportation companies 90
Infestation in western Texas and in New Mexico 84, 85
Infested districts 30
Infested territory in 1920 86
Infested territory in 1925 87
Louisiana quarantine zones to be released 66
Louisiana regulations amended 89
Mexican cotton and cotton-waste samples, mail importations, provisions for disinfection at border 21, 91

Pink bollworm—Continued. Page
Mexican regulations 67
New Orleans conference, report of 66
Present status 29–32, 63, 69, 84–91
Scouting, record of 30–32
Spread, additional precautions to be taken against 16
Texas regulations 68, 69
Texas regulations amended 86–89
Vacuum fumigation plants in Texas 67, 86
Porto Rican fruits and vegetables:
Public hearing, notice of 17, 18
Quarantine restricting entry, notice of 45–49
Baggage declaration 50
Instructions to postmasters 70
Notice to transportation companies 49
Warning to passengers and crew 50, 51
Portugal, fruit-fly survey 19, 20
Postmasters, instructions to:
European corn-borer quarantine (domestic) 2
Gypsy-moth and brown-tail-moth quarantine, modification of regulations releasing towns of Cheshire and Wallingford, Conn., from quarantine (Amendment No. 1) 97
Japanese-beetle quarantine, revision of regulations 41
Pink-bollworm quarantine, Federal regulations amended to provide for disinfection of baled cotton lint and linters (Amendment No. 5) 90, 91
Porto Rican fruits and vegetables, entry restricted 70
Potatoes:
Czechoslovakian restrictions 54, 55
Restrictions on entry to remain unchanged 107
Quarantine officials, State, list of 55, 56
Satin-moth quarantine:
Proposed extension, public hearing, notice of 71
Extension of 97–99
Notice to transportation companies 99, 100
Spain, fruit-fly surveys 18, 19, 73, 74
Surveys, insect pests and plant diseases, in foreign countries:
Argentina, fruit flies 43, 44
Chili, fruit flies 43, 44
Cuba, bean-pod borer 103, 104
Cuba, fruit flies 102, 103
France, report of pest conditions by chairman 73
Italy, fruit flies 20
Peru, fruit flies 43, 44
Portugal, fruit flies 19, 20
Spain, fruit flies 18, 19, 73, 74
Terminal inspection:
Arkansas exempts succulent plants from inspection 18
California provides additional inspection point 52, 53
District of Columbia exempts succulent plants from inspection 18
Florida exempts succulent plants from inspection 18
Georgia exempts succulent plants from inspection 18
Georgia provides additional inspection point 18
Idaho exempts succulent plants from inspection 18
Montana exempts succulent plants from inspection 18
Mississippi provides additional inspection point 53
Oklahoma provides for terminal inspection of plants and plant products 107, 108
Oregon provides additional inspection point and exempts succulent plants from inspection 51
Texas:
Ennis and Marilee zones, State restrictions removed 63, 64
Fumigation plants, vacuum 67, 86
Pink-bollworm conferences at El Paso, reports of 65, 66
Pink bollworm, present status 29–32, 63–69, 84–91
State pink-bollworm regulations 68, 69
State pink-bollworm regulations amended 86–89
Western, pink-bollworm infestation 84, 85
Transportation companies, notices to:
European corn-borer quarantine (domestic) 1
Japanese-beetle quarantine, revision of regulations 6–14
Pink-bollworm quarantine, regulations amended to provide for disinfection of baled cotton lint and linters (Amendment No. 5) 90
Porto Rican fruits and vegetables, quarantine restricting entry, notice of 49
Satin-moth quarantine, extension of 99, 100
Treasury decision, plants and plant products imported by mail, inspection authorized at honolulu, Hawaii (T. D. 40753) 21
Uniforms, distinctive, port inspection service to adopt 55
Violations of plant quarantine act, convictions for:
Avocado or alligator pear quarantine 22
Japanese-beetle quarantine 109
Mediterranean fruit-fly and melon-fly quarantine 75
Mexican fruit-fly quarantine 109
White-pine blister-rust quarantines 21, 22, 56, 75, 108, 109

WASHINGTON : GOVERNMENT PRINTING OFFICE : 1926